				R WELL RECORD	Form '	WWC-5	KSA 82a	-1212	ID No. 3655	30			
	N OF WATER		I			Section	on Numbe		Township Numb	er	Range Numb	er	
	Sa		NW 1/4		NW	1/4	31		T 13	S F	₹ 2	w	
Distance and 2:	direction from 250 N. Ohio	n nearest to o, Salina,	wn or city street add Kansas	dress of well if loc	ated withi	n city?							
	WELL OWNER		Flying J Inc	orporated									
	dress, Box #		333 West C						Board of Agricultu	re. Division o	of Water Res	ources	
City, State, 2	IP Code		North Sait L		8405	4			Application Number		, , , , , , , , , , , , , , , , , , ,	1	
LOCATE	WELL'S LOC	ATON WIT	H						ON:		TOC		
T " " T	1	7	Denth(s) Ground	unter Englishere	-L .d 1		10. C.	# 2	OI4	# 3			
	.1		WELL'S STATIC	MAKET LINCOUNTERS	25	67 4 6	olow land	ll. Z	ce measured on m		10-1-0	;··'"	
X	NW	NE											
₩ W	1								er				
- "									ter				
L	sw	SE	Bore Hole Diame	rter 0.0 ir	n. to	o wotor ou	nnly	ft. a	and 8 Air conditioning	in. to	otion wall	^{ft.}	
	300	;		3 Feed lot					9 Dewatering	12 Oth	ner (Specify I	pelow)	
† <u>L</u>	<u> </u>	į							10 Monitoring we				
	S								No X				
			submitted	Jacteriological Sal	inple subl	mileu (O D			Well Disinfected?	-			
5 TVPE OF	BLANK CAS	ING LISED		5 Mrs	<u> </u>	8 Cocces			CASING JOINTS				
JITTE OF			P (SR)	5 Wrought Iro 6 Asbestos-C						Welded	Clampe		
2 PV		T 4 ABS	. ,								Eluc	h	
				7 Fiberglass							Flus		
blank casing	diameter	<u>.</u>	in to 20 Flushmount	ft., Dia		in. to		ft	., Dia	in. to	·	ft.	
Casing heigh	nt above land	surface	Flushmount	in., weight	0.7	03	lbs./	ft. Wa	Il thickness or gau	ige No.	Scn. 4	U	
			ON MATERIAL:						10 Asbesto				
1 Stee		3 Stair	nless steel	5 Fiberglass		8 1	RMP (SR	()	11 Other (s	pecify)			
2 Bras			anized steel INGS ARE:	6 Concrete tile	e Courad	9 /	ABS		12 None us			hala)	
			Mill slot		Mira	wrapped			Saw cut	11	None (open	noie)	
									Drilled holes				
	ERFORATED		Key punched		Torch cu			- T	Other (specify)	4 4-			
SCREEN-PE	ERFORATED	INIERVAL	5. Fiom	11. 10			۱۱	. From	1	II. W		^{IL.}	
00.	WEL BAOK I	ITED. (ALO	From	π. το		25	π	. From	١	π. το		π.	
	AVEL PACK IN		: From	. 10		33	π	. From	٠	π. to		π.	
0			From at cement 2	ft. to			- tt	. From	<u> </u>	ft. to		π.	
GROUT	MATERIAL:	1 Nea	it cement 2	Cement grout		3 Bent	onite	4 (Other				
			ft. to 18	ft. From		ft. to			ft. From	fi	t. to	ft.	
		-	e contamination:						•		ned water we	ell	
										15 Oil well/ Gas well			
	ver lines	l'	5 Cess pool					12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage					
	tertight sewer	ıınes	6 Seepage pit	9 Fe	eedyard								
Direction fro FROM	m well?	CODE	LITHOL	OGIC LOG		FROM	How ma	any tee		GING INTER	2\/ΔI S		
0	0.25		Asphalt	LOGIO LOG		FNOW	 '	+-	FLUG	CHAC HATEL	VALO		
0.25	3		ill, silty clay,	sand, gravel				1					
3	8		clay, silty, bro										
8	29.5	9	Silt, brown										
29.5	30		Clay, stiff, brov	wn									
30	35		Silt, brown				-						
							-						
							+						
								+					
							-	+					
		-					-	_					
							 						
7 CONTR	ACTOR'S OR	LANDOWN	NER'S CERTIFICAT	ION: This water v	well was	1) construc	ted (2) r	econst	ructed, or (3) plug	ged under m	y jurisdiction a	and was	
	on (mo/day/yr)			1-05				•	to the best of my		//		
1 '	Contractor's L			531					rd was completed				
1	usiness name		Geotechnica		nc		vater vvei anature)	, ,	was completed		?'// 		
			anks and circle the cor								of Water, 10	00 S W	
			nsas 66612-1367. Te										