WA	TER WELL	RECOR	D	Form '	WWC-5	Division	n of Wate	r Resources; App. No.				
1	LOCATION OF WATER WELL:		WELL:	Fraction		Section N		Township Number	Range Number			
	ounty: SALINE				1/4 SE 1/4	17		T 13 S	_	E/W		
			nearest town or ci			Global Positioning Systems (decimal degrees, min. of 4 d				igits)		
	located within city? 4608 N. CRYSTAL SPRINGS I					Latitude:						
2	2 WATER WELL OWNER: PAUL MARAK					Longitude:						
2	RR#, St. Address	Se Boy #			Elevation	Elevation:						
	City, State, ZIP		4608 N. C			ש Datum:	Datum:					
SALINA, KS. 07401							Data Collection Method:					
		LOCATION 4 DEPTH OF COMPLETED WELL 40						ft.				
	LOCATION WITH AN "X"	IN Dont	h(s) Grayndryatan	Engovertored	(1) 15	Δ.	(2)	Α (2)		Δ		
	SECTION BOX	· P ·	Depth(s) Groundwater Encountered (1)15									
	N N	Y. VYEL	WELL'S STATIC WATER LEVEL15ft. below land surface measured on mo/day/yr. 0.8 – 25 – 0. Pump test data: Well water was24ft. after1 hours pumping25									
	Est. Yieldgpm: Well water wasft. afterhours pumpinggpm											
	WELL WATER TO BE LISED AS: 5 Dublic victor symply 9 Air conditioning 11 Injection well									,p		
w	NW NE -	- E 1 Do	omestic 3 Fee	edlot 6	Oil field water	supply	9 Dew	ratering 12 Otl	ner (Specify be	elow)		
	X							itoring well				
	SW SE -					,						
	Sample was submitted											
S												
5	TYPE OF CASI				8 Concrete til	•	CASINO	G JOINTS: Glued				
		3 RMP (SR)			9 Other (speci	fy below)		Welded				
2 PVC 4 ARS 7 Fiberglass Threaded												
Blank casing diameter 5. in to 30. ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 1.2 in., Weight 160 lbs./ft. Wall thickness or guage No. SDR 26												
TYPE OF SCREEN OR PERFORATION MATERIAL: Wall thickness or guage No. SDK. 20.												
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)												
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
1 Continuous slot 3 Mill slot • 0255 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)												
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)												
SCREEN-PERFORATED INTERVALS: From												
From										. ft.		
GRAVEL PACK INTERVALS: From												
From ft. to ft., From ft. to ft.												
6 (GROUT MATE	RIAL: 1	Neat cement 2	Cement grout	3 Bentonite	4 Other						
	out Intervals:							., From				
Wh	at is the nearest		ssible contaminat					,				
	1 Septic tank		4 Lateral lines			stock pens			16 Other (spec	ify		
	2 Sewer lines		5 Cess pool	8 Sewage lag	•			andoned water well	below)			
ъ.	3 Watertight		6 Seepage pit	9 Feedyard		lizer Storage		l well/gas well				
		?SOUTE	IEAST			iny feet?	80	DI LICODIO DITI	DIAT C			
r K	OM TO 8	CANDY	LITHOLOGIC		FRO	M TO		PLUGGING INTI	ERVALS			
			LOOM AND (LAY TAN								
	, 40	DAMUSI	ONE IAN		<u> </u>							

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged												
under my jurisdiction and was completed on (mo/day/year) 0.8 - 25 - 0.6 and this record is thue to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No3.8.8 This Water Well Record was completed on (problem) .0.8 - 2.5 - 0.6												
und	ler the business n	name of PE	STINGER PU	JMP SERV	ICE	by (signature	e) Ye	W/ Jeal				
INS	TRUCTIONS: Use	typewriter or	ball point pen. PLEA	SE PRESS FIRM	ALY and PRINT cl	early. Please fill	l in blanks	underline or circle the co	rest abswers. Se	nd top		
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 6612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at												

http://www.kdhe.state.ks.us/geo/waterwells.