WATER WELL RECORD			Form W	WC-5	Di	vision of Wate	r Resources App. N	o.	
1 LOCATION OF WATER WELL:		Fraction				Township No.			
County: Saline		1/4 NW 1/4 NV				T 13 S			
			if unknown, distance a				g System (GPS) ir		
from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)			
5 miles South of Bennington, KS						Longitude: (in decimal degrees)			
						Elevation:			
2 WATER WELL OWNER: Jim Lance						Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #: 4916 State Route 83						GPS unit (Make/Model:)			
City, State, ZIP Code Sedalia, KY 42079						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
						ccuracy: 🔲 <	3 m, 🔲 3-5 m, 🔲	5-15 m, □>15 m	
3 LOCATE WELL									
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
SECI	SECTION BOX: Depth(s) Groundwater Encountered (1)								
	WELL 5 STATIC WATER DE VEE								
1 1	TOTAL TRANSPORT OF CONTRACT OF								
	-NW - -NE - EST. YIELD. $3-6$ gpm. Well water wastt. after								
" _	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
	Fig. Demostic								
SW	SW SE								
Was a chemical/bacteriological sample submitted to Department? Yes X No									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? X Yes \(\subseteq \) No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter 5 in. to									
Casing height above land surface12									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot 🕱 Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout XX Bentonite Other Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.									
					. 11. 10		1 10111	11. 10	
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage							l water well		
		lines		Fertilizer		Oil well/ga			
			101.00					ICCDIC DITERVAL	
FROM	TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	JG (cont.) or PLU	JGGING INTERVALS	
2	2 Tops 23 Clay								
23		y, tan le, gray		-			, • , , , , , , , , , 		
25		le, gray le, tan					· · · · · · · · · · · · · · · · · · ·		
37		dstone, tan						***************************************	
47		le, gray							
7 5		le, red					·		
82		le, gray							
94		dstone, tan/h	ard						
118	1 [le, gray							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year)7/29/11 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No138 This Water Well Record was completed on (mo/day/year) .8/2/.11									
under th	e business name	ofPeterson	Irrigation, Ir	ıc	by (s	signature)	11 the Statu	4	
								et answers. Send three copies Topeka, Kansas 66612-1367	
								constructed well. Visit us a	
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-	-1212								