***		I PEGOPP	E 33/	WC F	D		48,647	
		L RECORD.	Form W	WC-5	Section Number	ter Resources App. N		
1 14	ounty: S	OF WATER WELL:	Fraction NE 1/4 NE 1/4 SW	/ 1/ SW 1/		Township No. T 13 S	Range Number R 2 □E ☑W	
		Address of Well Location;				ng System (GPS) i		
				Latitude:38.88865				
. *	from nearest town or intersection: If at owner's address, check here				Longitude: 97.53414 (in decimal degrees)			
3 miles East & 3 miles North of Salina, Ks.					Elevation:	Elevation:		
-,					Datum: WGS	84, 🗹 NAD 83, 🗀	] NAD 27	
		ELL OWNER: Lonnie		Collection Method:  GPS unit (Make/Model:)				
	RR#, Street Address, Box #: 4528 E. Campbell City, State, ZIP Code : New Cambria Ks 67470							
C	ity, State, Z	IP Code : New Ca	mbria, Ks. 67470			ic Map, Land Survey		
Est. Accuracy:   <3 m,   3-5 m,   5-15 m							13-13 m, > 13 m	
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL							
	SECTION BOX: Depth(s) Groundwater Encountered (1)33							
	N WELL'S STATIC WATER LEVEL23ft. below land surface measured on mo/day/yr. 3/25/2014							
	Pump test data: Well water wasft. after hours pumpinggpm							
	EST. YIELD. 200. gpm. Well water was							
w	Bore Hole Diameter .30 in. to							
l ⊢								
	Domestic   Feedlot   Oil field water supply   Dewatering   Other (Specify below)							
1	SW SE Domestic Freedrot Domestic-lawn & garden Monitoring well							
L			bacteriological sample			Yes 🗹 No		
Ι.	\$		day/yr sample was sul					
	1 mile		fected? 📝 Yes 🗌	No				
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Ca	sing diame	ter16 in. to36.	ft., Diameter	in.	to ft.,	Diameter	in. to ft.	
		above land surface12		16.15	lbs./ft., Wall th	nickness or gauge N	10. 0.500	
		EEN OR PERFORATION		_				
Steel Stainless Steel PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:								
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From .1 ft. to								
		est source of possible contr						
	☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)							
	☐ Sewer lines       ☐ Cesspool       ☐ Sewage lagoon       ☐ Fuel storage       ☐ Abandoned water well         ☐ Watertight sewer lines       ☐ Seepage pit       ☐ Feedyard       ☐ Fertilizer storage       ☐ Oil well/gas well							
Direction from well None within 1/4 mile Distance from well								
FROI		LITHOLOG		FROM			UGGING INTERVALS	
0	5	Topsoil		1				
5	17	Clay, dark brown		1		· · · · · · · · · · · · · · · · · · ·		
17	28	Clay, brown		1				
28	33	Clay, gray		†				
33	55	Sand, fine to coarse w/	oravel	1 1				
55	56	Shale, green						
	100			† †			.,	
			· · · · · · · · · · · · · · · · · · ·	†				
				†				
				† 1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)3/25/14 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No138 This Water Well Record was completed on (mo/day/year) / 3/26/14								
under	the busine	ss name of Peterson Im	igation, Inc.		by (signature)	Mile KT		
	RUCTIONS:	Use typewriter or ball point per	. PLEASE PRESS FIRML	Yand PRINT c	early. Please fill in blan	ks and check the correc	t answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html