			WAIE	H WELL HEL	JUHU	Form w	NC-5 KSA E	32a-1212					
1 LOCAT	ION OF WA	TER WELL:	Fraction				Section Numb	er To	wnship Nu	ımber	Rar	nge Nun	nber
County:			SW 1/4		1/4 NE	1/4	8	Т	13_	S	R	_20	E(W)
Distance	and direction	from nearest town of	or city street a	ddress of well	Il if locate	ed within d	city?						
815 No	orth Jeffe	rson, Ellis, Kar	nsas 67637	Mw3									
	R WELL OW		Fondoble										
RR#, St.	Address, Bo		onroe Stree	+				8	oard of A	griculture, [Division of	f Water	Resources
-	e, ZIP Code	2,1512	Kansas 676	_					pplication	•			
1		OCATION WITH 4			WELL	27	# EIE						
AN "X"	' IN SECTIO	N B(14.					9						
- r	1		•										
† 1	i						ft. below land						
}	NW	NEA-					ft						
1	1						ft						
ş w ŀ	<u> </u>						27 f				to		ft.
<u>₹</u>	! !	! W	ELL WATER T	O BE USED	AS:		water supply		nditioning		Injection v		
ī l	SW	SE	1 Domestic	3 Feed	dlot		d water supply	-	-		Other (Sp	-	
1 1	1	ï	2 Irrigation	4 Indu	strial	7 Lawn	and garden only	(10)Monito	oring well	<u>.</u> ,			
↓ L	1	Wa	as a chemical/t	bacteriologica	l sample	submitted	to Department?	Yes	No ¥.	; If yes,	mo/day/y	r sample	e was sub-
_		s mit	itted					Water Well I	Disinfecte	? Yes	l	No 🗸	
5 TYPE	OF BLANK	CASING USED:		5 Wrought	iron	8 C	oncrete tile	CAS	SING JOI	NTS: Glued	1	Clamped	d
1 Si	teel	3 RMP (SR)		6 Asbestos	-Cement	9 O	ther (specify be	elow)		Welde	ed		
(2) P'	vc	4 ABS		7 Fiberglas	s					Threa	ded. 1	• • • • • • • •	
Blank cas	ing diameter	2in.	to 12	ft Dia	- a	i	n. to	ft D	ia		in to		ft
Casing he	eight above la	and surface	0	in weight			11	os/ft Wall th	nickness o	r gauge No	sch	40	
		R PERFORATION M		min, worgine .			P VC	Jo./It. VVan ti		estos-ceme		. 	
1 St		3 Stainless ste		5 Fiberglas	c	_	RMP (SR)			er (specify)			
2 B		4 Galvanized		6 Concrete			ABS						
		RATION OPENINGS		o Concrete				0.0		e used (op			I1-\
		_				zed wrapp		8 Saw			11 None	e (open	noie)
	ontinuous slo					wrapped			ed holes				
	ouvered shutt	, ,	punched	12	7 Torc		27	10 Othe	r (specify)			• • • • • • •
SCREEN-	PERFORATI	ED INTERVALS:					<mark>27</mark> ft., F						
							ft., F						
	GRAVEL PA	CK INTERVALS:	From	10	. ft. to .			rom		ft. to	o		ft.
			From		ft. to		ft., F	rom		ft. to	5		ft.
6 GROU	T MATERIAL		nent (2)Cement gr	out	(3)	Bentonite	4 Other					
Grout Inte	ervals: From	m	to 1	ft., Fro	om	1	ft. to10	ft.,	From	. .	. ft. to		ft.
What is th		ource of possible con						estock pens		14 Al			
1 Se	eptic tank	4 Lateral li	ines	7 Pit	privv		(11) Fu	el storage		15 O	il well/Gas	s well	
2 Sewer lines 5 Cess poo						oon		rtilizer stora	ae		ther (spec		w)
3 Watertight sewer lines 6 Seepage						,		secticide sto	•		(0,000	,	,
	from well?	southeast			,			many feet?	90	80			
FROM	ТО		LITHOLOGIC I	LOG		FRO		ilariy icct:	PL	UGGING IN	NTERVAL	S	
0	4"	concrete											
4"	27'		larde brown					flu	sh moun	t cover			
4"	21.	clayey silt, d	ack brown							00094623			
	1							STO	e ra #	0094023			
								-					
7 00::-	DAOTORIO	D (A) D () = = = = =	OFFICIAL	A1 =:									
		OR LANDOWNER'S	CERTIFICATION 20–92	ON: This wat	er well v	vas (1) co							
-	on (mo/day/	year)	527					cord is true				and belie	f. Kansas
Water We	II Contractor	s License No			Water V	Vell Recor	d was complete	ed on (mo/da	y /yr)	1/	-20-92		
under the	business nar	me of GeoCorre	e Services,	inc.			by (sig	nature) 🚺	long	100			
		pewriter or ball point pen. ent, Bureau of Water, Tope									copies to Ka	ınsas Depa	artment
or near	iiii aiiu Environm	ent, bureau or water, tope	ena, nalisas 00020	J-JUJ I. Telepnone	o. 513-296-	5545. Send 0	THE TO WATER WELL	. UWNER and r	etain one toi	your records.			