111 OCA	TION OF W	ATER WELL:	Fraction	Fraction Form			mber Townsh	Township Number		Range Number	
County:			SW 1/4	sw 1/4	SE ¼	5		13 S	R 20	BM)	
		on from nearest to		address of well if k							
•		ıt, Ellis, Kansa	•								
l .	ER WELL O		is Power Pla								
<u></u>	Address, Bo			IIIC			Deard of /	Namiau Huma Divis	sian of Whates E		
1 '	•	202	West 6th	(=(o=		Board of Agriculture, Division of Water Resources Application Number:					
	e, ZIP Code		is, Kansas				ft. ELEVATION:				
WITH	TE WELL'S AN "X" IN S	ECTION BOX:	i I								
		N N		dwater Encountered							
T			WELL'S STATION	C WATER LEVEL .		. ft. below la	nd surface measu	red on mo/day/y	/r	. .	
			Pum	p test data: Well w	vater was	NA	ft. after	hours pun	nping	gpm	
	NW	NE	Est. Yield N.	Agpm: Wellw	vater was		ft. after	hours pur	nping	gpm	
<u>ا نه</u> ا				eter 8 in.							
M Mile		E		TO BE USED AS:				ioning 11 l			
-		1 1	1 Domestic				9 Dewaterin	_	•	helow)	
	SW	SE	2 Irrigation				ly 10 Monitoring	- \		-	
		.		l/bacteriological sa							
★		<u> X </u>	submitted	ir bacter tological sal	impie submit	ed to Depart	Water Well Disin		No No	iip y ii us	
	, , , , , , , , , , , , , , , , , , ,	5		F 144 147						<u> </u>	
		CASING USED:		5 Wrought iron		oncrete tile		JOINTS: Glued	•		
1 S		3 RMP (SF	₹)	6 Asbestos-Ceme		ther (specify			ed		
(2)°		4 ABS		7 Fiberglass				Threa	ded. 🗸		
				8 ft., Dia							
Casing he	eight above l	and surface	. -5. 76	in., weight			lbs./ft. Wall thickr	ess or gauge N	o Sch	40	
		R PERFORATION		_	7	PVC		Asbestos-ceme			
1.8	iteel	3 Stainless	steel	5 Fiberglass		RMP (SR)	11	Other (specify)			
	rass		ed steel	6 Concrete tile		ABS		None used (ope			
		RATION OPENING			uzed wrappe		8 Saw cut		11 None (oper	n hole)	
	Continuous s				uzeu wrapped re wrapped		9 Drilled hol		i i None (oper	ii iioie)	
	ouvered shu		ey punched		ch cut			ecify)			
SCREEN	PERFORAT	ED INTERVALS:		. 18 ft. to							
,	2041/EL DA	CK INTERVALE.		ft. to							
,	SKAVEL PA	CK INTERVALS:		1.7.6 ft. to							
				ft. to	_						
6 GROU	T MATERIAL	_: 1 Neato	cement (2	2 Cement grout	(3)B	entonite	4 Other				
Grout Inte	rvals: Fron	n	ft. to 3	ft., From	3	ft. to 1	7 .6 ft, Fron	n	. ft. to	ft.	
What is th	ne nearest so	ource of possible	contamination:			10 L	ivestock pens	14 Ab	andoned water	weii	
1 Sep	tic tank	4 Latera	al lines	7 Pit privy		11 F	uel storage	15 Oil	l well/Gas well		
2 Sew	er lines	5 Cess	pool	8 Sewage la	agoon	12 F	ertilizer storage	16 Otl	her (specify bel	low)	
3 Wat	ertight sewe	rlines 6 Seepa				13 Insecticide storage					
	from well?	·		·		How	many feet? 0				
FROM	ТО		LITHOLOGIC	LOG	FRON		T .	PLUGGING IN	TERVALS		
0	2	Sand, Dark Bi	rown				1	·			
2	1	Sand, Yellow		·····			-			· · · · ·	
10	+	Sand, Gray									
10	20	Sairu, Gray									
	 		• •	 							
	ļ										
				1. d 8 18 L							
											
	 						AS8, Tag # 003	06296 Flushma	nint		
			······································				Project Name: 0				
	<u> </u>						GeoCore # 896				
7 CONTR	ACTOR'S O	R LANDOWNER'S	S CERTIFICATION	ON: This water well	was (1) con	structed, (2)	reconstructed, or	(3) plugged und	ler my jurisdicti	ion	
		(mo/day/year) .					is record is true to				
Kansas W	ater Well Co	ontractor's Licens	se No.	. 527	This Water V			•	-		
	business na			e Services, Inc.			gnature)	40. 1.0	<i>'U</i>		
					Falsorie Die		· AZ	orrect ensures. Se	nd ton three conics	to Kansas	
INSTRI	JCTIONS: Use ment of Health a	typewriter or ball poin and Environment, Bure	н pen. <i>PLEASE PRI</i> eau of Water, Topeka	SS FIRMLY and PRINT , Kansas 66620-0001.	elephone: 913-	е III III Dianks, I 296-5545. Send	I one to WATER WELL	OWNER and retain	one for your record	ds.	