1/2 East of Ellis KS WATER WELL OWNER: HAROLD HONAS	Application Num : ::::::::::::::::::::::::::::::::::	s R 20 E/W culture, Division of Water Resource amber:
Distance and direction from nearest town or city street address of well if located within city? 1/2 East of Ellis KS PAROLD HONAS RR#, St. Address, Box # : 500 WALNUT ST City, State, ZIP Code : ELLIS KS 67637 BLOCATE WELL'S LOCATION WITH DEPTH OF COMPLETED WELL 32 ft. ELEVATION AN "X" IN SECTION BOX:	Application Num : ::::::::::::::::::::::::::::::::::	imber: ft. 3
Type of Blank Casing diameter Samples Sa	Application Num : ::::::::::::::::::::::::::::::::::	imber: ft. 3
WATER WELL OWNER:	Application Num : ::::::::::::::::::::::::::::::::::	imber: ft. 3
City, State, ZIP Code EILIS KS 67637 437 33 34 34 34 34 34	Application Num : ::::::::::::::::::::::::::::::::::	imber: ft. 3
City, State, ZIP Code EILIS KS 67637 437 33 34 34 34 34 34	Application Num : ::::::::::::::::::::::::::::::::::	imber: ft. 3
AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1.25	ir conditioning lewatering Monitoring well	ft. 3 ft. ay/yr 9-15-04 ft. to ft.
Depth(s) Groundwater Encountered 1 .2.5	ir conditioning lewatering Monitoring well	ft. 3 ft. ay/yr 9-15-04 ft. to ft.
WELL'S STATIC WATER LEVEL 2.0. ft. below land surface me Pump test data: Well water was ft. after Pump test data: Well water was ft. after Well water was ft. after Well Water Was ft. after Well WATER TO BE USED AS: 5 Public water supply 8 A XXDomestic 3 Feedlot 6 Oil field water supply 9 D 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 M Water Was a chemical/bacteriological sample submitted to Department? Yes mitted 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) XXVC 4 ABS 7 Fiberglass Water Wa	ir conditioning lewatering Monitoring well NoXX; I Well Disinfected? CASING JOINT ft., Dia ft. Wall thickness 10 Asbest 11 Other (12 None L Saw cut Drilled holes Other (specify)	hours pumping
Est. Yield	ir conditioning Dewatering Monitoring well NoXX; I Well Disinfected? CASING JOINT ft., Dia ft. Wall thickness 10 Asbest 11 Other (12 None L Saw cut Drilled holes Other (specify)	hours pumping
WELL WATER TO BE USED AS: 5 Public water supply 8 A MXXPomestic 3 Feedlot 6 Oil field water supply 9 E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 M Water V	ir conditioning Dewatering Monitoring well No XX; I Well Disinfected? CASING JOINT	11 Injection well 12 Other (Specify below) If yes, mo/day/yrs sample was story yes No TS: Glued XX Clamped Welded Interested Inter
W X	Monitoring well	If yes, mo/day/yrs sample was story yes No TS: Glued XX Clamped Welded In. to sor guage No. Stos-Cement (Specify) used (open hole) If None (open hole) If to ft.
Was a chemical/bacteriological sample submitted to Department? Yes what is the nearest source of possible contamination: Was a chemical/bacteriological sample submitted to Department? Yes what is the nearest source of possible contamination: Was a chemical/bacteriological sample submitted to Department? Yes what is the nearest source of possible contamination: Was a chemical/bacteriological sample submitted to Department? Yes what is the nearest source of possible contamination: Was a chemical/bacteriological sample submitted to Department? Yes what is the nearest source of possible contamination: Was a chemical/bacteriological sample submitted to Department? Yes what is the nearest source of possible contamination: SWORDER	CASING JOINT CASING JOINT ft., Dia ft. Wall thickness 10 Asbest 11 Other (12 None to be a controlled holes Other (specify)	If yes, mo/day/yrs sample was stored with the sample was stored was stored
Was a chemical/bacteriological sample submitted to Department? Yes Name of the property	CASING JOINT ft., Dia ft. Wall thickness 10 Asbest 11 Other (12 None u Saw cut Drilled holes Other (specify)	TS: Glued .XX Clamped
mitted water water between the state of the	CASING JOINT ft., Dia ft. Wall thickness 10 Asbest 11 Other (12 None u Saw cut Drilled holes Other (specify)	TS: Glued .XX Clamped
TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) XXVC 4 ABS 7 Fiberglass Blank casing diameter 5 in to 22 ft., Dia in. to Casing height above land surface 18 in., weight 16.0 lbs./ TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 SCREEN-PERFORATED INTERVALS: From 5 ft. to 32 ft., From 5 ft. to 5 GRAVEL PACK INTERVALS: From 5 ft. to 5 GROUT MATERIAL: 6 GROUT MATERIAL: 1 Neat cement 5 From 5 ft. to 5 GROUT MATERIAL: 1 Neat cement 6 GROUT Intervals: From 5 ft. to 5 ft., From 5 ft. to 6 ft., From 5 ft. to 7 ft., From 5	ft., Dia ft. Wall thickness 10 Asbest 11 Other (12 None L Saw cut Drilled holes Other (specify)	rS: Glued Clamped
TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) XXPVC 4 ABS 7 Fiberglass Blank casing diameter 5 in. to 22 ft., Dia in. to	ft. Dia ft. Wall thickness 10 Asbest 11 Other (12 None L Saw cut Drilled holes Other (specify)	Welded
TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 2 XXVC 4 ABS 7 Fiberglass Blank casing diameter 5 in to 22 ft., Dia in to 22 ft., From ft. to 5 GROUT MATERIAL: 1 Steel 3 Stainless Steel 5 From ft. to 2 ft., From ft. to 5 GROUT MATERIAL: 1 Continuous slot 2 Material in Steel 5 From ft. to 5 GROUT MATERIAL: 2 Cament grout 3 Stainless Steel 5 From ft. to 5 GROUT MATERIAL: 3 Cament grout 3 Stainless Steel 5 From ft. to 5 GROUT MATERIAL: 4 Key punched 7 Torch cut 10 SCREEN-PERFORATED INTERVALS: 5 GROUT MATERIAL: 6 GROUT MATERIAL: 7 Neat cement 2 Cement grout 3 Stentonite 4 Other (specify below) 7 Fiberglass 6 Concrete tile 9 Other (specify below) 8 Concrete tile 9 Other (specify below) 1 in to 10 Livestock 1 Steel 3 RMP (SR) 9 Casing height above land surface 18. 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 9 ABS 8 RMP (SR) 9 ABS 8 GROUT was a steel 18. 1 Continuous slot 3 Stainless 8 RMP (SR) 9 ABS 8 Concrete tile 9 Other (specify below) 1 Steel 3 Steel 18. 1 Steel 3 Stainless Steel 18. 1 Steel 3 Stainless Steel 18. 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 9 ABS 8 Concrete tile 9 Other (specify below) 1 Steel 3 Concrete tile 19. 1 Steel 2 Steel 18. 1 Continuous slot 2 Steel 18. 1 Continuous slot 3 Steel 2 Steel 18. 1 Continuous slot 4 Steel 2 Steel	ft. Dia ft. Wall thickness 10 Asbest 11 Other (12 None L Saw cut Drilled holes Other (specify)	Welded
1 Steel 3 RMP (SR) 6 Asbestos-Cement 7 Fiberglass Blank casing diameter 5 in. to 22 ft., Dia in. to 22 st., Piberglass Stainless Steel 5 Fiberglass 8 RMP (SR) 9 ABS SCREEN OR PERFORATION MATERIAL: 7 Torch cut 10 SCREEN-PERFORATED INTERVALS: From 5 ft. to 5 GRAVEL PACK INTERVALS: From 5 ft. to 5 GROUT MATERIAL: 6 GROUT MATERIAL: 7 Torch cut 10 GROUT MATERIAL: 7 Neat cement 22 Cement grout 7 Fiberglass 7 Pit privy 11 Fuel storage 11 Fuel storage 12 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 12 Septic face 13 Septic face 14 ABS 7 Fiberglass 8 RMP (SR) 10 Septic face 15 Fiberglass 15 Fi	ft. Dia ft. Wall thickness 10 Asbest 11 Other (12 None L Saw cut Drilled holes Other (specify)	Welded
Blank casing diameter 5 in to 22 ft., Dia in to Casing height above land surface 18 in weight 16.0 lbs./ TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped 8 In Continuous slot 2 SayMill slot 6 Wire wrapped 9 In Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut 10 SCREEN-PERFORATED INTERVALS: From 10 SCREEN-PERFORATED INTERVALS: From 10 SCREEN-PERFORATED INTERVALS: From 11 Seption 12 Seption 12 Seption 13 Seption 14 Seption 14 Seption 15 Seption 16 Seption 16 Seption 17 Seption 17 Seption 17 Seption 18 Seption 18 Seption 19 Seption 1	ft., Dia ft. Wall thickness 10 Asbest 11 Other (12 None u Saw cut Drilled holes Other (specify)	in. to
Casing height above land surface 18 in., weight 20 lbs./ TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped 8 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 2 Louvered shutter 4 Key punched 7 Torch cut 10 SCREEN-PERFORATED INTERVALS: From 5 ft. to 3.2 ft., From 6 ft. to 5 ft., From 6 ft. to 6 ft., From 7 ft. to 7 ft., From 7 ft., From 7 ft. to 7 ft., From 7 ft.,	ft. Wall thickness 10 Asbest 11 Other (12 None L Saw cut Drilled holes Other (specify)	s or guage No
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped 8 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 2 Louvered shutter 4 Key punched 7 Torch cut 10 SCREEN-PERFORATED INTERVALS: From 22 ft. to 32 ft., From From ft. to ft., From From ft. to ft., From From ft. to ft., From ft., Fr	10 Asbest 11 Other (12 None u Saw cut Drilled holes Other (specify)	stos-Cement (Specify) used (open hole) 11 None (open hole) ft. to
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped 8 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 2 Louvered shutter 4 Key punched 7 Torch cut 10 SCREEN-PERFORATED INTERVALS: From 22 ft. to 32 ft., From From ft. to ft., From ft., From ft. to ft., From ft., F	11 Other (12 None u Saw cut Drilled holes Other (specify)	(Specify)
2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped 8 1 Continuous slot 3 Mill slot 7 Torch cut 10 SCREEN-PERFORATED INTERVALS: From 2.2 ft. to 3.2 ft., From ft. to ft., From ft., From ft. to ft., From ft., From ft. to ft., From ft	12 None u Saw cut Drilled holes Other (specify)	used (open hole) 11 None (open hole) ft. to
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 4 Key punched 5 Guazed wrapped 9 Torch cut 10 SCREEN-PERFORATED INTERVALS: From 22 ft. to 32 ft., From ft. to ft., From ft., Fro	Saw cut Drilled holes Other (specify)	11 None (open hole)ft. to
1 Continuous slot	Drilled holes Other (specify)	ft. to
2 Louvered shutter 4 Key punched 7 Torch cut 10 SCREEN-PERFORATED INTERVALS: From 2.2 ft. to 3.2 ft., From ft. to ft., From 2.2 ft. to 3.2 ft., From 5.2 ft. from 5.2 ft. from 5.2 ft. from 5.2 ft. from 6.3 ft. fro	Other (specify)	ft. to
SCREEN-PERFORATED INTERVALS: From 2.2 ft. to 3.2 ft., From ft. to ft., From 2.2 ft. to 3.2 ft., From 5.2 ft. to 5.2 ft. ft. from 5.2 ft. ft. from 6.3 ft. from 6.		ft. to
From ft. to ft., From 3.2 ft., From 5.2 ft. to 3.2 ft., From 5.4 ft. from 5.4 ft., From 5.5 ft.		ft. to ft. to
GRAVEL PACK INTERVALS: From		ft. to
GROUT MATERIAL: One of the proof of the pro		ft to
Grout Intervals: From		11. 10
Grout Intervals: From	ner	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage	ft From	ft. to
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage		14 Abandoned water well
		15 Oil well/Gas well
2 Control miles 6 Control pool 6 Contrago laggori 12 i oranizor c		16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide	•	,
Direction from well?	•	
FROM TO LITHOLOGIC LOG FROM TO		GING INTERVALS
0 5 SURFACE CLAY		
5 19 GRAY CLAY		
19 20 FINE SAND		
DY W		
20 30 MED TO LARGE SAND	55	CEIVED
30 32 BLUE SHALE	- KE	CEIVED
JO JZ BOOK STALE	0.01	T 0 1 0004
		T 0 1 2004
	BUREA	AU OF WATER
7		
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed	ucted, or (3) plug	gged under my jurisdiction and w
completed on (mo/day/year) $9-15-04$ and this record Water Well Contractor's Licence No 444	is true to the best	t of my knowledge and belief. Kans

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three opies to Kansas Department of the and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL DWNER and retain one for your records. Fee of \$5.00 for each constructed well.