贸

.,	ATED	VALLE	DECORD	E-
N.	AIEK	WELL	RECORD	Fo

orm WWC-5

KSA 82a-1212 ID No.

1 LOCATION OF WATER WELL: Fraction Section Number Township Number SE 1/4 Ellis SE 8 Distance and direction from nearest town or city street address of well if located within city? 1000 Monroe, Ellis, Kansas 2 WATER WELL OWNER: Golden Belt Cooperative RR#, St. Address, Box # : P.O. Box 138 Board of Agriculture, Division of Water Resources : Ellis, Kansas 67637 City, State, ZIP Code Application Number: 3 LOCATE WELL'S LOCATON WITH 4 DEPTH OF COMPLETED WELL 25.0 ft. ELEVATION: AN "X" IN SECTION BOX: **15.0** ft. 2 ft. 3 ft. Depth(s) Groundwater Encountered 1 WELL'S STATIC WATER LEVEL 14.75 ft. below land surface measured on mo/day/yr 04 Pump test data: Well water was ______ ft. after _____ hours pumping _____ gpm Est. Yield NA gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter 8.5 in. to 25.0 ft. and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) X E W SE -2 Irrigation 4 Industrial 7 Lawn and garden (domestic) (10) Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes _____ No _X _ If yes, mo/day/yr sample was Water Well Disinfected? Yes No X submitted CASING JOINTS: Glued Clamped 5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 4 ABS 7 Fiberglass -----Blank casing diameter 2.375 in. to 10.0 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface Flush Mount in., weight | Ibs./ft. Wall thickness or gauge No. | Schedule 40 |
TYPE OF SCREEN OR PERFORATION MATERIAL: | 7 PVC | 10 Asbestos-cement 11 Other (specify) 3 Stainless steel 5 Fiberglass 8 RMP (SR) 5 Fiberglass 8 RMP (SR) 6 Concrete tile 9 ABS 4 Galvanized steel 12 None used (open hole) 5 Gauzed wrapped SCREEN OR PERFORATION OPENINGS ARE: 8 Saw cut Mill slot Key punched 6 Wire wrapped 1 Continuous slot 9 Drilled holes 10 Other (specify) 2 Louvered shutter 7 Torch cut From **25.0** ft. to **10.0** ft. From ft. to ft. SCREEN-PERFORATED INTERVALS: ft. to ft. From ft. to ft. **25.0** ft. to **8.0** ft. From ft. to ft. GRAVEL PACK INTERVALS: ft. From 6 GROUT MATERIAL: 1 Neat cement Cement grout 3 Bentonite 4 Other Grout Intervals From 0.0 ft. to 0.5 ft. From 0.5 ft. to 8.0 ft. From ft. to ft. 10 Livestock pens 14 Abandoned water well
11 Fuel storage 15 Oil well/ Gas well What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 12 Fertilizer storage 2 Sewer lines 5 Cess pool 8 Sewage lagoon 16 Other (specify below) 13 Insecticide storage 3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? Southeast How many feet? LITHOLOGIC LÓG FROM TO CODE 0.0 5.0 Black clayey silty, moist 5.0 18.0 Light brown-brown clayey silt, moist, wet @15' 18.0 25.0 Light brown clayey sand, fine grained, wet Exception to K.A.R. 28-30-6(b) (1) and (e) approved by D. Taylor, KDHE-BOW. 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my unsdiction and was completed on (mo/day/yr) 03/29/07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 692 This Water Well Record was complete the contractor's License No. Quad State Services, Inc. under the business name of by (signature) INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment,

Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records