			WATE	R WELL RECORD	Form WWC-	5 KSA 82a-1	212 ID No	NMW-	<u>·12 </u>
1 LOCATION	ON OF WATE		l l		1 -	ection Number		lumber	Range Number
County:		Ilis	SW ½	SE ¼	NE ¼		T 13	S	R 20 E/(V
			t town or city street ac	ddress of well if lo	cated within city	?			
	shington, E								
	WELL OWNE								
RR#, St. Ad	ldress, Box#	: 350	2 Fairway				Board of Agri	culture, Division	on of Water Resources
City, State,	ZIP Code	: Hay	s, Kansas 6760	1			Application N	lumber:	
LOCATE	WELL'S LO	CATON W	ITH						
AN "X" II	N SECTION E	BOX:	DEPIROF C	COMPLETED WE	LL 2	25.0 ft. ELE	VATION:		
	N		Depth(s) Ground	water Encountere	ed 1′	16.0 ft	. 2	ft. 3	ft.
▲ □	`		WELL'S STATIC	WATER LEVEL	14.42	ft. below land s	surface measured	on mo/day/yr	04/07/07
	, i	i I	I						mping gpm
	NW -	- NE							mping gpm
W ∰ie	i i	X	E Dare Hele Diame	gpiii. Wei	water was	'	anci	nours pur	inpinggpm
- "	!	^^	WELL WATER T	CORFUSED AS	n. to	r eupply	π. and	in. to	o ft. Injection well Other (Specify below)
	i l	1	1 Domestic	: 3 Feed lot	6 Oil field water	r supply ter supply	9 Dewatering	n 12	Other (Specify below)
 - -	sw	SE	2 Irrigation	4 Industrial	7 Lawn and c	arden (domesti	c) 10 Monitorin	a well	emedial Test Well
↓			1						no/day/yr sample was
, –	S		submitted		p.o oao.m.cou		ter Well Disinfecto		
5 TVDT 0		OINIO LIGI		E \M	- 0 0				No X
_	F BLANK CAS			5 Wrought Iro		ncrete tile			Clamped
[↑] St∈			MP (SR)	6 Asbestos-C			•		١
(2)PV		4 A		7 Fiberglass				Threade	ed X
Blank casin	g diameter	4.50	in. to 10.	0 ft., Dia	i	n. to	ft., Dia	in	. to ft.
Casing heig	ht above land	surface	Flush Mount	in weight		lbs /ft	Wall thickness o	r gauge No	Schedule 40
TYPE OF S	CREEN OR E	PERFORA	TION MATERIAL:	, woight		7) PVC	10 Ash	estos-cement	
1 Ste		3 St	ainless steel	5 Fiberglass		8 RMP (SR)	11 Oth	er (specify)	
2 Bra		4 G	lvanized steel	6 Concrete tile	e	9 ABS	12 Nor	e used (open	hole)
			NINGS ARE:	5	Gauzed wrappe	ed .	8 Saw cut		None (open hole)
	ntinuous slot		3) Mill slot		Wire wrapped		9 Drilled holes		()
	uvered shutter		4 Key punched		Torch cut				
SCREEN-P	ERFORATED	INTERV	LS: From	25.0 ft. to	10.0) ft F	rom	ft to	ft.
00/122.									
	AVEL DACK I	NITEDY (A)	From	25.0	9.0	IL F		11. 10	ft.
GR	AVEL PACK I	NIERVAL							ft.
			From	\	$\overline{}$	ft. F	rom	ft. to	ft.
6 GROUT	MATERIAL:			Cement grout	(3)	Bentonite	4 Other		
Grout Interv	als From	0.0	ft. to 0.5	ft. From	0.5	t. to 8.0	ft. From		ft. toft.
What is the	nearest source		ible contamination:				tock pens		doned water well
1 Se	ptic tank		4 Lateral lines	7 Pit	t privy	(11) Fuel s		15 Oil we	ell/ Gas well
	wer lines		5 Cess pool		ewage lagoon	_	zer storage		
	atertight sewer	rlines	•		eedyard		ticide storage		
Direction fro	•			lest 0 10	,	How many	•	3	5
FROM	TO	CODE				THOLOGIC LO		3.	
0.0	0.5	JJJL	Concrete		Li		<u> </u>		
0.5	5.0		Brown silty clay,	moist					
5.0	16.0		Brown silty clay,		aments				
16.0	25.0		Light gray sandy			nlastic wet	: strong odor		
. 0.0	10.0		g-n gruy sandy	Juy, inic gra	va, engila	, piasao, wet	, salong odor		
				-			-		
	-								
	 								
								,	
			Evcent	tion to K.A.R.	28-30-6/b\ /4) and (a) ann	royed by D. T	avior KDU	F-ROW
			Except	uon to R.A.R.	<u> </u>	, and (e) app	noveu by D. I	ayioi, RDN	L-DOTT.
									$ \alpha$ α
7 CONTRA	ACTOR'S OF	LANDOVA	NED'S CEDITION	ON: Thissts	noll uma (4)	mustad (0)	nets rated == (0) =1		and the state of a second
					\sim				ny jurisdiction and was
	on (mo/day/yr)		04/0					10/1/ 1	and belief. Kansas
Water Well	Contractor's l	icense N		692		s Water Well Re	ecord was comple	ted of (mg/da	1 05/2/5/07 V
	usiness name			State Servic			y (signature)	// KAA	
INSTRU	UCTIONS:. Ple	ase fill in b	anks and circle the corre	ect answers. Send the	hree copies to Kar	nsas Department	of Health and Enviro		
			nsas 66612-1367. Tele						