1 LOCATION OF WATER WELL:	Fraction Form WWC		Panes Number
County: Ellis	0144 0- 1114	Section Number Township Num 9 T 13	
occ;	vn or city street address of well if located within ci		S R 20 E/W)
1000 Monroe, Ellis, Kansas			
2 WATER WELL OWNER: Golden Belt Cooperative			
RR#, St. Address, Box # : P.O. Bo		Depart of Assistant	District Court Description
City, State, ZIP Code : Ellis, K		-	ture, Division of Water Resources
LOCATE WELL'S LOCATON WITH		Application Num	nber:
AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL	25.0 ft. ELEVATION:	
□ N	Depth(s) Groundwater Encountered 1	15.0 ft. 2	ft. 3 ft S
	WELL'S STATIC WATER LEVEL 15.30		
	*	_	house numerica
NWNE	Pump test data: Well water was		
₩ X E	Est. Yield NA gpm: Well water was	ft. after	hours pumping gpm m
	Bore Hole Diameter 8.5 in. to WELL WATER TO BE USED AS: 5 Public wat 1 Domestic 3 Feed lot 6 Oil field wat	25.U ft. and	in. to ft.
	1 Domestic 3 Feed lot 6 Oil field w	ersupply 8 Airconditionii atersupply 9 Dewatering	ng 11 Injection well 12 Other (Specify helow)
SW SE	2 Irrigation 4 Industrial 7 Lawn and	garden (domestic) (10)Monitoring v	vell
	Was a chemical/bacteriological sample submitted		
1 6 1			
	submitted 5 Mesorabet Iron 9 0	Water Well Disinfected?	
5 TYPE OF BLANK CASING USED:	5 Wrought Iron 8 Co		S: Glued Clamped
Steel 3 RMP (S		, ,	Welded
2 PVC 4 ABS	7 Fiberglass		Threaded X
Blank casing diameter 2.375	in. to 10.0 ft., Dia	in. toft., Dia	in. to ft.
Casing height above land surface Flush Mount in., weight lbs./ft. Wall thickness or gauge No. Schedule 40			
TYPE OF SCREEN OR PERFORATION	N MATERIAL: (7) PVC 10 Asbest	os-cement
1 Steel 3 Stainle	ess steel 5 Fiberglass	8 RMP (SR) 11 Other ((specify)
2 Brass 4 Galvan	nized steel 6 Concrete tile	9 ABS 12 None t	used (open hole)
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 25.0 ft. to 10.0 ft. From ft. to ft.			
SCREEN-PERFORATED INTERVALS:	From 25.0 ft. to 10		
	Fromft. to	ft. From	ft. toft. 70
GRAVEL PACK INTERVALS:	From 25.0 ft. to 8.	0 ft. From	ft. toft.
	From ft. to	ft. From	ft. to ft.
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Sentonite 4 Other			
Grout Intervals From 0.0 ft. to 0.5 ft. From 0.5 ft. to 8.0 ft. From ft. to ft.			
What is the nearest source of possible of		10 Livestock pens	14 Abandoned water well
1 Septic tank	4 Lateral lines 7 Pit privy	11) Fuel storage (former)	15 Oil well/ Gas well
2 Sewer lines	5 Cess pool 8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
l .	6 Seepage pit 9 Feedyard	13 Insecticide storage	
Direction from well?	West	How many feet?	710
FROM TO CODE		ITHOLOGIC LOG	
0.0 4.0 Dar	k brown clayey silt, moist		
4.0 5.0 Bro	own clayey silt, moist		SEC
	wn clayey sand, fine grained, dry		
	wn-dark brown clayey silt, dry		
	own silt, dry		
15.0 25.0 Dark brown sand, slightly clayey, medium-coarse grained, wet, slight odor			
	d- the		
	Evention to VAD 00 00 0/L)	1) and (a) anneal but 7	In KDUE BOW
Exception to K.A.R. 28-30-6(b) (1) and (e) approved by D. Taylor, KDHE-BOW.			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was			
completed on (mo/day/yr) 03/28/07 and this record is true to the best of my knaw/bage and belief. Kansas			
, , , , , , , , , , , , , , , , , , ,			
Water Well Contractor's License No.			od (moliday) 105/25/07
under the business name of	Quad State Services, Inc.	by (signature)	ant Brown of Water (200 C. W.)
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bireau of Water 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.			