		WATE	R WELL RECO	ORD For	n WWC-5	KSA 8	32a-1212 ID N	lo	NMW-8	
1 LOCATION OF WATER		Fraction				tion Num		ship Number	Ran	ge Number
	lis	SW 1/4	SE ½			9	T	<b>13</b> s	R	
Distance and direction from		n or city street ad	Idress of well i	if located w	ithin city?					
1000 Monroe, Ellis, K		D 14 0								
2 WATER WELL OWNER			rative							
RR#, St. Address, Box #							Board o	of Agriculture,	Division of W	ater Resources
City, State, ZIP Code	: Ellis, K	<u>ansas 67637</u>	7				Applica	tion Number:		
3 LOCATE WELL'S LOC	ATON WITH	4			25	۸				
AN "X" IN SECTION BO	DX:	DEPTH OF C	OMPLETED	WELL	25.	U ft. E	ELEVATION:			
N		Depth(s) Ground								
<b>A</b>		WELL'S STATIC	WATER LEV	EL 16	5.01 ft.	below la	ind surface mea	sured on mo/	day/yr 0	94/07/07
w	NE	Pump	test data: V	Vell water v	was		ft. after	hou	rs pumping	gpm
	i	Est. Yield NA	A apm: V	Vell water v	was		ft. after	hou	rs pumpina	apm
₩ <b>X</b>	<del></del>	Bore Hole Diame WELL WATER T 1 Domestic	ter 8.5	in. to	25	.0	ft. and		in to	ft.
7		WELL WATER T	O BE USED A	AS: 5 Put	olic water s	upply	8 Air c	onditioning	11 Injection	n well
sw	sE	1 Domestic	3 Feed lot	6 Oil	field water	supply	9 Dewa	atering	12 Other (S	Specify below)
) i	ĭ	2 Irrigation	4 Industria	l 7 Lav	wn and gard	len (dom	nestic) (10)Moi	nitoring well		
<b>†</b>	<u></u>	Was a chemical/l								
S		submitted	•				Water Well Dis			No X
5 TYPE OF BLANK CAS			5 Wrought	Iron	8 Concre					Clamped
1 Steel		SR)	-							
2 PVC		,,,,						W	hended	······
	4 ABS	404	7 Fiberglas	SS	•••••			1	nreaded	
Blank casing diameter	2.3/5	in. to 10.0	Uft., Dia		in. t	o	ft., Dia		in. to	<del></del>
Casing height above land TYPE OF SCREEN OR PI	surface FIL	ish Mount	in., weight	<b>-</b>		Ibs	s./ft. Wall thickn	ess or gauge	No. Sch	iedule 40
		I MATERIAL:			Ţ	PVC				
1 Steel	3 Stainles	ss steel	5 Fiberglas	SS	8	RMP (S	R) 11	1 Other (spec	ify)	
2 Brass		ized steel					12			
SCREEN OR PERFORAT 1 Continuous slot		JS ARE: Mill slot	;	5 Gauzeo	ı wrapped			ut Lhalaa	11 None	(open noie)
2 Louvered shutter	9	VIIII SIUL		6 Wire wa 7 Torch o			9 Drilled			
SCREEN-PERFORATED							4	(apcony)	£4 4_	
SCREEN-PERFORATED	INTERVALS:						ft. From			
004151 5151		From	<sup>11.</sup>				ft. From		π. το	<del>n</del> .
GRAVEL PACK IN		From	£3.0 ft.	το	0.0		ft. From		π. to	ft.
		From	ft.	to	$\sim$		ft. From		ft. to	ft.
6 GROUT MATERIAL:	1 Neat ce	ement 2	Cement grout	t	3⊉en	tonite	4 Other			
Grout Intervals From	0.0 f	t. to <b>0.5</b>	ft. From	0.5	ft. 1	to	<b>8.0</b> ft. F	rom	ft. to	ft.
What is the nearest source	of possible c	ontamination:					ivestock pens			
1 Septic tank		4 Lateral lines	7	Pit privy			uel storage (for			
2 Sewer lines		5 Cess pool	8	Sewage la	•		ertilizer storage		Other (specif	y below)
3 Watertight sewer	lines			Feedyard		13 Ir	nsecticide storaç	ge		
Direction from well?		West-ne	orthwest				any feet?		630	
FROM TO	CODE				LITH	OLOGIC	LOG			
0.0 10.0		ck clayey silt,		oist				-111		
10.0 16.0		wn clayey silt							4	
16.0 25.0		y sandy clay,			uned, we	t			4	
6.0 10.0		wn-dark brow	vn clayey si	it, dry						
10.0 15.0		wn silt, dry	1 -11-1-11 1	I				- 111-4		
15.0 25.0	Dari	k brown sand	i, slightly cl	iayey, me	aium-co	arse gi	rained, wet;	siight odor		
									***	
		Even	ion to K A I	D 20 20	6/h\ /4\ -	nd (a)	approved by	D Todas	KUNE BV	A/
		Except	IOII LO K.A.I	N. 20-3U-	o(n) (1) a	iiu (e)	approved by	ט. laylor,	VDUE-PO/	
										<del></del>
7 CONTRACTOR'S OF L	ANDOMNED	'S CEDTIFICATI	ON: This water	ar unli	1) anatara	tod (2)	noonotmisted	(2) pluses d	ndor m	liation for divers
7 CONTRACTOR'S OR L				or well was						
completed on (mo/day/yr)		04/0	1/0/				I is true to the bo			
Water Well Contractor's Li	cense No		692			/ater We	ell Record was c			U9/75/U/
under the business name	of	Quad	State Serv	/ices, In	С.		by (signature		MC,	NV /
INSTRUCTIONS: Plea	se fill in blanks a	and circle the corre	ct answers. Ser	nd three cop	ies to Kansas	Departm	nent of Health and	Environment,	Bureau of Wate	r/1000 S <b>∦</b> V
Jackson St., Ste. 420, T	opeka, Nansas	00012-1307. Tele	JIIOHE: 913-296	-0040. Sen	one to WA	CK WEL	T OWNER and re	tain one for you	ir records.	