	WATER WELL RECORD Form WWC-5 KSA 82	
1 LOCATION OF WATER WELL:	Fraction Section Numb	
County: Ellis	NE % NE % SW % 9	<u> </u>
	or city street address of well if located within city?	
1000 Monroe, Ellis, Kansas		
2 WATER WELL OWNER: Golden	Belt Cooperative	
RR#, St. Address, Box # : P.O. Bo		Board of Agriculture, Division of Water Resources
City, State, ZIP Code : Ellis, K		
City, State, ZIP Code : LIIIS, No	alisas 0/00/	Application Number:
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL 25.0 ft. E	I EVATION:
		6 0 A A
	Depth(s) Groundwater Encountered 1 23.0	
↑ 	WELL'S STATIC WATER LEVEL 26.68 ft. below lan	nd surface measured on mo/day/yr 04/07/07
NWNE	Pump test data: Well water was	ft. after hours pumping gpm
	Est. Yield NA gpm: Well water was	
<u> </u>	OF THE PLANT OF THE PARTY OF TH	fication in the first section of the first section
₹ " - 	Bore Hole Diameter 8.5 in. to 25.0 WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feed lot 6 Oil field water supply	π. and In. to π.
	1 Domestic 3 Feed lot 6 Oil field water supply	9 Devotering 12 Other (Specify below)
SWSE		
1 1 1 1 1 1		estic) 10 Monitoring well
	Was a chemical/bacteriological sample submitted to Departme	nt? Yes No X If yes, mo/day/yr sample was
S ,	submitted	Water Well Disinfected? Yes No X
5 TYPE OF BLANK CASING USED:	5 Wrought Iron 8 Concrete tile	CASING JOINTS: Glued Clamped
	-	
Steel 3 RMP (S	,	,
2)PVC 4 ABS	7 Fiberglass	Threaded X
Blank casing diameter 2.375	in. to 10.0 ft., Dia in. to	ft., Dia in. to ft.
	sh Mount in., weight Ibs.	
TYPE OF SCREEN OR PERFORATION	MATERIAL: (7) PVC	10 Asbestos-cement
1 Steel 3 Stainles	ss steel 5 Fiberglass 8 RMP (SF	R) 11 Other (specify)
2 Brass 4 Galvani	zed steel 6 Concrete tile 9 ABS	12 Nana yeard (apon help)
SCREEN OR PERFORATION OPENING	· ·	8 Saw cut 11 None (open hole) 9 Drilled holes
1 Continuous slot		
	Key punched 7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:		t. Fromft. toft.
	Fromft. tof	t. Fromft. toft.
GRAVEL PACK INTERVALS:		t. From ft. to ft.
		t. From ft. to ft.
6 000171117777111		
	ement 2 Cement grout 3 Bentonite	4 Other
Grout Intervals From 0.0 f	t. to 0.5 ft. From 0.5 ft. to 8	8.0 ft. From ft. to ft.
What is the nearest source of possible of	ontamination: 10 Liv	vestock pens 14 Abandoned water well
1 Septic tank	4 Lateral lines 7 Pit privy (11) Fu	uel storage (former) 15 Oil well/ Gas well
2 Sewer lines	5 Cess pool 8 Sewage lagoon 12 Fe	ertilizer storage 16 Other (specify below)
3 Watertight sewer lines		secticide storage
•		
Direction from well?		
FROM TO CODE	LITHOLOGIC	LOG
	k brown clayey silt, moist	· · · · · · · · · · · · · · · · · · ·
	wn clay, slightly hard, dry	
	nt brown clayey silt, trace fine subrounded grave	I, moist
23.0 25.0 Ligi	nt brown sandy clay, fine-medium grained, wet	
	And the second of the second o	
		AMA, 44. AM. AM. A.
	Exception to K.A.R. 28-30-6(b) (1) and (e) a	annroyed by D. Taylor, KDHE-ROW
	Exception to N.A.R. 20-30-0(b) (1) and (e) a	ipproved by D. Taylor, NDRE-DOW.
7 CONTRACTOR'S OR LANDOWNER	'S CERTIFICATION: This water well was (1) constructed, (2) re	econstructed, or (3) plugged under my jurysdiction and was
completed on (mo/day/yr)	04/02/07 and this record	is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No.		Il Record was completed (horidayip) / 05/25/07
under the business name of	Quad State Services, Inc.	by (signature)
	and circle the correct answers. Send three copies to Kansas Departme	