WATER WELL RECORD Form WWC-5 KSA 82a-1212 1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number Su) 1/4 County: Ellis 20 13 E(W Distance and direction from nearest town or city street address of well if located within city? 706 West 10th, Ellis, Ks. WATER WELL OWNER: James & Alberta Wolf Trust RR#, St. Address, Box # : Board of Agriculture, Division of Water Resources 702 W. 10th City, State, ZIP Code Ellis, Ks. Application Number: ft. ELEVATION: LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 20 AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 10...8.0... ft. below land surface measured on mo/day/yr 1-20-9.8..... Pump test data: Well water was ft. after hours pumping gpm NW -- NE -W OFFICE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) SW SE 7 Lawn and garden only (10) Monitoring well 2 Irrigation 4 Industrial Was a chemical/bacteriological sample submitted to Department? Yes..........No. X......; If yes, mo/day/yr sample was sub-Water Well Disinfected? Yes TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 2 PVC 4 ABS 7 Fiberglass Threaded. X. Blank casing diameter 2.3.75. ft., Dia in. to ft., Dia in. to SDR 1.3 ... ft. Casing height above land surface Huch .Ht. ...in., weight lbs./ft. Wall thickness or gauge No. ...SCH. .40 TYPE OF SCREEN OR PERFORATION MATERIAL: Z PVC 10 Asbestos-cement 1 Steel 8 RMP (SR) 3 Stainless steel 5 Fiberglass 11 Other (specify) 6 Concrete tile 2 Brass 4 Galvanized steel 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 7 Torch cut 4 Key punched SCREEN-PERFORATED INTERVALS: From. . . 20 ft. to...... ft., From ft. to..... ft. From. ft. to . **GRAVEL PACK INTERVALS:** From. (1) ft. to . . From ft. to ft., From ... 3 Bentonite / ,1 Neat cement Grout Intervals: From \mathcal{L}' ft. to \mathcal{L}' . What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy (11) Fuel storage FOUNCY 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) ₩ 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Direction from well? WWD How many feet? 20 PLUGGING INTERVALS FROM TO LITHOLOGIC LOG FROM 0 Concrete .50 Dk brn clay, moist, to dry, firm, no odor. Lt brn silty clay, moist to 7.75 11 wet at 10.5', faint odor, soft. 11 13 Lt brn sandy silt, wet, soft faint odor. 13 15 Blk sandy silt to silty sand banding present, wet, strong Flush mt. OK'D by Don Taylor 15 20 Fine-coarse sand, blk, strong odor, wet, well graded. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (() constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1.31.18 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No.

This Water Well Record was completed on (mo/day/yr) 2-13-98

under the business name of Environmental Drilling by (signature) 2000 PM A PM A by (signature) (

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department

of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records