1 LOCATION OF WATER WELL: County: Ellis	Fraction		1 0					
	CIXXI 4/	CONTRACT BAT	1	ection Numbe		1	Range Number	
The basic and a second of the contract of the			E 1/4	8	T 13	S	R 20 F(W)	
Distance and direction from neares 1000 Washington, Ellis	st town or city street a	ladress of well if locat	ea within cit	y ?				
WATER WELL OWNER: Ellis	Ston 2 Shon					····		
RR#, St. Address, Box # ± 1000					Poord of Agricu	Itura Divici	on of Water Resources	
City, State, ZIP Code : Ellis,	0			Board of Agriculture, Division of Water Resources Application Number:				
LOCATE WELL'S LOCATION		MDI ETED WELL	25	# 515			19.32	
WITH AN "X" IN SECTION BOX:								
N N							•	
Î							ping gpm	
NW NE,	'						ping gpn	
₽ ' '							to	
W X		O BE USED AS: 5					njection well	
	1 Domestic						other (Specify below)	
, SWSE	2 Irrigation	4 Industrial 7	Lawn and g	arden only	10 Monitoring wall			
	Was a chemical/	bacteriological sample	e submitted t				mo/day/yr sample was	
Y S	submitted				/ater Well Disinfected		No ✓	
TYPE OF BLANK CASING USE	D:	5 Wrought iron	8 Cond	rete tile	CASING JOIN		Clamped	
1 Steel 3 RMP	(SR)	6 Asbestos-Cement					d	
(2)PVC 4 ABS							ded. ✔	
Blank casing diameter 2								
Casing height above land surface		n., weight						
YPE OF SCREEN OR PERFORAT			(7)P\			stos-ceme		
			9 AE	=		used (ope		
SCREEN OR PERFORATION OPEN			ed wrapped		9 Drilled holes		11 None (open hole)	
W	Mill slot		wrapped					
2 Louvered shutter 4 SCREEN-PERFORATED INTERVAL	Key punched	7 Torch		ft E			of	
SCREEN-FERFORATED INTERVAL	From	ft to		ff F	rom	ft. 1	o ft	
GRAVEL PACK INTERVAL		13			10111			
		13		ft. F	rom	ft. 1	0 <i>.</i> . <i>.</i>	
OLAVET LYOK HAIELANI				ft., F	rom			
	From	ft. to		ft., F	rom	ft. 1	o	
G GROUT MATERIAL: 1 Ne	From	Cement grout	(3)Bent	ft., F ft., F	rom	ft. 1	o	
GROUT MATERIAL: 1 Ne	From	Cement grout	(3)Bent	ft., Fft., Fft., Fonite	rom	ft. 1	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi	From	Cement grout ft., From	(3)Bent	onite to	rom	ft. f	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank 4 La	From	Cement grout	3Bento	ft., F ft., F onite to13 10 Live 11 Fue	rom	ft. 1	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank 4 La 2 Sewer lines 5 Ca	From	Cement grout ft. to ft., From 7 Pit privy	3Bento	ft., F., ft., f	other Concrete for ft, From estock pens	ft. 1	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank 4 La 2 Sewer lines 5 Ca 3 Watertight sewer lines 6 Se	From	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	to	Tom	14 Ab 15 Oil 16 Oti	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank 4 La 2 Sewer lines 5 Co 3 Watertight sewer lines 6 Se Direction from well?	From	Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3Bento	onite to	Tom	ft. 1	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank	From	Cement grout ft. to 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	to	Tom	14 Ab 15 Oil 16 Oti	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank 4 La 2 Sewer lines 5 Ci 3 Watertight sewer lines 6 Se Direction from well? FROM TO 0 0.5 Concrete, 0.5 4 Clay, silty,	From	Cement grout ft. to 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento	to	Tom	14 Ab 15 Oil 16 Oti	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank 4 La 2 Sewer lines 5 Ca 3 Watertight sewer lines 6 Sa Direction from well? FROM TO 0 0.5 Concrete, 0.5 4 Clay, silty, 4 8 Clay, v. silt	From	Cement grout ft. to 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento	to	Tom	14 Ab 15 Oil 16 Oti	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 . What is the nearest source of possi 1 Septic tank 4 La 2 Sewer lines 5 Co 3 Watertight sewer lines 6 Se Direction from well? FROM TO 0 0.5 Concrete, 0.5 4 Clay, silty, 4 8 Clay, v. silt 8 12 Clay, v. silt	From	Cement grout ft. to 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento	to	Tom	14 Ab 15 Oil 16 Oti	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank 4 La 2 Sewer lines 5 Co 3 Watertight sewer lines 6 So Direction from well? FROM TO 0 0.5 Concrete, 0.5 4 Clay, silty, 4 8 Clay, v. silt 8 12 Clay, v. silt 12 18 Clay, v. silt	From	Cement grout ft. fon. 7 Pit privy 8 Sewage lago 9 Feedyard OG sts, Dark Brown s, Yellow Brown	3 Bento	to	Tom	14 Ab 15 Oil 16 Oti	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank	From	Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard OG sts, Dark Brown s, Yellow Brown	3 Bento	to	Tom	14 Ab 15 Oil 16 Oti	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank	From	Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard OG sts, Dark Brown s, Yellow Brown ct. Gray Brown Brown	3 Bento	to	Tom	14 Ab 15 Oil 16 Oti	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank 4 La 2 Sewer lines 5 Co 3 Watertight sewer lines 6 Se Direction from well? FROM TO 0 0.5 Concrete, 0.5 4 Clay, silty, 4 8 Clay, v. silt 8 12 Clay, v. silt 12 18 Clay, v. silt 18 22 Clay, v. silt, 22 24.5 Clay, silty,	From	Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard OG sts, Dark Brown s, Yellow Brown ct. Gray Brown Brown	3 Bento	to	Tom	14 Ab 15 Oil 16 Oti	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank	From	Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard OG sts, Dark Brown s, Yellow Brown ct. Gray Brown Brown	3 Bento	to	Tom	14 Ab 15 Oil 16 Oti	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank 4 La 2 Sewer lines 5 Ca 3 Watertight sewer lines 6 Se Direction from well? FROM TO 0 0.5 Concrete, 0.5 4 Clay, silty, 4 8 Clay, v. silt 8 12 Clay, v. silt 12 18 Clay, v. silt 18 22 Clay, v. silt, 22 24.5 Clay, silty,	From	Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard OG sts, Dark Brown s, Yellow Brown ct. Gray Brown Brown	3 Bento	to	Tom	14 Ab 15 Oil 16 Oti	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank	From	Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard OG sts, Dark Brown s, Yellow Brown ct. Gray Brown Brown	3 Bento	to	Tom	14 Ab 15 Oil 16 Oti	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank	From	Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard OG sts, Dark Brown s, Yellow Brown ct. Gray Brown Brown	3 Bento	to	other Concrete from from from from from from from from	ft. 1	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank	From	Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard OG sts, Dark Brown s, Yellow Brown ct. Gray Brown Brown	3 Bento	to	Tom	ft. 1	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank 4 La 2 Sewer lines 5 Ca 3 Watertight sewer lines 6 Se Direction from well? FROM TO 0 0.5 Concrete, 0.5 4 Clay, silty, 4 8 Clay, v. silt 8 12 Clay, v. silt 12 18 Clay, v. silt 18 22 Clay, v. silt 22 24.5 Clay, silty,	From	Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard OG sts, Dark Brown s, Yellow Brown ct. Gray Brown Brown	3 Bento	to	other Concrete from from from from from from from from	ft. 1	o	
GROUT MATERIAL: Grout Intervals: From 0 What is the nearest source of possing source of poss	From Pat cement 2 ft. to 1 Bible contamination: Ateral lines Ress pool Reepage pit LITHOLOGIC L ROCC.limestone class LITHOLOGIC L ROCC.limestone clas	Cement grout Temperature 7 Pit privy 8 Sewage lage 9 Feedyard OG Sts, Dark Brown s, Yellow Brown At. Gray Brown rown	1 ft.	10 Live 12 Fer 13 Ins How m	Other Concrete ft, From estock pens el storage tilizer storage ecticide storage any feet? PLU MW9R, Flushmoun	14 Ab 15 Oil 16 Otl	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank	From	Cement grout Temperature fit. to 7 Pit privy 8 Sewage lage 9 Feedyard OG Sts, Dark Brown S, Yellow Brown Town ON: This water well was	3 Bento	to	Other Concrete ft, From estock pens el storage tilizer storage ecticide storage any feet? PLU MW9R, Flushmoun	14 Ab 15 Oil 16 Otl	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank 4 La 2 Sewer lines 5 Ca 3 Watertight sewer lines 6 Sa Direction from well? FROM TO 0 0.5 Concrete, 0.5 4 Clay, silty, 4 8 Clay, v. silt 8 12 Clay, v. silt 12 18 Clay, v. silt 12 18 Clay, v. silt 12 18 Clay, v. silt 14 22 Clay, v. silt 15 22 24.5 Clay, silty, 24.5 25 Sand, vf, v. CONTRACTOR'S OR LANDOWN and was completed on (mo/day/yea	From	Cement grout This water well wa 8/5/2013	J ft.	to	Other Concrete ft, From estock pens el storage tilizer storage ecticide storage any feet? PLL MW9R, Flushmoun constructed, or (3) precord is true to the	t ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	o	
GROUT MATERIAL: 1 Ne Grout Intervals: From 0 What is the nearest source of possi 1 Septic tank	From	Cement grout This water well wa 8/5/2013	J ft.	to	Other Concrete ft, From estock pens el storage tilizer storage ecticide storage any feet? PLU MW9R , Flushmoun constructed, or (3) precord is true to the is completed on (mo/o	t ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	o	