<b>.</b>				ER WELL RECORD	Form WW	/C-5	KSA 82	a-1212				
1 LOCAT	ION OF WA	TER WELL:	Fraction				n Number		ship Number	Range N	umber	
County:		lis		4 SE 1/4	NE 1/4		8	Т	13 s	R 20	EW.	
				address of well if locat								
23	30 feet So	uthwest of th	ne SW corner	of Monroe Street	and Old H	ighwa	y 40					
2 WATE	R WELL OW	NER: Golden	Belt Coop									
		* # : 10th &						Boa	ard of Agriculture,	Division of Wate	r Resource	
City, State	e, ZIP Code	: Ellis,	Kansas	•				App	lication Number:			
3 LOCAT	E WELL'S L	OCATION WITH	4 DEPTH OF	COMPLETED WELL	1	9	# FIEVA	TION:				
AN "X"	IN SECTIO	N BOX:	Depth(s) Groun	dwater Encountered	1 1	4	ff the transfer of the transfe	· · · · · · · · · · · · · · · · · · ·	ft (	. <i></i>	ft	
- [	1	<del>`                                    </del>	WELL'S STATE	C WATER LEVEL 1	3.19	ft belo	w land ou	dace meacu	red on moldayly			
1	i		Pun	np test data: Well wa	tor was	it. Deio	w land 50	that measu	house or		<b>an</b>	
-	NW	NE		gpm: Well wa								
	! !	!	Para Hala Dian	neter 7. 5/8in. to	19		IL. 6	siter	nours po	imping	gpm	
i≟ w ⊦		<u> </u>	1								π.	
~	_						ater supply 8 Air conditioning water supply 9 Dewatering			11 Injection well		
1 .	SW	SE	1 Domestic		6 Oil field	water	supply	9 Dewater	ing 12	Other (Specify I	below)	
	1	1	2 Irrigation						ng well			
Į L	1		i	/bacteriological sample	submitted t	o Depa						
<del>-</del>			mitted						infected? Yes	No	X	
5 TYPE	OF BLANK C	ASING USED:		5 Wrought iron		ncrete			NG JOINTS: Glue	-		
_1 St		3 RMP (S	R)	6 Asbestos-Cement	9 Oti	her (sp	ecify below	w)		led		
(2)P\		4 ABS	•	7 Fiberglass						aded X .		
				ft., Dia								
•	-			in., weight			lbs.	ft. Wall thick	kness or gauge N	10	40	
TYPE OF	SCREEN O	R PERFORATIO		ØPVC			10 Asbestos-cement					
1 St	e <del>ci</del>	3 Stainless	s steel	steel 5 Fiberglass			(SR)	11 Other (specify)				
2 Br	ass	4 Galvaniz	ed steel	9	9 ABS			12 None used (open hole)				
SCREEN	OR PERFOR	RATION OPENIN	GS ARE:	5 Gauzed wra				8 Saw cu	cut 11 None (open hole)			
1 Continuous slot (3)Mill slot 6 Wire wrapped 9 Drilled holes												
2 Lc	uvered shutt	er 4 K	ey punched	7 Torc				10 Other (	(specify)			
SCREEN-	PERFORATE	D INTERVALS:	From			19	ft., Fro	m	ft.	to	ft.	
				ft. to .								
(	GRAVEL PAG	CK INTERVALS:	From	ft. to .		19	ft., Fro	m	ft. 1	to	ft.	
			From	ft. to			ft., Fro	m	ft.	to	ft.	
6 GROU	T MATERIAL	: 1 Neat o	cement	2 Cement grout	_ (3)Be	entonite	9 4					
Grout Inte	rvals: From	n	ft. to 5	ft., From	. 5 1	ft. to.	7	ft Fr	rom <b>.</b>	ft. to		
Grout Intervals: From									bandoned water			
1 Septic tank 4 Lateral I										15 Oil well/Gas well		
	wer lines	5 Cess						izer storage	16 Other (specify below)			
3 Watertight sewer lines 6 Seepag			•				13 Insecticide storage			` · · ·		
Direction (	_	Northe		3 i eedyald			How ma	-	150			
FROM	TO	Hor are	LITHOLOGIC	LOG	FROM	1	TO	ily leet:	PLUGGING I	NTERVALS		
0	2"	Road anvi	& snd, f-c,		1	$\vdash$						
2"	2'			mod f-c snd & grv	1 k							
		calic cls		ma i c sia a gi v	· [	-						
2	-5			sl plstc, damp		_						
	12	Cly mod	byn velty	sl snd szd calic		_						
5	12		d plstc, mois									
10	10					-						
12	19			ty, sl snd-grvl		-						
		szd calic										
											·	
	ļ											
									MAIO Classic	numb course		
									MW8 - Flushm	ount cover		
					<u> </u>							
7 CONTE	RACTOR'S C	R LANDOWNER	R'S CERTIFICAT	ION: This water well v	vas (1)) cons	structed	d, (2) reco	nstructed, o	er (3) plugged und	ter my jurisdiction	n and was	
				This Water V						34		
			e Services,				by (signa		Dala G	Koll		
				FIRMLY and PRINT clearly P	lease fill in his				swers. Send ton three	copies to Kansas De	epartment	