1 LOCAT	ION OF WA	TER WELL:	Fraction	TVELL NE	COND	FOITH VVV	Section Numi	oza-12 per		ship Nu	mber	R	ange Nur	nber	
County:		lis	SW 1/4	SW	1/4	NW 1/4	9		Т	13	S	R		EW.	
		from nearest town							:	. 10					
1		t of the SE cor	•				•								
		VNER: Golden Be		<u> Ju cc c</u>	and ord	mgimay									
			•						_			·		_	
	-	× # : 10th & M								•	griculture,	Division	of Water	Resource	
City, State	e, ZIP Code	: Ellis, K	ansas						Apr	dication	Number:				
B LOCAT	E WELL'S L	OCATION WITH 4	DEPTH OF Co	OMPLETED	WELL	. 19 	ft. ELE	VATIO)N:						
		1	peptn(s) Ground	water Encou	intered 1	74		π. 2		• • • • • •	ft. 3	J		ft.	
1	!		VELL'S STATIC												
	NW	_ NF					f								
1 1	. 1		st. Yield	gpm:	Well water	er was 👊	f	t. after			hours pu	mping .		gpm	
٠_پ ي	X i	l B	ore Hole Diame	ter /. 5/	8in. to		⁹ <i></i>	t., and			in	. to		ft.	
Mile M	1	ı v	VELL WATER T	O BE USED	O AS:	5 Public v	water supply	8 A	Air cond	itioning	11	Injection	well		
7	1		1 Domestic	3 Fee	edlot	6 Oil field	water supply	9 0	Dewater	ing	12	Other (S	pecify be	elow)	
1 1	SW	SE	2 Irrigation	4 Ind			nd garden ont						·		
	;	l i llw	Vas a chemical/b	acteriologic											
<u> </u>	····		nitted		ai sampis (Well Dis		-	, moracy,	No.	X	
5 TYPE	OF BLANK	CASING USED:	mtou	5 Wrought	iron	0 Co	ncrete tile	vvale:			NTS: Glue				
				_					CASII	NG JUII					
o St		3 RMP (SR)		6 Asbesto			her (specify be							• • • • • • •	
(2)P		4 ABS		7 Fibergla			• • • • • • • • • •							• • • • • • •	
	-	in													
Casing he	ight above la	and surface	Q	in., weight		_		bs./ft. V	Vall thic	kness o	r gauge N	o	sch.	40	
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:			\mathcal{O}	PVC			10 Asbe	stos-ceme	ent			
1 St	eel	3 Stainless s	teel	5 Fiberglas	8	RMP (SR)			11 Othe	r (specify)					
2 Br	ass	4 Galvanized	steel 6 Concrete tile			9	9 ABS			12 None used (op					
SCREEN	OR PERFO	RATION OPENINGS	S ARE:	ARE: 5 Gauzeo			d	8	3 Saw cut 11 None (or				ne (open	hole)	
	ontinuous sid	\sim												,	
	uvered shut		punched		7 Torch	• •		_							
		ED INTERVALS:	From	9			9 4 1		Outer	(Specify)	4 4	•		#	
SCHEEN-	FERFORATI	ED HYTEHVALS.													
		O	From												
(GRAVEL PA	CK INTERVALS:	From	/		· · · · · · · · · · · · · · · · · · ·									
			From	Ψ	ft. to			rom			ft. t				
6 GROU	T MATERIAL	.: 1 Neat cer		Cement g		(3)B	entonite								
Grout Inte	rvals: From	m D	to	ft., Fr	om 9	·····	ft. to		. ft., F	rom	• • • • • •	ft. to		ft.	
What is th	e nearest so	ource of possible co	tamination:				10 Livestock pe				s 14 Abandoned water well				
1 Se	eptic tank	4 Lateral	lines	nes 7 Pit privy			(11) Fuel storage				15 Oil well/Gas well				
2 Se	wer lines	5 Cess po	ool	ol 8 Sewage lago			n 12 Fertilizer storage					16 Other (specify below)			
3 W	atertight sew	er lines 6 Seepag	e pit	9 Fe		13 Insecticide storage									
Direction 1	from well?	East					How	many fe	eet?	365					
FROM	TO		LITHOLOGIC L	.OG		FROM		1			JGGING II	NTERVA	LS		
0	1	Clv. v sltv	, drk brn, s		, org					-					
		rich, dry			<u> </u>				•						
1	4		, v slty, mo	d pletc	s] snd-										
	7	grvl szd cal		u p.300,	51 31K			 							
	7			m u nla	to the	of end		+							
4			, v slty, dar	ip, v pis	u cu	JI SIIU	-	+-							
		szd calic cl						 							
	16		brn, v slty,	v pistc.	tr f										
		snd szd cal													
16	19	Snd, f-c gm	nd, sl grvl,	sl snd-g	<u>rvl szd</u>										
			ty, prly srta												
								+		MW12 -	- Flushm	punt co	over		
						\		_			. 100111				
	L					-									
_		R LANDOWNER'S				-									
	on (mo/day/	, - ,	95 - 26 - 94				. and this re				t of my kno	owledge	and belie	f. Kansas	
		s License No			s Water W	ell Record	was complete	ed on (mo/day/	yr)	10-05-9				
under the	business nar	ne of GeoCore	Services, In	с			by (sig	nature))	Na	le a	Roll	<u> </u>		
												_	`		