

WATER WELL		WWC-5 1322	DIV	ision of Water				
Original Record Correction Change I LOCATION OF WATER WELL:					inces App. No. Well ID Well ID			
County:			1/4 1/4 1/4 Section		T S	$\begin{array}{c} R \\ R \\ \Box E \\ \Box W \end{array}$		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business:				ection from nearest town or intersection): If at owner's address, check here:				
Address: Address:								
City:	State:	ZIP:						
3 LOCATE WELL								
WITH "X" IN	4 DEPTH OF COM							
SECTION BOX:	Depth(s) Groundwater 2) ft.		Longitude:					
N		TER LEVEL: \dots			for Latitude/Longitude:	83 🗋 NAD 27		
		, measured on (mo-day-		GPS (unit make/model:)		
NW NE	above land surface, measured on (mo-day-yr)							
	- C 1	Pump test data: Well water was ft.			Land Survey Topographic Map			
WEE		after hours pumping gpm Well water was ft.			Online Mapper:			
SW SE	after hours pumping							
	Estimated Yield:	5Pm	6 Elevation:ft. Ground Level TOC					
S	Bore Hole Diameter:	. ft. and	Source: Land Survey GPS Topographic Map					
1 mile		in. to ft.						
7 WELL WATER TO BE USED AS:								
1. Domestic:								
☐ Household ☐ Lawn & Garden	6. □ Dewaterii 7. □ Aquifer R		11. Test Hole: well ID □ Cased □ Uncased □ Geotechnical					
	8. 🗌 Monitorir		12. Geothermal: how many bores?					
2. Irrigation	9. Environment		a) Closed Loop [] Horizontal [] Vertical					
3. 🗌 Feedlot	🗌 Air Sparg	Extraction	b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water					
4. Industrial Injection 13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? Yes No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Fiberglass Fiberglass Other (Specify)								
\square Brass \square Galvanized Steel \square Concrete tile \square None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)								
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Nearest source of possible contamination:								
Septic Tank	Lateral Line	es 🗌 Pit Privy		Livestock Pen	s 🗌 Insectici	de Storage		
□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well								
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well								
Direction from well? ft.								
10 FROM TO	LITHOLO		FROM			PLUGGING INTERVALS		
		010100	1110101					
			-					
<u>├</u>			N 4 -					
	Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.								
Kansas Water Well Co	ontractor's License No	This Wa	ter Well Red	cord was com	pleted on (mo-day-yea	ar)		
under the business nar	ne of				00 f1			
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								