KOLAR Document ID: 1405016

	WELL R			WWC-5		vision of Wat						
		Correction		e in Well Use		ources App. 1	1		Well ID			
1 LOCATION OF WATER WELL:FractionCounty:1/41/41/4					ction Numb	1 0						
							$\begin{array}{c c c c c c c c c c c c c c c c c c c $					
						irection from nearest town or intersection): If at owner's address, check here:						
Address:	u u u						needon nom nearest town of intersection). If at owner s address, eneck here.					
Address:												
City:		1	State:	ZIP:								
3 LOCAT		4 DEPTH	OF CON	IPLETED WELL: .	fi	ft. 5 Latitude:						
	WITH "X" IN SECTION BOX: Depth(s) Groundwater Encountered: 1)											
	N 2) ft. 3) ft., or 4) \Box							WGS 84 🗌 NAI		IAD 27		
	· · · · · · · · · · · · · · · · · · ·	WELL'S ST			Sourc	ce for	Latitude/Longitude	:				
				yr) yr)		$\Box \text{ GPS (unit make/model:)}$						
^{NW} .	NE	Pump test d				(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map						
w	Е	after			□ Online Mapper:							
		Well water was ft.										
SW	SE		hours	gpm	6 Flore	6 Elevation:ft. Ground Level TOC						
		Estimated Yield:gpm			C 1	Source: Land Survey GPS Topographic Map						
	S nile	Bore Hole Diameter: in. to										
Image:												
1. Domestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease												
	□ Household											
	□ Lawn & Garden 7. □ Aquifer Recharge: well I					$\Box C$	Cased Uncased Geotechnical					
	Livestock 8. Monitoring: well ID							al: how many bores				
2. 🗌 Irrigati				al Remediation: well II								
3. □ Feedlot □ Air Sparge □ Soil Vapor 4. □ Industrial □ Recovery □ Injection					Extraction							
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:												
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter												
Casing height above land surface in. Weight Ibs./ft. Wall thickness or gauge No.												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)												
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
Nearest source of possible contamination:												
Septic '			Lateral Line			Livestock Pe			cide Storage			
Sewer]			Cess Pool	Sewage La		Fuel Storage			oned Water	Well		
	ight Sewer Li		Seepage Pit			Fertilizer Sto	orage		ll/Gas Well			
Other (Specify) Direction from well? ft.												
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or		G INTERVALS		
					Notes:							
11 CONT	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged											
				no-day-year)								
Kansas Wa	ter Well Cor	tractor's Lice	ense No	This Wa	ter Well Red	cord was co	mple	ted on (mo-day-ye	ear)			
under the b	usiness name	<u>e of</u>			<u></u>	·····						
KS Departm				ELL OWNER and retain of Vater Geology Section 10						785-296-3565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												