1 LOCATION	OF WATE	R WELL:	Fraction	າ		ORD Forr	Sect	KSA 8 ion Num	32a-1212 ober	Townsh	nip Num	ber	R	ange Nun	nber	
County:			SW	1/4	SW 1	4 NW	1/4	36			13	S	1	3	W	
Distance and di				eet add	ress of well	if located wit	thin city?		_							
_				L	ocated a	t 2230 N. S	9"' St. Sal	ina, K	<u>s</u>			 			-	
2 WATER WE																
RR#, St. Address, Box # : 3601 Vine St. City, State, ZIP Code : Hays, KS. 25232									Board of Agriculture, Division of Water Resources							
City, State, ZIP	Code	: Hay	/s, KS. 252.	32						Application	on Numb	oer:				
3 AN "X" IN SI	ECTION E	BOX:	I INFPT	OF CO	MPLETED	WELL	30	ft. E	ELEVATI	ON:						
			Depth(s) C	Froundw	ater Encour	ntered 11.5 /EL 23	24.0	00	ft. 2			ft.	3		Ft.	
	N		WELL'S S	TATIC \	NATER LEV	/EL 23	3.16 ft.	below la	ind surfac	ce measi	ured on	mo/day/	vr	1/28/20	010	
A	i I	1	1	Pump	test data:	Well water v	vas		Ft. aft	ter		hours p	umping		Gpm	
	<u> </u>	. _	Est. Yield		Gpm:	Well water v Well water v	vas		Ft. aft	er		Hours	oumping	1	Gpm	
1 1	: :	NE	Bore Hole WELL WA 1 Do	Diamet	er 8.62	5 In. to	30)	ft.a	ınd		in	ı. to		Ft.	
§ W X_			E WELL WA	TER TO	BE USED	AS: 5 Pul	olic water su	ibbla		8 Air cor	nditionin	g 1	1 Inject	ion well		
<u>-</u>	i	į	1 Do	mestic	3 Feed lo	t 6 Oil	field water s	supply		Dewat	ering	11	2 Other	r (Specify	below)	
	św	s'E				ial 7 Lav										
1	į	į	B		acteriologica	al sample su	bmitted to D	Departme								
<u> </u>	!	<u></u>	Submitted							Vell Disin		-				
5 TYPE OF BI						nt Iron					JOINTS			Clamp	ed	
1 Steel			MP (SR)				9 Other	(specify	below)				ed			
2 PVC		4 Al	BS .		7 Fibergla	ass				. .		Threa	aded	X		
Blank casing di	ameter	2	in. to	20	Ft., Dia		In. to	0	ft.	. Dia			in. to		ft.	
Casing height a	bove land	surface	FLUSH	li	n., weight	SC	H 40	Lb	s./ft. Wa	II thickne	ess or ga	uae No				
			TION MATERIA		,		7	PVC		10	Asbesto	os-ceme	· ent			
1 Steel		3 St	ainless steel		5 Fibergla	ass	8	RMP (S	R)	11	Other (s	specify)				
2 Brass		4 G	alvanized steel		6 Concre	te tile	9	ABS		12	None u	sed (ope	en hole)			
			NINGS ARE:			5 Gauzeo			8	Saw cut	t		11 No	ne (open	hole)	
1 Contin						6 Wire wr				Drilled h						
			4 Key punch			7 Torch c			10	Other (specify)					
SCREEN-PERI	ORATED	INTERV	ALS: From													
04410	34 OK 151T	ED. (A) O	From .	,	10 ,	t. to	20		ft. From			π. t	.0		Ft.	
SANDI	PACK INT	ERVALS:				t. to										
6 0 0 0 1 0 1 1 1 1 1						t. to]								
O GROUT MA	IERIAL:	1 N	eat cement	2 (Cement grou	ut	3 Bent		4 0	ither		· ·				
Grout Intervals	From3	.5	ft. to	17	Ft. From3	17	to		19	ft. Fro	om		ft. to)	ft.	
			ble contaminati		-			10 L	ivestock	pens		14 Ab	andone	d water w	ell	
1 Septic	tank		4 Lateral	lines	7	Pit privy										
2 Sewer	lines		5 Cess p	ool	8	Sewage la	agoon	12 F	ertilizer s	torage				cify belov		
3 Waterti	ght sewer	lines	6 Seepa	ge pit	9	Feedyard		13 Ir	nsecticide	e storage	:	Co	ntami	inated	Site	
Direction from v	vell?					 			any feet	?						
FROM	TO	CODE		LITHO	LOGIC LOG	3	FRO M	то			PLUG	GING IN	NTERVA	LS		
0	1.5		Clay, trace	smal	l gravel											
1.5	4		Dark brow			ace grave	el									
4	5		Light brow													
5 13	13		Medium br					 	_							
24	24 30		Grayish br Grayish br													
30	TD		END BORE					† ·								
								ļ		"						
								-	-	~	ORI	DE	OT	FN		
								 		U	スス	スニ	V L			
								 								
7 CONTRACT	OR'S OR	LANDOV	NER'S CERTIF	ICATIO	N: This wat	ter well was	(x) construc	ted, (2)	reconstru	ucted, or	(3) plug	ged und	ler my j	urisdiction	and w	
Water Well Con	tractor's L	icense No	,). 		585		This W	ater We	II Record	was cor	npleted	on (mo/	day/yr)	3/3/	2010	
under the busin	ess name	of	Asso	ociate		nmental	, Inc.		By (sig	gnature)	Brad	lley J.	Johr	ison		
			lanks and circle t						tment of I-	lealth and	Environ	ment, Bu	reau of	Nater, Top	peka,	