WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.		
1 LOCATION OF WATER WELL: County: SALINE	Fraction NE/4 SW/4 SW/4 SW/4	Section Number Township No. Range Number T & S R DE X	w	
Street/Rural Address of Well Location	; if unknown, distance & direction	Global Positioning System (GPS) information:		
from nearest town or intersection: If a	WISCET HUMBARGERIK	Latitude: (in decimal degree Longitude: (in decimal degree		
AND NOLD 81 HWY NOETH SINC 1000'		Elevation:		
2 WATER WELL OWNER: MATT WAGONIE		☐ Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:		
2 WATER WELL OWNER: MATT WAGENIER RR#, Street Address, Box #: 2301 No. FIALSTEAD Rs.		GPS unit (Make/Model:		
City, State, ZIP Code : PAL	INA, 9 67401	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Surve Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m	;y	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL	M' n		
	SECTION BOX: Depth(s) Groundwater Encountered (1)			
WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr				
EST VIELD 100 gram Well water was ft after hours numning gram				
W Bore Hole Diag	meterin. to	ft., andft.		
		ter supply Geothermal Injection well	>	
Domestic Irrigation		ter supply		
Was a chemical/bacteriological sample submitted to Department? Yes No				
S If yes, mo/day/yr sample was submitted mile Water well disinfected? Yes No				
water wen dis				
5 TYPE OF CASING USED: Stee CASING JOINTS: Glued CL		ed	ļ	
Casing diameter				
Casing height above land surface	ADin., Weight 1.6.D.	lbs./ft., Wall thickness or gauge No \$. D.C. 44		
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)				
Brass Galvanized Steel None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot, Cas Gauze wrapped Torch cut Drilled holes None (open hole)				
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From				
SCREEN-PERFORATED INTERVALS 	From ft to	ft. From ft. to	π. ft	
GRAVEL PACK INTERVALS	From	ft., From ft. to	. ft.	
	From ft. to	ft., From ft. to	. ft.	
6 GROUT MATERIAL: Neat cer Grout Intervals: From	to	onite	 .ft.	
What is the nearest source of possible cor	ntamination:			
☐ Septic tank ☐ Lateral ☐ ☐ Sewer lines ☐ Cesspoo	lines Pit privy Livestock	ge Ahandoned water well		
☐ Watertight sewer lines ☐ Seepage	e pit Feedyard Fertilizer	storage Oil well/gas well Ofen Pastuee A	מסג	
Direction from well LITHOLO		TO LITHO. LOG (cont.) or PLUGGING INTERVA		
FROM TO LITHOLO	- TROM	10 EITHO. EOG (COIL.) OF LEOGONG INTERVA	دري.	
2 19 CLAY BEOG	UN)			
	" FINE SAND			
42 86 CLAY GRAY	LT. GEAY			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 0.7				
Kansas Water Well Contractor's License No				
under the business name of P.ES.T.!	NGEO PUMP SEC.	by (signature)		
(white, blue, pink) to Kansas Department of Heal	th and Environment, Bureau of Water, Geo	learly. Please fill in blanks and cleck the correct answers. Send three cology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1	1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212				