C	ORRECTE	:D	WΔT	ER WELL RECO	ORD Form \	NWC-5 KSA 82	KSA 829-1212				V	
1 LOCATION OF WATER WELL:			Fraction		0100 101111	Section Number		Township Number		Range Number		
County:	Saline		NE ½		SE 1/4		T 13	S	R	3	E(W)	
Distance a	and direction	n from nearest to	own or city stree	t address of well	I if located with	in city?						
711 W.	Diamond	l Drive, Salina	1									
2 WATE	R WELL O	WNER: Morton	Buildings, In	nc.								
		×# : 711 W.					Board of Agr	riculture, Div	ision of	Water Re	sources	
City, State	, ZIP Code	: Salina,	Kansas 6740	1-9544			Application N	Number:				
3 LOCAT	E WELL'S	LOCATION	4 DEPTH OF C	OMPLETED WE	ELL3	5 ft. ELE\	VATION:		1222,3			
WITH A		ECTION BOX:	Depth(s) Grour	ndwater Encount	ered 1	ft	2	ft.	3		ft	
Т г						ft. below Te						
Pump test data: Well water was NA ft. after hours pumping gpm											gpm	
Est Yield . NA gpm: Well water was ft after hours pumping												
15 W 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1												
7	Į.	X	1 Domestic			ld water supply					pelow)	
	sw	SE	2 Irrigation			and garden only						
	I		Mas a chemic	al/hacteriologica	al sample subm	nitted to Departmen	Yes No	✓ · If ve	s mo/da	v/vr sam	ole was	
\ Y L			submitted	arbacteriologica	a sample subm		ater Well Disinfe		5, 11,0700	.y,,y, ou No •	/ 1	
7.05	OF DI ****	040140 1 1055	Junilland	E \A/========	- ·		CASING J		wd			
<u></u>		CASING USED:	5 \	5 Wrought iro								
1 St		3 RMP (SF	•	6 Asbestos-C		Other (specify below						
(2)P\	VC	4 ABS		7 Fiberglass								
						in. to						
Casing he	ight above I	and surface	5.16	.in., weight						Scn4	₩	
TYPE OF	SCREEN C	R PERFORATION	N MATERIAL			7 PVC		sbestos-cen				
1 St	teel	3 Stainless	steel	5 Fiberglass	`	8 RMP (SR)		Other (specif				
2 Br	2 Brass 4 Galvanize			6 Concrete til	le	9 ABS	12 N	ione used (o	pen hok	e)	i	
SCREEN	OR PERFO	RATION OPENIN	IGS ARE:	5 Gauzed wrapped			8 Saw cut 11 None (open hole)					
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes												
2 Lo	ouvered shu	utter 4K	ey punched	7	Torch cut		10 Other (spec	ify)				
SCREEN-I	PERFORAT	ED INTERVALS:	From	15 f	ft. to	35 ft., Fr	rom	ft.	. to		ft.	
						ft, Fr						
G	RAVEL PA	CK INTERVALS:				35ft, Fr						
			From	f	ft. to	ft, Fr	rom	<i></i> ft	. to		ft.	
6 GROUT	MATERIA	L: 1 Neat	cement	2 Cement grou	ıt 3	Bentonite 4	Other Concre	te				
						ft. to 13	,					
		ource of possible						14 /				
		•	ral lines	7 Pit pi	riva/		l storage		Oil well/			
•					age lagoon		ilizer storage			pecify bel	low)	
		5 Cess	•				•	10 \	Outer (S	pecity bei	···/	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Direction from well? How many feet?												
FROM	TO		LITHOLOGIC	106	FR	OM TO	<u></u>	PLUGGING I	INTERV	ALS		
0	2	Clay, silty, Da				10						
2	7											
		Clay, silty, Br	B 10.1-10			- - 						
7	20	Clay, v. silty,										
20	30	Clay, sl. silty,		ICK Brown								
30	35	Clay, Dark G	ray Brown									
										- 10-10-1		
									·			
							MW6 , Flushmou	int				

7 00	ACTORIO 1		CEPTIFICAT	TON: Thist-	r unit una	constructed, (2) rec	constructed or (3) phiosod :	ınder ~	/ juriedio#		
						and this r				gage and	Deliet.	
					Inis Wate	er Well Record was		no/day/yr) .	DTh/	4114		
	business n			eoCore, Inc.		by (signa		HOU.	MILLE			
INSTRU Departi	UCTIONS: Us	e typewriter or ball po and Environment, Bu	int pen. <u>PLEASE P</u> reau of Water, Tope	<u>PRESS FIRMLY</u> and ka, Kansas 66620-0	PRINT clearly. P	lease fill in blanks, unde 913-296-5545. Send on	erline or circle the co ne to WATER WELL	rrect answers. OWNER and re	Send top to tain one fo	three copies or your recon	to Kansas ds.	