WATER WELL R			sion of Water		
Original Record 1 LOCATION OF W			irces App. No.	Township Numb	Well ID Ponga Number
County: SAL	INE SEXSEXO	C1/4NW/4	ion Number	Township Numb T 1/3 S	RC □ E XW
2 WELL OWNER: La Business: Mc DC	mak δ 5 direction from nearest town or intersection): If at owner's address, check here: □				
Address: 125 E. DIAMOND DE 125 E. DIAMOND DE IVE					
City: SALIN		/			
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COMPLETED WEI	L: 20 ք.	5 Latitude	:	(decimal degrees)
SECTION BOX:	Depth(s) Groundwater Encountered: 1)		1		(decimal degrees)
N	2) ft. 3) ft., or	4) Dry Well	Datum:] WGS 84 🔲 NAI	D 83 NAD 27
	WELL'S STATIC WATER LEVEL:	10-17-11	Source for	Latitude/Longitude	
	below land surface, measured on (mo above land surface, measured on (mo	-day-yr) 47.6 72220)
NW NE	Pump test data: Well water was			WAAS enabled? ☐ Survey ☐ Topogra	
W E	afterl hours pumping2				
SW SE	Well water was			11	
J J J	after hours pumping	gpm	6 Elevation	n: ft	. Ground Level TOC
S	Estimated Yield:gpm Bore Hole Diameter:	O ft and			GPS Topographic Map
mile	in. to				_ 101
7 WELL WATER TO BE USED AS:					
1. Domestic:	 Public Water Supply: well I 				ease
Household	6. ☐ Dewatering: how many well			e: well ID	
X Lawn & Garden ☐ Livestock		7. ☐ Aquifer Recharge: well ID ☐ Cased ☐ Uncased ☐ Geotechnical 8. ☐ Monitoring: well ID			
2. Irrigation	9. Environmental Remediation: w				
3. ☐ Feedlot		por Extraction			scharge Inj. of Water
4. 🔲 Industrial	☐ Recovery ☐ Injection				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:					
Water well disinfected? ✓ Yes □ No					
8 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other					
8 TYPE OF CASING USED: Steel PVC Other					
Casing height above land surface					
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Steel Fiberglass □ Other (Specify)					
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous Slot Mill Slot, 230☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)					
Louvered Shutter Til Key Punched Til Wire Wrapped Til Saw Cut Til None (Open Hole)					
SCREEN-PERFORATED INTERVALS: From					
GRAVEL PACK INTERVALS: From					
9 GROUT MATERIAL: Neat cement Cement grout Sentonite Other Grout Intervals: From					
Nearest source of possible contamination:					
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage					
Sewer Lines					
Watertight Sewer Lines ☐ Seepage Pit ☐ Feedvard ☐ Fertilizer Storage ☐ Oil Well/Gas Well					
☐ Other (Specify) Direction from well? Distance from well?					
10 FROM TO	LITHOLOGIC LOG	FROM			PLUGGING INTERVALS
0 60	CLAY GRAY STICKY	TROM	TO EA	TIO. LOG (cont.) of	TEOGOING INTERVALS
	SAND AND SMALL GOA	1251			
	CLAY GRAY			**************************************	
				110 110 110	
		Notes:	-		
11 CONTRACTORS	CODI ANDOUMEDIS CEDERAL	TON, This		omotenate d	angtmusted on [] -11
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day year) of the constructed is true to the best of my knowledge and belief					
Kansas Water Well Contractor's License No. 3.2 This Water Well Record was completed on (mo-day-year) 4.6.1.7					
under the business name	e of P.ESTINOGER PUMP	SERVICE	Your	Stevens	
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for eath constructed well along with one (white) copy to Kansas					
Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 9/10/2012					