WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

County Fraction		Fraction	ion		number	Township number	Range number	
1. Location of well:	Saline	5W 1/4 SE 1/4 SE	1 //	1 .		т /3 s	_	- 44
2. Distance and dire			-				K W	E/W
2. Distance and direction from nearest town or city: 3. Owner of well: Jer Street address of well location if in city: 3. Owner of well: Jer R.R. or street: City, state, zip code:						is s. Ohio		
Street address of well location if in city: City, state, zip code:						Saling Kans	67401	
4. Locate with "X" i		Sketch map:				6. Bore hole dia.	. Completion date	
N	garannessentendensonsentendensonsentendensonsentendensonsentendensonsentendensonsentendensonsentendensonsentend					Well depth 3.6. ft.		
Services 1						7 Cable tool	Driven Dug Bored Reverse re	otary
NW	NE					8. Use: Domestic P		***************************************
§ W i	E.					T	ir conditioning Stock	'
sw						Lawn C	il field water Other	
	i x					9. Casing: Material	_ Height: Above or below	′ .
I	CONTRACTOR OF THE PROPERTY OF					Threaded Welded PVC X		In.
1-4	iile	ON TO STAND FOR THE SEASON FROM THE SEASON FRO		odnymeron illendroddenomi	-	Dia. Lin. to 20 ft. der	oth Wall Thickness; inches	or
5. Type and color of	material L	below surface	11 × 1	From	То	Diain. to ft. dep		***************************************
	,				II ALEBO AND	10. Screen; Manufacturer's	name	
<u>Cllus</u>	<u> vaani</u>	ende (Prof. Con. of Concept, Con. Con. Con. Con. Con. Con. Con. Con.	***************************************	-		Type _5/6 (5	Dia. Maj 4 1	
	lay gray- b	rowh		0	19	Slot/gauze 3/32.	Length	
	J / J			10	 	ft.	and	ft.
(3)	ravel medium	* Secret		19	32	Gravel pack? Size ro	inge of material	
<u></u> 57:	It clases an	ω		35	34	11. Static water level:ft. below land su	mo./day	y/yr.
C	10111			34	38	12. Pumping level below lan		- faces
S7 V	ravely fine to coas	ser same	Charles Bully British Made and a second	> 7	30	27 ft. after 42	hrs. pumping 15 g.p	. m.
				ļ		ft. after Estimated maximum yield	3 0	1
						13. Water sample submitted:		CHANGE AND LONG TO SERVICE AND ADDRESS OF THE PERSON NAMED AND PORT OF THE
MITA SAME TERROMENA MODERNI MANAGEMENTA MODERNI ANTONIO MANAGEMENTA ANTONIO MANAGEMENTA ANTONIO MANAGEMENTA A		AND	NORTH DESIGNATION OF THE PERSON OF THE PERSO				Date	,,,,,
		Company of the property of t	**************	***************************************		14. Well head completion:	/3	
						Pitless adapter	12 Inches above grad	e .
THE REAL PROPERTY OF THE PROPE		**************************************	######################################			15. Well grouted? With: Neat cement	Bentonite Conc	rete
······································			***************************************			Depth: Fromft. to		"
						16. Nearest source of possib	e contamination:	(
WAS MOST AND STATE OF THE STATE	A CONTROL OF A CON	THE STATE OF THE S				ft Direction Well disinfected upon compl		_No I
Procedurate control of the second control of	erste Material (1800) (1800) (1800) (1800) (1800) (1800) (1800) (1800) (1800) (1800) (1800) (1800) (1800) (1800)	THE THE PERSONNEL PRODUCTION OF THE PERSONNEL PRODUCTION O	OFFICE AND ADDRESS OF THE PERSON OF THE PERS			17. Pump:	X Not installed	70
TO Principal consequences are principal announced announ	VIII TO TO TO THE TO TH		COMMON TOWN THE COMMON TOWN TO SERVICE AND			Manufacturer's name		^ ì
						Model number		.m. (
		Valuum nen Valuttiin variismikin siin saastaan qurug eessa may aygamaniin miniyya gaga yagga, уулу ад	THE CONTRACTOR IN CONTRACTOR	***************************************	 	Type:	g.p	····· (
			Landa H. R. Waller and M. Britania			Submersible	Turbine	
	(Use a second	sheet if needed)				Jet Centrifugal	Reciprocati Other	ng S
18. Elevation:	19. Remarks: Water San		35	ppn	1	20. Water well contractor's This well was drilled under n	certification:	ort ort
· 	V V	A		•		is true to the best of my know		, .
Topography:						Heplum Die D.	illing 120	
Hill Slope	1					Business name	Zense License	No.
Upland						Signed Of Fan	1 62-5-	77
Valley			MANAGEMENT CONCRETE OF		N-THEORETE AND THE	Authorized re	presentative	4
orward the white, bl	ue and pink copies to the Departmen	t of Health and Environment					Form WWC-5	