			WELL RECORD F	orm WWC	-5 KSA 82	la-1212			
1 LOCATION OF WATER WELL: County: SALINE		Fraction	MII CD	s	ection Numbe		hip Number	Range Number	
			NW 1/4 SE	1/4	24	T	13 s	$R \rightarrow E(W)$	
Distance and direction	82¢ E.	REPUBLIC	ress of well if located	within city	?				
2 WATER WELL OW	V   14 Coca 1 1 s	VANDUYNE					~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
RR#, St. Address, Bo						Board	d of Agriculture	, Division of Water Resource	
City, State, ZIP Code		KS. 67401			Application Number				
	OCATION WITH 4 N BOX:	DEPTH OF COI	MPLETED WELL	63	ft. ELEV	ATION: L	EVEL		
	De	pth(s) Groundwa	iter Encountered 1.		ft.	2	ft.	3	
		ELL'S STATIC W	ATER LEVEL J	?7 ft.	below land su	urface measure	ed on mo/day/y	<sub>/r</sub> 10-28-88	
NW	NE	Pump to	est data: Well water	was3	8 ft.	after $1$	hours p	oumping20 gpm	
	Est	t. Yield 7.5	. gpm: Well water	was	ft	after	hours p	oumping gpm	
A parameter in the second	L Bo	re Hole Diamete	r 8章 in. to .	48 : .		and		in. to	
≥	I WE	ELL WATER TO			iter supply	8 Air conditi	oning 1	1 Injection well	
SW	X SE -	1 Domestic			ater supply			2 Other (Specify below)	
1	8 1	2 Irrigation							
	Wa S mit		cteriological sample su	bmitted to			0X; If yenter interest of the second sec	es, mo/day/yr sample was sul	
TYPE OF BLANK O	Marie Sharet San California Calabra and Assault and As		Wrought iron	8 Con	crete tile			X No edX Clamped	
1 Steel	3 RMP (SR)		Asbestos-Cement		r (specify belo			lded Gamped Ided	
2 PVG	4 ABC	***	la la anala a a			,			
Blank casing diameter	in.	to 56	ft Dia	in	ko	ft Dia	. 1111	eadedft. . in. fo SDR 26 ft.	
Casing height above la	and surface. 12	in	weight 160		the	/ft Mall thicks		No	
TYPE OF SCREEN O	R PERFORATION M	ATERIAL	., worgin	7 P					
1 Steel	3 Stainless ste		Fihorolace	***************************************	MP (SR)		Asbestos-cen		
1 Steel 3 Stainless steel 5 Fiberglass 2 Brass 4 Galvanized steel 6 Concrete tile					ABS 12 None used (op			y)	
SCREEN OR PERFOR				ہ و wrapped ا	.00	8 Saw cut			
1 Continuous slo			6 Wire w	• • •		9 Drilled h		11 None (open hole)	
2 Louvered shutt		unched	7 Toron e						
SCREEN-PERFORATI		'Sr	1	n 3	ft Erc			toft.	
		From	ft. to		ft Fro	om		toft.	
GRAVEL PA	CK INTERVALS:	From	ft. to		ft Fro	om		toft.	
		From	ft. to	, . , ,	ft., Fro			to ft.	
GROUT MATERIAL	: 1 Neat cem	ent _ 2	O	3 Ben				The second secon	
Grout Intervals: From	m	to 20	ft., From	ft.	to	ft. Fro	m	ft. toft.	
What is the nearest so	ource of possible con	tamination:	·			stock pens		Abandoned water well	
1 Septic tank	4 Lateral lin	nes			11 Fuel storage			15 Oil well/Gas well	
2 Sewer lines	5 Cess pod			n	12 Fertilizer storage		16	16 Other (specify below)	
3 Watertight sew	er_lines 6 Seepage				13 Insecticide storage				
Direction from well?	SOUTH	•			How ma	any feet?	40		
FROM TO		LITHOLOGIC LC	G	FROM	TO		PLUGGING	INTERVALS	
1 5	TOP SOIL						and the second s		
5 37	CLAY							4P-01-01-01-01-01-01-01-01-01-01-01-01-01-	
37 48	MED. SAND	& GRAVEL							
48 48.2	CLAY								
48.2 63	MED. SAND	& GRAVEL							
		*****							
	was and the same of the same o								
								A CONTRACT OF THE CONTRACT OF	
			9						
Z CONTRACTOR'S	OR LANDOWNER'S	CERTIFICATION	l: This water well was	(1) constr	ructed, (2) rec	onstructed or	(3) plugged ur	nder my jurisdiction and was	
completed on (mo/day/	year)10-28-8	8		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	and this reco	ord is true to th	e best of my	<del>ne</del> wledge and belief. Kansas	
Water Well Contractor	s License No38	8	This Water Wel	l Record w	as completed	on (molday/vr	10628	-88	
under the business na	me of PEST	INGER PUME	SERVICE			iture 2		Palento)	

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to transas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.