KOLAR Document ID: 1422415

WATER WELL Original Record	RECORD Correction		WWC-5 ge in Well Us	se			on of Wate			 Well I	_р [
1 LOCATION OF WATER WELL:			Fraction	30			n Numbe		Township Numb		Range Number		
County:			1/4	1/4				1			□E □W		
·						Street or Rural Address where well is located (if unknown, distance and							
						lirection from nearest town or intersection): If at owner's address, check here:							
Address:													
Address: City:		State:	ZIP:										
3 LOCATE WELL				L									
WITH "X" IN	WIN 4 DEPTH OF COMPLETED WELL:												
SECTION BOX:	Depth(s) Groundwater Encountered: 1)					201810000000000000000000000000000000000							
N	2) ft. 3) ft., or 4) \[\Boxed{1} \] WELL'S STATIC WATER LEVEL:								WGS 84 □ NAI] NA	.D 27	
	below land surface, measured on (mo-day-yr						Source for Latitude/Longitude.					,	
X - NW NE													
	Pump test data: Well water was ft.					☐ Land Survey ☐ Topogra						,	
W E	after	after hours pumpinggg					Online Mapper:						
SW SE	- 64	Well water was ft.											
		after hours pumping gr Estimated Yield:gpm					6 Elevation :ft.					Level □ TOC	
S	Bore Hole Diameter: in. to									GPS Topographic Map			
1 mile							C Other						
7 WELL WATER TO BE USED AS:													
1. Domestic:													
Household 6. Dewatering: how many wells?												•••	
Lawn & Garden	— 1 &								Uncased (
☐ Livestock 2. ☐ Irrigation	_ ~								al: how many bores Loop Horizont				
3. ☐ Feedlot									Loop Surface Di				
4. ☐ Industrial					(specify):								
4.													
Water well disinfected				- III —	100 🗀 1	·	jos, auto		iipie was saeiiiiee				
			C Other		CA	SING	JOINTS	: 🗆	Glued Clamped	d 🔲 Wel	ded	☐ Threaded	
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter ft., Diameter in. to ft.													
Casing height above land surface													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)													
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:													
Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)													
Louvered Shutter	☐ Key Punc						e (Open H						
SCREEN-PERFORATED INTERVALS: From													
GRAVEL P.	ACK INTERV	ALS: Fron	n f	t. to	ft., Fro	n	ft. to	o	ft., From	ft.	. to	ft.	
9 GROUT MATER			_										
Grout Intervals: From			ft., From .	• • • • • • • • • • • • • • • • • • • •	ft. to	• • • • • • • • • • • • • • • • • • • •	ft., From	• • • • •	ft. to	ft.			
Nearest source of possi		ion: Lateral Line	ьс П	Pit Privy		⊏т;,,	estock Pe	nc	☐ Insection	oida Store	0.00		
Sewer Lines		Cess Pool		Sewage La			el Storage		☐ Abando			ell	
☐ Watertight Sewer I		Seepage Pit		Feedyard			tilizer Sto						
☐ Other (Specify)													
10 FROM TO]	LITHOLOG	GIC LOG		FROM		TO	LIT	HO. LOG (cont.) or	r PLUGG	ING	INTERVALS	
					Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Water Well Contractor's License No													
under the business name of													
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.													
_	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												