WATE	R WEL	L RECORD	Form WWC-5	Division of Water Resources App. No. 30,611	
1 LO	CATION (OF WATER WELL:	Fraction	Section Number Township No. Range Number	
	nty: Loga		4 SE 4 NW 4 SE	1/4 19 T 13 S R 37 □E	₹W
			if unknown, distance & direction		
from nearest town or intersection: If at owner's address, check here .					
15 Miles West of Russel Springs				Longitude: (in decimal deg	rees)
				Elevation:	
2 WA	TER WE	LL OWNER: David S	chamm	Datum: WGS 84, NAD 83, NAD 27	
2 WATER WELL OWNER: David Schemm RR#, Street Address, Box #: 1085 KS 27				Collection Method: GPS unit (Make/Model:	١.
	y, State, ZI	n Co. I.	Springs, KS 67758	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Sur	
_			Collings, NO 07730	Est. Accuracy:	1
	CATE WEL	L	47		***************************************
	TH AN "X"		COMPLETED WELL 47		
SEC	TION BOX	Depth(s) Ground	iwater Encountered (1)	ft. (2) ft. (3)	Ħ.
		WELL SSIAI	tost data: Wall water was	.ft. below land surface measured on mo/day/yrft. after hours pumping	****
	1 1	FST VIELD	onm Well water was	ft. after hours pumpingg	gpm
w N	W NE	E Bore Hole Diam	eter 26 in to	ft., andin. toft.	gpin
"	 -	WELL WATER	TO BE USED AS: ☐ Public	water supply Geothermal Injection well	
	W X E	C n		vater supply Dewatering Other (Specify below	ow)
12	W 750 E	☑ Irrigation	☐ Industrial ☐ Domestic	lawn & garden Monitoring well	
Was a chemical/bacteriological sample submitted to Department?					
S If yes, mo/day/yr sample was submitted					
j	I mile	Water well disin	fected? 📝 Yes 🗌 No		
5 TYP	E OF CAS	SING USED: Steel	PVC Dther		
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter .16 in. to .47 ft., Diameter in. to ft., Diameter ft.					
Casir	ng height al	bove land surface12	in., Weight SDR 21	lbs./ft., Wall thickness or gauge No	
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
SCICI	Sir I Did O	TOTTED HTTDX ********	From ft. to	ft., From ft. to	ft.
	GRAVE	L PACK INTERVALS:	From 20 ft. to 47	ft., From ft. to	ft.
			From tt. to	ft., From ft. to	ft.
6 GRO	UT MAT	ERIAL: Neat ceme	nt 🗌 Cement grout 💋 Ber	tonite Other	••••
	ntervals:	From .0 ft. to	20 ft., From	ft. to ft., From ft. to	ft.
What is	the neares	t source of possible conta	mination:		
	Septic tank		es Pit privy Livesto		
	Sewer line		Sewage lagoon Fuel sto	<u> </u>	
سا دسا	J Watertight	sewer lines Seepage p well West		r storage Oil well/gas well	
FROM		LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERV	
		······································	ic Lod TROM	TO ETITIO. EOG (COIR.) OF TEOGRAPH INTERV	ALG
0 37		Sand & Gravel Shale			
<u> </u>	+7/ - 13	Oligic			
	+				
	+				
	+				
	 				
	+				*****************
	+				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) .6.22-1.1 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 473 This Water Well Record was completed on (mo/day/year) 6-30-11					
isalisas under H	ne husiness	name of Tyler Water	Well Inc	by (signature)	
under the business name of .Tyler Water Well Inc. by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, bl	lue, pink) to e 785-296-55	Kansas Department of Health 22. Send one copy to WAT	and Environment, Bureau of Water, G	eology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612 or your records. Include fee of \$5.00 for each constructed well. Visi	2~1367.
		/waterwell/index.html.		Check: White Copy, Blue Copy, Pink	Copy
SA 82a	1-1212			CHECK. With Copy, Dide Copy, Prink	· COD