1 1 004	ON OF WAY	ED WELL		TER WELL REC	ORD For	· · · · · · · · · · · · · · · · · · ·	KSA 82a-1		mhor	Danca Nurshan
_1_LOCATI	ON OF WATI W	er well: allace		NE ½	. NF		ion Number	Township Nur	1	Range Number R 40 W
			t town or city street a					13		<u> </u>
				South Hw		•	ıgs, KS			
			Jerry Eide							
RR#, St. Ad	ddress, Box #	: PO	Box 280					Board of Agricu	Iture, Divis	sion of Water Resources
			aron Springs, k					Application Nun		
	E WELL'S LO N SECTION I		ALDEDTH OF	COMPLETED	MELL	30	ft FLEV	(ATION:		
	N SECTION I	DOX.	Depth(s) Groun	dwater Encour	stered 15		II. LLL V	2	ft	3 Ft.
. ↓ Г	I	X								уг. И
	NW									ımping Gpm
	!	!								umping
₩ ₹		į .	E Bore Hole Dian	neter 6.5	in to	30	')	ft and	in	to Et
T		1	WELL WATER	TO BE USED	ÁS: 5 Pūl	olic water su	ıpply	8 Air conditioni	.ng 11	to Ft. Injection well Other (Specify below)
 -	SW	SE	1 Domest	tic 3 Feed lo	t 6 Oil	field water:	supply	9 Dewatering	12	Other (Specify below)
. ↓ 1		i	2 Irrigatio	n 4 Industria	al 7 Lav	vn and gard	len (domestic) 10 Monitoring	well	MW-25
` 	S		Was a chemica	al/bacteriologica	ıl sample su	bmitted to [Department?	Yes No X	_ If yes,	mo/day/yr sample was
			Submitted	·			Wa	ter Well Disinfected	? Yes	No X
5 TYPE O	F BLANK CA	SING USE	ED:	5 Wrough	t Iron	8 Concre	ete tile	CASING JOINT	S: Glued	Clamped
1 Sto		3 R	MP (SR)	6 Asbesto	s-Cement	9 Other	(specify below	w)	Welde	
2 PV	′C	4 A	3S	7 Fibergla	ass				Threa	ded X
Blank casin	n diameter	2	in to 1	0 Ft.,		in i	n	ft Dia		in. toft.
Casing heir	nht ahove land	d surface	FLUSH	In weight	SC	H 40	l he /ft	Wall thickness or o	old anuar	
			ATION MATERIAL:	_ III., Weight _		7	PVC	10 Asbes	jauge 190. :tos-cemer	
1 Ste				5 Fibergla	iss					
2 Bra			alvanized steel	6 Concret		9	ABS	12 None		
SCREEN C	R PERFORA	TION OPI	ENINGS ARE:		5 Gauzeo	wrapped		8 Saw cut	•	11 None (open hole)
	ntinuous slot		3 Mill slot		6 Wire wi	apped		9 Drilled holes		
2 Lo	uvered shutte	er	4 Key punched		7 Torch o			10 Other (specify	/)	
SCREEN-P	PERFORATE) INTERV)ft.
			From	ft	t. to		ft. F	rom	ft. to	Ft.
SA	ND PACK INT	TERVALS:								Ft.
			From		t. to		ft. F	rom	ft. to	
• GROUT	MATERIAL:	1 N	eat cement	 Cement grou Ft. 	ut	3 Ben Ft.	tonite	4 Other		
Grout Interv	als From2	0.5	ft. to 2	From3	2	rι. to	8	ft. From		ft. toft.
			ible contamination:							ndoned water well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil v							vell/ Gas well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify							er (specify below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Contamina									ntaminated Site	
Direction fro	om well?		Г				How many	feet?		
FROM	ТО	CODE		LOGIC LOG		FROM	ТО	PLUC	GGING IN	TERVALS
0	1 1		Grass/Topsoil							
4.5	4.5 24	-	Silt Silty Clay							
24	30	1	Coarse Sand							
30	TD		End of Boreho	ole						
		-					<u> </u>			
							 		 	
		 								
				T.O		, , , , , , , , , , , , , , , , , , , ,				
					er w ell was					er my jurisdiction and w
				13/14				•		ge and belief. Kansas
). A aa a ia	585				·		ay/yr) 09/23/14
under the b	usiness name	ease fill in h	ASSOCIA blanks and circle the co	ated Enviro	end three co	, IIIC. nies to Kanc	By Denartment	(signature) Bra	uiey J.	JONNSON TACK
Kansas	s 66620-0001.	Telephone	: 913-296-5545. Send	one to WATER	WELL OWN	ER and retain	one for your			e o valer, typeka,