1 LOCATION OF		Fraction	_		ction Numbe			Range Nur	$\sim$
County: Wallac		SE 1/4		V 1/4	27	T 13	<u>S</u>	R 40	B(W)
			address of well if locate	ed within city	<b>!?</b>				
	wy K27 & Nightha								,
	OWNER: CHS Inc.								
RR#, St. Address,	Box # : 102 North	h Front, PO	Box 280			Board of Agric	ulture, Divis	sion of Water Re	sources
City, State, ZIP Co		prings, Kan				Application Nu	mber:		
3 LOCATE WELL		DEPTH OF C	OMPLETED WELL	31	fl. ELE	/ATION:			
MITH AN "X" IN	I SECTION BOX:		twater Encountered 1						
T			WATER LEVEL						
T [ [			test data: Well water				• •	•	
~ ~ NW ~	NE		A gpm: Well water				-	. •	
<u>.</u>			eter 8 in. to						
<u></u> w			TO BE USED AS: 5			8 Air conditionin			
-   i		1 Domestic				9 Dewatering	_	Other (Specify b	.olov4)
sw-	SE	· · ·				10 Monitoring well			
		2 Irrigation	4 moustral / Vbacteriological sample						
<b>★ L</b>	<b>/</b> 1 .	vas a chemica ubmitted	Poacteriological Sampa	Subinicu	-	ater Well Disinfect		, illo/day/yi sailik No ✔	_
T=	3	donneed	= 144						
<u> </u>	IK CASING USED:		5 Wrought iron	8 Conc				d Clampe	
1 Steel	3 RMP (SR)		6 Asbestos-Cement		(specify bel	•		led	
2)PVC			7 Fiberglass					aded. ✓	
			9 ft., Dia			•			
Casing height abov	e land surface		in., weight		<b>f</b> bs.	ft. Wall thickness	or gauge N	юSch., 4	Ю
TYPE OF SCREEN	I OR PERFORATION I	MATERIAL.		<b>(7)</b> PV	C	10 Ast	estos-cem	ent	
1 Steel	3 Stainless st	teel	5 Fiberglass	8 RM	P (SR)	11 Oth	er (specify)	)	
2 Brass	4 Galvanized	steel	6 Concrete tile	9 AB	S	12 Nor	e used (op	en hole)	
SCREEN OR PERF	FORATION OPENINGS	S ARE:	5 Gauze	d wrapped		8 Saw cut		11 None (open	hole)
1 Continuou	sslot (3)Mills	slot	6 Wire v	vrapped		9 Drilled holes			
2 Louvered :	shutter 4 Key	punched	7 Torch	cut		10 Other (specify	·)		
SCREEN-PERFOR	ATED INTERVALS:	From	. 29 ft. to	31	ft., Fr	om	<i></i> ft.	to	<i>.</i> f
		From	ft. to		ft., Fr	om	ft.	to	<b>f</b>
GRAVEL	PACK INTERVALS:	From	. 27 ft. to	31	ft., Fr	om	ft.	to	f
		From	ft. to		ft., Fr	om	ft.	to	f
GROUT MATER	IAL: 1 Neat cer	ment	2 Cement grout	3 Bento	nite 4	Other			
Grout Intervals: F	rom 3 ft	t to 27	ft., From	G. H	to	ft From		ft to	f
	t source of possible co					stock pens		bandoned water	
1 Septic tank	4 Lateral		7 Pit privy			storage		il well/Gas well	TTCII
2 Sewer lines	5 Cess po		8 Sewage lago	on		ilizer storage		ther (specify bek	\
	werlines 6 Seepag		9 Feedvard	OII		cticide storage	10 0	urer (specify ber	3 <b>W</b> )
Direction from well		ge pit	o i couyard			ny feet?	• • • •		
FROM TO		LITHOLOGIC	IOG	FROM	TO		I ICCING IN	NTERVALS	
0 0.5	Gravel, sand, cl			1.100	'		20014011		
				+	<del>   </del>				
0.5 1.5	Clay, silty, Brov		D	+	<del> </del>				
1.5 5	Silt, clayey, Bro		Brown				·		
5 10	Clay, v. sl. silty,								
10 20	Clay, silty, Brow								
20 24	Clay, silty, Grav								
24 31	Sand, vf-c, silty,	<u>, Gray to Gr</u>	ay Brown						
								, , , , , , , , , , , , , , , , , , ,	
					1	DAS-3			
	1				-				
	1			<del> </del>					
7 001	001450055	OCOTICIOA =	Ohl This	<u></u>			- l	d · · · · ·	
			ON: This water well wa						
			10/21/2015						
			. <b>52</b> 7 This	Water Well		/ / /	day/yr)/	2 · · 1.0/30/201	<b>5</b>
under the business	name of	Ge	oCore, Inc.	····	by (signa	iture) //	Kelf		
INSTRUCTIONS: Department of Hea	Use typewriter or ball point path and Environment, Burea	pen. <i>PLEASE PR</i> nu of Water, Topeka	<u>ESS FIRMLY</u> and <u>PRINT</u> cle a, Kansas 66620-0001. Telep	arty. Please fill phone: 913-296	in blanks, unde 5545. Send on	orline or circle the correct to WATER WELL OW	tanswers. So NER and reta	end top three copies in one for your record	to Kansas ls.

WATER WELL RECORD Form WWC-5 KSA 82a-1212