LOCATION OF W	/ATER WELL:	Fraction		Se	ction Number	Township Nun	roer	Range N	
ounty: Wallace	2	SE ¼	SE ¼ SW	/ 1/4	27	T 13	s	R 40	ΕW
		wn or city street ac	dress of well if locate	d within city	1?	-			
		hawk Rd, Share		•					
		c. dba CHS Uni							
		th Front, PO B	_			Daniel of Amicula	Distric		D
		•				Board of Agricult		on of vvater	Resources
ty, State, ZIP Cod		Springs, Kansa			- · · · · · · · · · · · · · · · · · · ·	Application Numb			
LOCATE WELL'S WITH AN "X" IN	SECTION BOX		MPLETED WELL						
	N		rater Encountered 1.						
			WATER LEVEL						
		Pump t	est data: Well water	was !	VAft.af	ber	ours pump	oing	gp
NW	NE		gpm: Well water					_	
į			er 8 in. to.						
w	┼┼┼┼		BE USED AS: 5					jection well	
1	!!!!	1 Domestic				9 Dewatering		ther (Specify	, bolow)
sw -	SE -								
		2 Irrigation				0 Monitoring well			
			acteriological sample	Submitted to					
	S	submitted				er Well Disinfecteu			✓
TYPE OF BLANK	CASING USED:	5	Wrought iron	8 Concr	rete tile	CASING JOIN			•
1 Steel	3 RMP (SF	₹) 6	Asbestos-Cement	9 Other	(specify below	N)			
2)PVC	4 ABS		Fiberglass					led. 🗸	
ank casing diamet	er	. in. to 27.	ft., Dia	in. ·	to	ft, Dia	i	in. to	
asing height above	land surface	in	ı., weight		lbs./fi	. Wall thickness or	gauge No	Sch.	.40
	OR PERFORATION		, ,	(7)PV			tos-cemen		
1 Steel	3 Stainless		Fiberglass	8 RM		11 Other		•	
2 Brass	4 Galvanize		Concrete tile	9 AB					
	PRATION OPENING				_	12 None		•	
				wrapped		8 Saw cut	-	11 None (op	en noie)
1 Continuous			6 Wire w	• •		9 Drilled holes			
2 Louvered st	nutter 74 Ka	ey punched	7 Torch o	ut	1	10 Other (specify) .			
				20					
	TED INTERVALS:	From	2.7 ft. to						
CREEN-PERFORA	ITED INTERVALS:	From	2.7 ft. to ft. to		ft., Fro	m	ft. to	.	
CREEN-PERFORA		From	27 ft. to ft. to	29	ft., Fro	m	ft. to))	
CREEN-PERFORA	ITED INTERVALS:	From	2.7 ft. to ft. to	29	ft., Fro	m	ft. to))	
GRAVEL P	TED INTERVALS:	From	27. ft to	29	ft, Fro ft, Fro ft, Fro	m	ft. to))	
GRAVEL P	ACK INTERVALS: AL: 1 Neat of	From	27 ft. to	29 (3)Bento	ft, Fro	m	ft. to)))	
GRAVEL P GROUT MATERIA rout Intervals: Fro	ACK INTERVALS: AL: 1 Neat or 3	From	27. ft to	29 (3)Bento	ft, Fro ft, Fro ft, Fro onite 4	m	ft. to	ft. to	
GRAVEL P GROUT MATERIA rout Intervals: Fro	AL: 1 Neat of source of possible	From From From From 2 ft. to 25 contamination:	27 ft. to	29 (3)Bento	ft, Fro ft, Fro ft, Fro ft, Fro nite 4 to	mmm	ft. to	ft. to	er well
GRAVEL P GROUT MATERIA rout Intervals: Fro /hat is the nearest 1 Septic tank	AL: 1 Neat of possible 4 Later	From	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro ft fro fro ft fro fro ft fro fro ft fro	m	ft. tc ft. tc ft. tc ft. tc ft. tc ft. tc	ft. to	er well
GRAVEL P GROUT MATERIA rout Intervals: Fro that is the nearest 1 Septic tank 2 Sewer lines	ACK INTERVALS: AL: 1 Neat com 3 source of possible 4 Laten 5 Cess	From	27	3 Bento	ft., Froft., Froft., Froft. Fro	m	ft. tc ft. tc ft. tc ft. tc ft. tc ft. tc	ft. to	er well
GRAVEL P GROUT MATERI/ rout Intervals: Fr/ /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew	AL: 1 Neat of possible 4 Later	From	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. tc ft. tc ft. tc ft. tc ft. tc ft. tc	ft. to	er well
GRAVEL P GROUT MATERIA TOUT Intervals: From that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sewerection from well?	ACK INTERVALS: AL: 1 Neat com 3 source of possible 4 Laten 5 Cess	From	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERIA TOUT Intervals: From that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well?	ACK INTERVALS: AL: 1 Neat com	From	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. tc ft. tc ft. tc ft. tc ft. tc ft. tc	ft. to	er well
GRAVEL P GROUT MATERIA rout Intervals: Fro that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 0.5	ACK INTERVALS: AL: 1 Neat com 3 source of possible 4 Later: 5 Cess ver lines 6 Seep Gravel and as	From	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERIA TOUT Intervals: From that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sewerection from well? FROM TO 0 0.5	ACK INTERVALS: AL: 1 Neat com	From	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERIA rout Intervals: Fro that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight severection from well? FROM TO 0 0.5	ACK INTERVALS: AL: 1 Neat com 3 source of possible 4 Later: 5 Cess ver lines 6 Seep Gravel and as	From	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERI/ rout Intervals: Fro /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well? FROM TO 0 0.5 0.5 8	ACK INTERVALS: AL: 1 Neat of possible 4 Later 5 Cess per lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v	From	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERIA rout Intervals: Fro that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well? FROM TO 0 0.5 0.5 8 8 17 17 20	ACK INTERVALS: AL: 1 Neat com. 3. source of possible 4 Later 5 Cess er lines 6 Seep Gravel and as Clay, sl. silty, tr.	From From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERI/ rout Intervals: Fri that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well? FROM TO 0 0.5 0.5 8 8 17 17 20 20 24	ACK INTERVALS: AL: 1 Neat com. 3. source of possible 4 Later 5 Cess er lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty, tr. Sand, vf-c, sl.	From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERI/ out Intervals: Frichat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sewerection from well? FROM TO 0 0.5 0.5 8 8 17 17 20 20 24	ACK INTERVALS: AL: 1 Neat com. 3. source of possible 4 Later 5 Cess er lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty, tr. Sand, vf-c, sl.	From From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERI/ out Intervals: Frichat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well? FROM TO 0 0.5 0.5 8 8 17 17 20 20 24	ACK INTERVALS: AL: 1 Neat com. 3. source of possible 4 Later 5 Cess er lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty, tr. Sand, vf-c, sl.	From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERI/ out Intervals: Frichat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well? FROM TO 0 0.5 0.5 8 8 17 17 20 20 24	ACK INTERVALS: AL: 1 Neat com. 3. source of possible 4 Later 5 Cess er lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty, tr. Sand, vf-c, sl.	From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERI/ out Intervals: Fri hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well? FROM TO 0 0.5 0.5 8 8 17 17 20 20 24	ACK INTERVALS: AL: 1 Neat com. 3. source of possible 4 Later 5 Cess er lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty, tr. Sand, vf-c, sl.	From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERI/ out Intervals: Frichat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sewerection from well? FROM TO 0 0.5 0.5 8 8 17 17 20 20 24	ACK INTERVALS: AL: 1 Neat com. 3. source of possible 4 Later 5 Cess er lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty, tr. Sand, vf-c, sl.	From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERI/ out Intervals: From the state of the series of th	ACK INTERVALS: AL: 1 Neat com. 3. source of possible 4 Later 5 Cess er lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty, tr. Sand, vf-c, sl.	From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERI/ out Intervals: Frichat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sewerection from well? FROM TO 0 0.5 0.5 8 8 17 17 20 20 24	ACK INTERVALS: AL: 1 Neat com. 3. source of possible 4 Later 5 Cess er lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty, tr. Sand, vf-c, sl.	From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro nite 4 to	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERI/ out Intervals: Frichat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sewerection from well? FROM TO 0 0.5 0.5 8 8 17 17 20 20 24	ACK INTERVALS: AL: 1 Neat com. 3. source of possible 4 Later 5 Cess er lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty, tr. Sand, vf-c, sl.	From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro ft, Fro nite 4 fto 10 Livest 11 Fuels 12 Fertili 13 Insec How many	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERI/ rout Intervals: Frichat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sewerection from well? FROM TO 0 0.5 0.5 8 8 17 17 20 20 24	ACK INTERVALS: AL: 1 Neat of possible 4 Later 5 Cess er lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty, tr. Sand, vf-c, sl.	From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro ft, Fro nite 4 fto 10 Livest 11 Fuels 12 Fertili 13 Insec How many	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERI/ rout Intervals: Fri /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sewirection from well? FROM TO 0 0.5 0.5 8 8 17 17 20 20 24	ACK INTERVALS: AL: 1 Neat of possible 4 Later 5 Cess er lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty, tr. Sand, vf-c, sl.	From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento	ft, Fro ft, Fro ft, Fro ft, Fro nite 4 fto 10 Livest 11 Fuels 12 Fertili 13 Insec How many	m	ft. toft. toft. toft. toft. toft. to	ft. to	er well
GRAVEL P GROUT MATERI/ rout Intervals: Fri /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sevirection from well? FROM TO 0 0.5 0.5 8 17 17 20 20 24 24 29	ACK INTERVALS: AL: 1 Neat com. 3 source of possible 4 Later: 5 Cess ver lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty, tr. Sand, vf-c, v. s	From From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento ft.	ft, Fro ft, Fro ft, Fro ft, Fro nite 4 fto 10 Livest 11 Fuel s 12 Fertili 13 Insect How many	m	14 Aba 15 Oil 16 Oth	ft. to ft. to Indoned wate well/Gas well er (specify b	elow)
GRAVEL P GROUT MATERI/ rout Intervals: Fri /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sevirection from well? FROM TO 0 0.5 8 17 17 20 20 24 24 29 CONTRACTORS	ACK INTERVALS: AL: 1 Neat com. 3 source of possible 4 Later. 5 Cess er lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty to v Clay, silty, tr. Sand, vf-c, v. s	From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento ft.	ft, Fro ft, Fro ft, Fro ft, Fro ft, Fro nite ft to 10 Livest 11 Fuels 12 Fertili 13 Insect How many TO D/	m	gged under	ft. to ft. to Indoned wate well/Gas well er (specify b	elow)
GRAVEL P GROUT MATERI/ rout Intervals: Fri /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sevirection from well? FROM TO 0 0.5 8 17 17 20 20 24 24 29 CONTRACTORS and was completed of	ACK INTERVALS: AL: 1 Neat of om 3. source of possible 4 Later: 5 Cess er lines 6 Seep. Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty tr. Sand, vf-c, v. seep. OR LANDOWNER on (mo/day/year).	From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to 7 Pit privy 8 Sewage lagod 9 Feedyard CG	3 Bento ft.	ft, Fro ft, Fro ft, Fro ft, Fro ft, Fro nite ft to 10 Livest 11 Fuels 12 Fertili 13 Insect How many TO Delivered 10 Livest 11 Fuels 12 Fertili 13 Insect How many TO	m	gged under	ft. to ft. to Indoned wate well/Gas well er (specify b	elow)
GRAVEL P GROUT MATERIA Cout Intervals: From that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sewerection from well? FROM TO 0 0.5 8 17 17 20 20 24 24 29 CONTRACTORS d was completed of	ACK INTERVALS: AL: 1 Neat of om 3. source of possible 4 Later: 5 Cess er lines 6 Seep. Gravel and as Clay, sl. silty, Clay, silty to v Clay, silty tr. Sand, vf-c, v. seep. OR LANDOWNER on (mo/day/year).	From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to 7 Pit privy 8 Sewage lagod 9 Feedyard CG	3 Bento ft.	ft, Fro ft, Fro ft, Fro ft, Fro ft, Fro nite ft to 10 Livest 11 Fuels 12 Fertili 13 Insect How many TO Delivered 10 Livest 11 Fuels 12 Fertili 13 Insect How many TO	m	gged under	ft. to ft. to Indoned wate well/Gas well er (specify b	elow)
GRAVEL P GROUT MATERIA Cout Intervals: From that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sewerection from well? FROM TO 0 0.5 8 17 17 20 20 24 24 29 CONTRACTORS d was completed of	ACK INTERVALS: ACK INTERVALS: AL: 1 Neat of possible 4 Later 5 Cess per lines 6 Seep Gravel and as Clay, sl. silty, Clay, silty to v. Clay, silty to v. Clay, silty, tr. Sand, vf-c, v. s. Sand, vf-c, v. s. Sand, vf-c, v. s. Contractor's Licens C	From From From Prom Prom Prom Prom Prom Prom Prom P	27 ft. to	3 Bento ft.	ft, Fro ft, Fro ft, Fro ft, Fro ft, Fro nite ft to 10 Livest 11 Fuels 12 Fertili 13 Insect How many TO Delivered 10 Livest 11 Fuels 12 Fertili 13 Insect How many TO	m	gged under	ft. to ft. to Indoned wate well/Gas well er (specify b	elow)

WATER WELL RECORD Form WWC-5 KSA 82a-1212