

County: Wallace Fraction: NW SW NW NE Sec. 27 T. 13 S R. 40 W

**CORRECTION(S) to WATER WELL COMPLETION RECORD Form WWC-5 (to rectify lacking or incorrect information)**

Owner: Wallace County **Monitoring**

If location corrected, was listed as:

Location changed to:

Section-Township-Range: \_\_\_\_\_

\_\_\_\_\_

Fraction (¼ calls): \_\_\_\_\_

\_\_\_\_\_

Other changes: Initial statements: Well Contractor Code was 735

Changed to: Well Contractor Code 881

Comments: Well contractor code of 735 did not match to the business name of name of Woofter Pump and Well.

Verification method: Confirmed by Milco Env. Svcs. via Pam Chaffee

Initials: RS Date: 03-11-2023

Submitted by:  Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3724  
 Kansas Dept. of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.

MW-12

Original Record Correction Change in Well Use

Well ID

1 LOCATION OF WATER WELL: County: Wallace Fraction NW 1/4 SW 1/4 NE 1/4 Section Number 27 Township Number T 13 S Range Number R 40 E W

2 WELL OWNER: Last Name: Wallace County Business: Wallace County Address: 313 Main Street City: Sharon Springs State: KS ZIP: 67758 Street or Rural Address where well is located: N. end of North Park at 411 N. Boeke Street in Sharon Springs

3 LOCATE WELL WITH 'X' IN SECTION BOX: N W E S 1 mile

4 DEPTH OF COMPLETED WELL: 40.5 ft. Depth(s) Groundwater Encountered: 1) 24.45 ft. WELL'S STATIC WATER LEVEL: 24.45 ft. below land surface, measured on (mo-day-yr) 1/26/2023

5 Latitude: 38.899092 Longitude: -101.749729 Horizontal Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude: Spectra SP85

6 Elevation: 3464.33 ft. Ground Level TOC Source: Land Survey GPS Topographic Map Other

7 WELL WATER TO BE USED AS: 1. Domestic: Household Lawn & Garden Livestock 2. Irrigation 3. Feedlot 4. Industrial 5. Public Water Supply: well ID 6. Dewatering: how many wells? 7. Aquifer Recharge: well ID 8. Monitoring: well ID MW-12 9. Environmental Remediation: well ID Air Sparge Soil Vapor Extraction Recovery Injection 10. Oil Field Water Supply: lease 11. Test Hole: well ID Cased Uncased Geotechnical 12. Geothermal: how many bores? a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 2 in. to 25.5 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface -4 in. Weight 0.68 lbs./ft. Wall thickness or gauge No. 0.154 TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From 25.5 ft. to 40.5 ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 22.75 ft. to 40.5 ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 1 ft. to 22.7 ft., From ft. to ft., From ft. to ft.

Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Direction from well? Distance from well? ft.

Table with 5 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows: 0-16 Silt, 16-23 Clay, 23-40.5 Shale, clayey, highly weathered with hard, brittle layers after 37'

Notes: Shamrock Service License No. 881-KGS-DRL KDHE Project Code: U6-100-00704

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 1/26/2023 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 735 This Water Well Record was completed on (mo-day-year) 3/23/2023 under the business name of Wootter Pump and Well Signature

PLOTTED: 3/7/2023 1:57 PM    SAVED: 12/5/2022 2:52 PM    G:\Projects\437\437-P1-02\Semi-annual 3-2023\Figure A.dwg



**LEGEND**

- MONITORING WELL
- PLUGGED WELL
- FORMER UST BASIN
- FORMER PUMP ISLAND /PRODUCT LINES

T. 13 Rge. 40W Sec. 27  
 Wallace County  
 KDHE: Shamrock Service  
 U6-100-00704

SCALE IN FEET

0    55    110    220

REVISIONS	BY
<b>MILCO</b>	
Environmental Services, Inc.	
Kearney, NE (308) 237-6923 McCook, NE (308) 346-4741	
<b>SHAMROCK SERVICE</b>	
<b>SITE MAP</b>	
<b>612 N. MAIN STREET - SHARON SPRINGS, KANSAS U6-100-00704</b>	
<small>This document, and the ideas and designs incorporated herein, are an instrument of professional service. It is the property of MILCO and is not to be used in whole or in part, for any other project without the written authorization of © 2009 MILCO.</small>	
SCALE:	AS SHOWN
PROJECT NO.	M437-P1-02
DATE:	MARCH, 2023
FIELD BOOK	M&A DWG NO.
DRAWN BY:	APRVD BY:
TWB	
SHEET	<b>FIGURE A</b>