WATER WELL R Original Record				Division of Water Resources App. No.			Well ID	
1 LOCATION OF W. County: SALI	ATER WEI	L. Fract		Sect	ion Number	Township Numb		
2 WELL OWNER: Last Name: KOHKS First: A. W. Street or Rural Address where well is located (if unknown, distance and								
Address: 730 F Address: OALIN			~Q				BEDOKVILLE	
3 LOCATE WELL		State: 4 ZIP:	01101		T		1) %	
WITH "X" IN	4 DEPTH Depth(s) Gr	OF COMPLET Coundwater Encour	red Well:				(decimal degrees)	
SECTION BOX:	2) 9 2) 9 0 4) Day We					Datum: WGS 84 NAD 83 NAD 27		
	below land surface, measured on (mo-day-yr)Ola							
NW NE	above land surface, measured on (mo-day-yr)				(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
W E	after	after				Online Mapper:		
SW SE -	Well water was ft. after ppm					<u> </u>		
	فتني فتا	Estimated Yield:gpm Bore Hole Diameter:g. in. to75 ft. and				6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map		
S mile	Bore Hole Diameter:				Other			
7 WELL WATER TO BE USED AS:								
1. Domestic: **Mousehold**	5. Public Water Supply: well ID				10. Oil Field Water Supply: lease			
☐ Lawn & Garden ☐ Livestock	7.	7. Aquifer Recharge: well ID				☐ Cased ☐ Uncased ☐ Geotechnical		
2. Irrigation	8. Monitoring: well ID				12. Geothermal: how many bores?			
3. ☐ Feedlot 4. ☐ Industrial		☐ Air Sparge ☐ Soil Vapor Extraction ☐ Recovery ☐ Injection				b) Open Loop		
Was a chemical/bacteriological sample submitted to KDHE? Yes 'No If yes, date sample was submitted:								
Water well disinfected? ✓ Yes □ No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Wall thickness or gauge No. 2002.								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot Mill Slot, O. Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From								
GRAVEL PAC	CK INTERV	ALS: From	S. ft. to . 25	ft., From	II. to ft. to	ft., From	ft. to ft.	
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
☐ Septic Tank☐ Sewer Lines		Lateral Lines Cess Pool	☐ Pit Privy		Livestock Pens Fuel Storage		icide Storage loned Water Well	
☐ Watertight Sewer Lir	nes 🔲	Seepage Pit	☐ Sewage Lag ☐ Feedyard	□ F	Fuer Storage Fertilizer Stora		ell/Gas Well	
☐ Other (Specify) Direction from well?	FAST	.,,,	Distance from we	20C))	- ft	•	
10 FROM TO	<u> </u>	LITHOLOGIC L	OG	FROM			r PLUGGING INTERVALS	
0 1	TOP SI	016	/			•		
9 20	CLAY	BED SAN						
20 29	SANDST	DIDE WITH	, CLAY LA	YEES				
39 36		COMT GRI						
36 75		CTONE TO	HID CKEH. PHIY	Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was A constructed. Treconstructed or I plugged								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) (mo-da								
under the business name of PESI INGLAS PUMP SERVICES								
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.								

KSA 82a-1212

Revised 9/10/2012

Visit us at http://www.kdheks.gov/waterwell/index.html