

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Lincoln	NW ¼ NW ¼ NE ¼	17	T 13 S	R 6	E/W
Distance and direction from nearest town or city street address of well if located within city? Farmway Coop, Westfall Kansas					
2 WATER WELL OWNER: Farmway Coop, Inc.					
RR#, St. Address, Box # : P.O. Box 568			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Beloit, Kansas 67420			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 109 ft ELEVATION: 1414.83			
<p>1 Mile N W E S</p>		Depth(s) Groundwater Encountered 1. ft 2. ft 3. ft			
		WELL'S STATIC WATER LEVEL 16.02 ft below land surface measured on mo/day/yr 10/15/98			
		Pump test data: Well water was NA ft after hours pumping gpm			
		Est. Yield NA gpm: Well water was ft after hours pumping gpm			
		Bore Hole Diameter 8 in. to 109 ft., and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No <input checked="" type="checkbox"/>			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		CASING JOINTS: Glued Clamped	
2 PVC		4 ABS		Welded	
		7 Fiberglass		Threaded. <input checked="" type="checkbox"/>	
Blank casing diameter 4 in. to 79 ft, Dia in. to ft, Dia in. to ft					
Casing height above land surface 29.4 in, weight Sch 40 lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL					
1 Steel		3 Stainless steel		5 Fiberglass	
2 Brass		4 Galvanized steel		6 Concrete tile	
				7 PVC	
				8 RMP (SR)	
				9 ABS	
				10 Asbestos-cement	
				11 Other (specify)	
				12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot		5 Gauzed wrapped	
2 Louvered shutter		4 Key punched		6 Wire wrapped	
				7 Torch cut	
				8 Saw cut	
				9 Drilled holes	
				10 Other (specify)	
				11 None (open hole)	
SCREEN-PERFORATED INTERVALS: From 79 ft. to 109 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 75 ft. to 109 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 43 ft., From 43 ft. to 75 ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines		5 Livestock pens	
2 Sewer lines		5 Cess pool		6 Fuel storage	
3 Watertight sewer lines		6 Seepage pit		7 Fertilizer storage	
				8 Pit privy	
				9 Sewage lagoon	
				10 Insecticide storage	
				11 Abandoned water well	
				12 Oil well/Gas well	
				13 Other (specify below)	
				Former Tank Basin	
Direction from well? Northwest How many feet? 200					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	12	Clay, Brown			
12	27	Clay, Orange Brown			
27	30	Clay, Light Gray			
30	45	Shale, Red Brown			
45	64	Shale, Light Gray			
64	68	Sandstone, Light Gray Brown			
68	81	Shale, Gray			
81	87	Sandstone, Red Brown/Tan			
87	97	Shale, Dark Gray/Black			
97	109	Sandstone, Gray			
					MW26 , Tag # 00274337 , Flushmount
					Project Name: Farmway Coop, Inc. - Westfall
					GeoCore # 669 , KDHE # U5 053 11552
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/2/98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 10/15/98 under the business name of GeoCore Services, Inc. by (signature) [Signature]					