	WATER V	VELL RECORD F	orm WWC-5	KSA 82a-	1212		
LOCATION OF WATER WELL:	Fraction		Sec	tion Number	Township Number	Range Number	
County: Lincoln Distance and direction from nearest tow	SW 1/4	SW 1/4 SW	1/4 1	5İ	T 13 S	R 9 /#/W	
	n or city street addre	ess of well if located	within city?				
Vesper 7½N 1½W							
	uis Kottman						
RR#, St. Address, Box # : Lyons, KS. 67554					Board of Agriculture, Division of Water Resources		
City, State, ZIP Code :					Application Number:		
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: N	4 DEPTH OF COM Depth(s) Groundwat	PLETED WELL 24 er Encountered 1.	ე 170	. ft. ELEVAT	ION: Unknown ft. :	3	
					ace measured on mo/day/yr		
NW NE					er hours pu		
	Est. Yield50	. gpm: Well water	was	ft. aft	er hours pu	ımping gpm	
					nd ir		
W	WELL WATER TO E	BE USED AS: 5	Public wate	r supply 8	3 Air conditioning 11	Injection well	
- SW SE	1_Domestic	3 Feedlot 6	Oil field wat	er supply 9	Dewatering 12	Other (Specify below)	
3\\   3\\	2 Irrigation	4 Industrial 7	Lawn and g	arden only 10	Monitoring well	•••••	
x i	Was a chemical/bact	teriological sample su	bmitted to De	partment? Yes	s; If yes	, mo/day/yr sample was sub	
\$	mitted			Wate	er Well Disinfected? Yes		
TYPE OF BLANK CASING USED:	5	Wrought iron	8 Concre	ete tile	CASING JOINTS: Glue	d . <sup>X</sup> Clamped	
1 Steel 3 RMP (SF	₹) 6	Asbestos-Cement	9 Other	(specify below)	Weld	led	
2 PVC 4 ABS		Fiberglass				aded	
Blank casing diameter	in. to 200	ft., Dia	in. to	<i></i>	ft., Dia	in. to ft.	
Casing height above land surface. $12$	in.,	, weight		Ibs./ft	. Wall thickness or gauge N	lo. 5CH • 40	
TYPE OF SCREEN OR PERFORATION	N MATERIAL:		7 PV	<del>2</del> _	10 Asbestos-cem	ent	
1 Steel 3 Stainless	steel 5	Fiberglass	8 RM	P (SR)	11 Other (specify	)	
2 Brass 4 Galvanize	ed steel 6	Concrete tile	9 AB	5	12 None used (o <sub>l</sub>	oen hole)	
CREEN OR PERFORATION OPENING	GS ARE:	5 Gauzeo	l wrapped	_	8 Saw cut	11 None (open hole)	
1 Continuous slot 3 Mi	ill slot	6 Wire w	rapped		9 Drilled holes		
2 Louvered shutter 4 Ke	ey punched	7 Torch o					
SCREEN-PERFORATED INTERVALS:	From	200 . ft. to	240	ft., From		toft.	
						toft.	
GRAVEL PACK INTERVALS:	From. 20		240			toft.	
	From	ft. to		ft., From	1 10 1111	to ft.	
GROUT MATERIAL: 1 Neat o	ement 2.0	Cement grout	3 Bento	nite 4 C	Other		
Grout Intervals: From 0		. ft., From	ft.				
What is the nearest source of possible				10 Livesto		Abandoned water well	
		7 Pit privy		11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess	•	8 Sewage lagoo	n		No kno	Other (specify below) Own source	
3 Watertight sewer lines 6 Seepa	age pit	9 Feedyard			oldo storage		
Pirection from well? FROM TO	LITHOLOGIC LO	3	FROM	How many	y feet? PLUGGING	INTERVALS	
		3	FROIVI	- '0	TEGGGING	INTENVALO	
0 180 Top soil	-						
30 240 Sε	and Rock		-				
CONTRACTOR'S OR LANDOWNER							
ompleted on (mo/day/year) $\dots$ 8;	/4/89			and this record	d is true to the best of my kr	owledge and belief. Kansas	
Vater Well Contractor's License No. 18	8 <del>6</del> · · · · · · · · · · · · ·	This Water We	Record was			9	
nder the business name of INSTRUCTIONS: Use typewriter or ball point p				by (signatu	ire) Down /Su	20	
	V-111- T	lator Wall					