

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Lincoln		SE 1/4 NW 1/4 SW 1/4		3		T 13 S		R 9w E/W	
Distance and direction from nearest town or city street address of well if located within city? 5S, 1W of Vesper, KS									
2 WATER WELL OWNER: Gerald Hiitter RR#, St. Address, Box # : 792 N. 120th Road City, State, ZIP Code : Lincoln, KS 67455 Board of Agriculture, Division of Water Resources Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL 139 ft. ELEVATION: unknown						
<div><div>N</div><div><div>-NW-</div><div>-NE-</div></div><div><div>W</div><div><div>-SW-</div><div>-SE-</div></div><div>S</div></div></div>			Depth(s) Groundwater Encountered 1 65 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 65 ft. below land surface measured on mo/day/yr 10/03/05 Pump test data: Well water was ft. after hours pumping gpm Est. Yield 15 gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well						
			Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No						
			5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Blank casing diameter 5 in. to 79 ft. Dia in. to ft. Dia in. to ft. Casing height above land surface 12 in., weight 2.8 lbs./ft. Wall thickness or gauge No. Sch. 40 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 10 Asbestos-Cement 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RMP (SR) 11 Other (Specify) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guazed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 2 Other (specify) ft.						
			SCREEN-PERFORATED INTERVALS: From 79 ft. to 139 ft. From ft. to ft. GRAVEL PACK INTERVALS: From 20 ft. to 139 ft. From ft. to ft. From ft. to ft. From ft. to ft.						
			6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Direction from well? none - in pasture How many feet?						
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 3 top soil 3 6 clay 6 78 shale 78 139 sand rock streaks									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/03/05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 186 This Water Well Record was completed on (mo/day/yr) 10/06/05 under the business name of Kelly's Water Well Service, Inc. by (signature) Kathryn L. Good									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.									