

1 LOCATION OF WATER WELL: County: <u>Saline</u>	Fraction: <u>NW 1/4 SW 1/4 NE 1/4</u>	Section Number: <u>36</u>	Township Number: <u>T 14 S</u>	Range Number: <u>R 1 E/W</u>
---	---------------------------------------	---------------------------	--------------------------------	------------------------------

Distance and direction from nearest town or city street address of well if located within city?
8 miles South of Solomon, Ks 1/2 mile West on Magnolia Rd.

2 WATER WELL OWNER: Everette DeHaven
 RR#, St. Address, Box # : 100 N. Skyline Board of Agriculture, Division of Water Resources
 City, State, ZIP Code : Salina, Kansas 67401 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>7.1</u> ft. ELEVATION:
--	--

Depth(s) Groundwater Encountered 1. 5.6 ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 5.1 ft. below land surface measured on mo/day/yr 4 / 4 / 02

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield 1.3 gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter: 9 in. to 7.1 ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)
		9 Dewatering
		12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes. No. *; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes * No

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	4 ABS	7 Fiberglass		Threaded

Blank casing diameter 5 in. to 7.1 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface 1.6 in., weight 16.0 lbs./ft. Wall thickness or gauge No. 2.14

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
				12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	ft.

SCREEN-PERFORATED INTERVALS: From 5.1 ft. to 7.1 ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 2.4 ft. to 7.1 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 4 ft. to 2.4 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? SOUTH WILL BE How many feet? 110

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	DARK CLAY			
3	6	BROWN CLAY			
6	11	TAN & BROWN CLAY			
11	17	LITE COLOR CLAY & SHALE			
17	21	RED & GRAY MIXED CLAY & SHALE			
21	36	LITE COLOR CLAY & SHALE & GRAY			
36	43	LITE COLOR CLAY			
43	52	GRAY & RED MIXED CLAY			
52	56	GRAY CLAY			
56	57	GYP SUM ROCK			
57	71	GRAY SHALE & GYP SUM			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4 / 4 / 02 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 397. This Water Well Record was completed on (mo/day/yr) 4 / 11 / 02 under the business name of CENTRAL KANSAS DRILLING by (signature) Harold D. Martin