WATE	R WELL	RECORD	Form WWC-5	Divisi	ion of Wate	er Resources;	App. No.			
1 LOC	CATION O	F WATER WELL: しいひと	Fraction SE 1/4 SE 1/4 NW	Castian	Number	Township T 14	Number			
		ection from nearest town or cit	ty street address of well if	Global Po				rees, min. of 4 digits)		
located within city?					Latitude:					
<b>3 XX</b> 7.4	1524N, GYPJUM VALLEY RD.  WATER WELL OWNER: TDM RYAN  RR#, St. Address, Box # : 1524N. GYPSUM VALLEY RD.					Longitude:				
2 WA	IER WEL	E OWNER: TOM RY	ANDE LA VALLEY R	Elevation	on:					
City	, St. Addre	Code : 13 24 0.	DYPJUM VALLEY	Datum:						
City, State, ZIP Code : NEW CAMBEIM KS 67470 Data Collection Method:  3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL										
	CATE WEI	L'S 4 DEPTH OF COMI	LETED WELL	. <i>/</i>	11.	•				
	'H AN "X"	IN Depth(s) Groundwater	Encountered (1)	7 ft.	(2)	fi	t. (3).	ft.		
SEC	CTION BOX: WELL'S STATIC WATER LEVEL									
	N		ata: Well water was							
			Est. Yieldgpm: Well water wasft. afterhours pumpinggpm							
	WELL WATER TO BE USED AS: 5 Public water supply  NWNE    E   WELL WATER TO BE USED AS: 5 Public water supply   1 Domestic   3 Feedlot   6 Oil field water supply   9 Dewatering   12 Oil field water supply   13 Oil field water supply   14 Oil field water supply   15 Oil field w							her (Specify below)		
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							12 00	mer (specify below)		
								If yes, mo/day/yrs		
Sample was submitted										
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: GluedX Clamped										
	E OF CAS	ING USED: 5 Wrought 1 3 DMD (SD) 6 Asbestos	Coment 8 Concrete	tile	CASIN	G JOINTS:	Glued			
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded										
2 PVC 4 ABS 7 Fiberglass Threaded.  Blank casing diameter in to 40 ft., Diameter in to ft., Diameter in to ft.  Casing height above land surface in., Weight 1.60 lbs./ft. Wall thickness or guage No. 5.02.26										
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)										
SCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot 3 Mill slot. D25 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft.										
SCREEN-PERFORATED INTERVALS: From								ft.		
From							π. <del>f</del> i			
From								ft.		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  Grout Intervals: From 4 ft to 2 ft From 6 to 6										
Grout Intervals: From										
	Septic tank	•		vestock pens	13 In	secticide St	orage	16 Other (specify		
	Sewer line			el storage	14 A	bandoned v	vater well			
3	Watertight	sewer lines 6 Seepage pit	-	rtilizer Storag	·	oil well/gas v				
FROM	on from well	LITHOLOGIC		many feet?			CINC INT	ERVALS		
1 KOM	25	SANDY LOOM		COM TO		FLUG	JINO IN I	EKVALS		
25	75	SAND FINE TO M								
45		SHALE GRAY								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged										
under my jurisdiction and was completed on (mo/day/year) 12-15-06 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No. 3 14 This Water Well Record was completed on (mo/day/year) 12-15-06										
under the business name of PEST, we see Pump JERU, CE by (signature) Testing and the business name of PEST, we see Pump JERU, CE by (signature)										
INSTRU	CTIONS: Us	se typewriter or ball point pen. PLEA	ASE PRESS FIRMLY and PRINT	clearly. Please	fill in blank	ks, underline o	r circle the	correct answers. Send top		
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suffe 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at										
			,							

http://www.kdhe.state.ks.us/geo/waterwells.