		WATER	R WELL RECORD F	orm WWC-5	KSA 82a	-1212		
LOCATION OF WA		Fraction		Secti	on Number	Township Number	Range Number	
County: F/SW	orta		SE 4 SE		33	т <i>14</i> s	R /O g/w)	
Distance and direction			dress of well if located	within city?		1 / 1/1/22		
	21/2 mile	is south	n and 2 n	11145	aast	of wilson		
WATER WELL OV	VNER:	KGS	,					
R#, St. Address, Bo	x # :			111		Board of Agricultu	re, Division of Water Resources	
ity, State, ZIP Code	:	uior	awrence, Ks	66 (	745	Application Numb	er:	
LOCATE WELL'S L	OCATION WITH	4 DEPTH OF CO	OMPLETED WELL 7	8.5	. ft. ELEVA	TION:	<i>9</i>	
AN "X" IN SECTIO	N BOX:	Depth(s) Groundy	vater Encountered 1.		ft. 2		ft. 3	
!		1					y/yr <b>6/16/.8</b> .5	
NW	- NE	Pump	test data: Well water	was	ft. at	ter hours	s pumping gpm	
1		Est. Yield	gpm: Well water	was	<u>.</u> ft. at	ter hours	s pumping gpm	
l i		Bore Hole Diame	ter <i>I.Q</i> in. to	28.	5ft., ε	and	in. to	
W	· ·	WELL WATER TO	O BE USED AS: 5	Public water	supply	8 Air conditioning	11 Injection well	
		1 Domestic	3 Feedlot 6	Oil field water	er supply	9_Dewatering	12 Other (Specify below)	
2M	3t	2 Irrigation	4 Industrial 7	Lawn and ga	arden only (	0 bservation well		
		Was a chemical/b	acteriological sample su	bmitted to De	partment? Ye	s; If	yes, mo/day/yr sample was sub	
	S	mitted	•		Wat	er Well Disinfected? Yes	No)	
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concret	e tile	CASING JOINTS: 0	Slued . 📈 Clamped	
1 Steel	3 RMP (SI	R)	6 Asbestos-Cement	9 Other (	specify below		Velded	
2 PVC	4 ABS	•	7 Fiberglass				hreaded	
	4	in to 23.5	J				in. to ft.	
•			•				e No	
YPE OF SCREEN C			mi, woight	(7)PVC		10 Asbestos-c		
1 Steel			5 Fiberglass 8 RMI					
	3 Stainless steel					• •	Other (specify)	
	2 Brass 4 Galvanized steel CREEN OR PERFORATION OPENINGS ARE:			6 Concrete tile 9 ABS		12 None used (open hole)		
			5 Gauzed wrapped		,	8 Saw cut 11 None (open hole)		
1 Continuous sl		lill slot		apped		9 Drilled holes		
2 Louvered shut		ey punched	7 Torch c			10 Other (specify)		
CREEN-PERFORAT	ED INTERVALS:	From <del></del>	2.4 n. to	.40:4	ft., Fror	n	ft. toft.	
		From	3 5 π. to	785	ft., Fror	n	ft. toft.	
GHAVEL PA	CK INTERVALS:			. بهرب.ب			ft. toft.	
	<u> </u>	From	ft. to		ft., Fror		ft. to ft.	
GROUT MATERIA	_	_	2 Cement grout	3 Benton				
			π., From	, , , , , π, το			ft. toft.	
Vhat is the nearest s	•						4 Abandoned water well	
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel s		5 Oil well/Gas well	
2 Sewer lines	5 Cess	•	8 Sewage lagoo	n			6 Other (specify below)	
•	ver lines 6 Seep	page pit	9 Feedyard			icide storage	NONE	
Direction from well?	T				How mar	4	0010100	
FROM TO	1	LITHOLOGIC L		FROM	то	LITHO	LOGIC LOG	
0 /5.5	ting to		silty sand					
16.5 23.5		tina, to a						
24.5 26.5		medium:	<del>.</del>					
27.5 28.5	vary		and and					
	fin	e graver						
<u> </u>								
				[				
			······		· · · · · · · · · · · · · · · · · · ·			
	00   4::00::::::	DIO OFSTEIGHT	DAI This "	/4\ <del>-</del>			and a mark to set attach.	
	<i>,</i> , , .	P'S CERTIFICATION OF THE PROPERTY OF THE PROPE					under my jurisdiction and was	
ompleted on (mo/day	• •					1 - 1	y knowledge and belief. Kansas	
/ater Well Contractor			This Water Wel	Record was	•	* ************************************	~ //	
nder the business na		1465			by (signat		Marfarlan	
ISTRUCTIONS: Use	typewriter or hall	point pen, PLEASE	= <u>PHESS</u> <u>FIRMLY</u> and	<u> ⊢HINT</u> clearly	. Please fill ir	Dianks, underline or circle	e the correct answers. Send top 620. Send one to WATER WELL	
	type miles of ban	141 —	- A D					