Wmw-10							
ATER WELL RECORD Form WWC-5		Division of Water Resources App. No. Section Number Township No. Range Number					
1 LOCATION OF WATER WELL:	Fraction	رد سیرا ۸ ر				Range Number R ∤⊘ □E M W	
Street/Pural Address of Well Location:	H 1/4 NW 1/4 SW 1/4 NE 1/4 of Well Location; if unknown, distance & direction						
from nearest town or intersection: If at owner's address, check here		Latiti	Global Positioning System (GPS) information: Latitude: 3.8.8.2.7.7.1.5				
130' E. of F AVE., 10' N. of 28th		Long	Longitude: 98.4.5.461 (in decimal degrees)				
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Eleva	Elevation:			
2 WATER WELL OWNED: Color Color Color Color			Datur	Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: City of Wilson - City Hall			Collec	Collection Method: GPS unit (Make/Model:)			
RR#, Street Address, Box # ZYO) Ave. E, Po Box T City, State, ZIP Code				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Wilson, Kr. 67490 Est. Accu] 5-15 m, □ >15 m	
13 LOCATE WELL							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL							
SECTION BOX: Depth(s) Groun	Depth(s) Groundwater Encountered (1)						
WELL SSIAI	Pump test data: Well water was						
	TOTAL TENTE TO THE STATE OF THE						
	7.						
WELL WATER	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well						
swse Domestic	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
Irrigation	Irrigation Industrial Domestic-lawn & garden Monitoring well						
	Was a chemical/bacteriological sample submitted to Department? Yes X No						
S If yes, mo/day/yr sample was submitted							
Water went districted: 1 105 Lg 140							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to							
Casing diameter, in. to, Diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
			Other (Specify)		**********	
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.							
From							
GRAVEL PACK INTERVALS: From							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
		Livestock	pens	☐ Insecticide	storage Ot	her (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Watertight sewer lines ☐ Seepage		Fertilizer s		Oil well/ga			
FROM TO LITHOLOG						ICCINC INTERVALE	
0 2 5 1	nc Log	FROM	TO	LITHO. L	OG (cont.) or PL	UGGING INTERVALS	
2 12 Clay with 1'	and lens @ 7.5"						
10 15 6	ara 16K2 G 177						
18 24 Sand clay introded							
24 12 Sand							
52 Clay weatherd The	le						
7,73							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo/day/year)							
under the business name of Chuixanntal. Harvitt. Seene. by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							