WMW-5									
WATER WELL RECORD Form WV			WC-5	D	ivision of Wate	r Resources App. N	_{Io.} L		
1 LOCATION OF WATER WELL:		Fraction		Secti	on Number			umber	
County: Ellsworth		45E45W4NE4			19	T 14 (S)	R 10	□E XIW	
Street/Rural Address of Well Location; if unknown, distance & d from nearest town or intersection: If at owner's address, check he				Global Positioning System (GPS) information: Latitude: 3.8.8.2.0.7.8					
SW corner of Ave. D + 30 1					Longitude: 7.8.47.3.49.6 (in decimal degrees)				
30 CM 774 01 774 1 30 =				Elev	Elevation:				
2 WATER WELL OWNER: City of Wilson-City Hall					Datum: WGS 84, NAD 83, NAD 27 Collection Method:				
RR#, Street Address, Box #: 7400 M. F Do Box					GPS unit (Make/Model:)				
City, State, ZIP Code : 270 / 700,					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL 4-						3 m, [] 3-5 m, []5-15 m, <u>L</u>	<u>J > 15 m</u>	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL									
SECTION BOX: N Depth(s) Groundwater Encountered (1)							ft.		
WELL'S STATIC WATER LEVEL							onm		
NWNE	EST VIELD THE Wall water was A offer house manning								
w E Bore Hole Diameter									
WELL WATER TO BE USED AS:									
SW SE ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below) ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☒ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? ☐ Yes 🌠 No									
S If yes, mo/day/yr sample was submitted									
Water wen districted: 1 Tes A 140									
5 TYPE OF CASING USED: Steel X PVC Other									
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel VPC Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From						to			
GDAVEL DACE	Z INTEDWALS:	From 3	ft. to	···········	ft., From	ft.	to	ft. ↔	
GRAVELIACE		From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
			n	ft. to	ft.,	From	ft. to	ft.	
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify be)						below)			
Sewer lines		☐ Fuel stora	ge	Abandoned water well					
☐ Watertight sewer li Direction from well			☐ Fertilizer :		∐ Oil well/ga ell	ıs well			
FROM TO	LITHOLOG		FROM	ТО	LITHO. LO	OG (cont.) or PLU	JGGING II	NTERVALS	
0 4 Cley									
4 le Sandy	Clay								
1 1 7 7 7	5 halasto	1.							
11 18 Clay +	Sand MEY Dec	<u> </u>							
33 38 Sand	with clay i	nterbeds							
38 47 Sand, wet			ļ		ļ				
47 47.5 Clay			+						
			+						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year)									
Kansas Water Well Contractor's License No. 20.4 This Water Well Record was completed on (mo/day/year) 311?									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html .									
KSA 82a-1212									