ALTOCAT	TONI OF WA	ATED WELL:		ER WELL RECORD			32a-1212		Barrer Mari	-1	
County:		ATER WELL:	NE 3	4 SE 1/4	NE 1/4	tion Numb		mber S	Range Nun	_	
		n from nearest to		et address of well if lo		_	T 14		R 14	- EW)	
,		ussell, Kansas	-		soulce main city	•					
	,	WNER: 1-70 Co									
							Daniel of Assista	Di i			
RR#, St. Address, Box # Box 153 City, State, ZIP Code Russell, Kansas 67668							Board of Agriculture, Division of Water Resources Application Number:				
							. ft. ELEVATION:				
P WITH	AN "X" IN S	ECTION BOX:	4 DEPTH OF C	OWPLE IED WELL		ft. ELI	EVATION:	18	824.13	• • • • • • • •	
		N	Depth(s) Groun	ndwater Encountered	1 1	• • • • • •	ft. 2	ft.	3	ft	
 			WELL'S STATI	C WATER LEVEL .	15.65 ft. l	below land	surface measured or	mo/day/	yr 11/.1.8 /9	98	
	NW	NE .	Pun	np test data: Well w	vater was \dots N	${f A} \ldots$ ft.	after	hours pur	nping	gpm	
	144.4	'`` X	Est. Yield N	₹Agpm: Wellw	vater was	ft.	after	hours pur	mping	gpm	
W Wije		ا ا۔	Bore Hole Diar	neter 8 in.	to		., and	in	. to	ft	
₹ "		E	WELL WATER	TO BE USED AS:	5 Public water	supply	8 Air conditioning	11	Injection well		
, 1	0.47	05	1 Domestic	c 3 Feedlot	6 Oil field water	r supply	9 Dewatering 10 Monitoring well	12	Other (Specify be	elow)	
	SW	SE	2 Irrigation	ı 4 Industrial	7 Lawn and ga	rden only	10 Monitoring well		<i></i>		
↓ 1				al/bacteriological sa	mple submitted to	Departme	ent? YesNo	; If yes	, mo/day/yr samp	was	
Y L		5	submitted			٧	Vater Well Disinfected	? Yes	No	\checkmark	
5 TYPE	OF BLANK	CASING USED:	<u> </u>	5 Wrought iron	8 Concre	ete tile	CASING JOIN	ITS: Glued	Clampe	d	
ت 1 s	teel	3 RMP (SI	R)	6 Asbestos-Ceme					ed		
(2)P	VC	4 ABS	,	7 Fiberglass				Threa	ided. 🏑		
			in. to				ft., Dia				
							s./ft. Wall thickness of				
		R PERFORATIO		. III., Wolgitt	7)PVC			stos-cem			
1 S		3 Stainless		5 Fiberalass							
				5 Fiberglass 8 RMP (SR) 6 Concrete tile 9 ABS				11 Other (specify)			
2 Brass 4 Galvanized steel 6 Con SCREEN OR PERFORATION OPENINGS ARE:							12 None used (open hole)				
	ontinuous s		fill slot		uzed wrapped				11 None (open	noie)	
			Key punched				9 Drilled holes				
	ouvered shu						10 Other (specify)				
SCREEN-	PERFORAT	ED INTERVALS:	From	15) <i></i>	TL, I	From	π.	to	TL	
,	PRAVEL DA	CK INTERVALS:	From	13 # #	25	TL., I	From	π.	to	π	
,	TOWNEL PA	CK INTERVALS.					From				
				_							
-	MATERIAI		cement	2 Cement grout	(3)Bentor	nite	4 Other				
					\dots 11 \dots ft. t	o	3 ft, From				
What is the nearest source of possible contamination:						10 Liv	estock pens	14 A	oandoned water v	well	
1 Sep	tic tank		ral lines		7 Pit privy 11 Fuels			storage 15 Oil well/Gas well			
2 Sew	er lines	5 Cess	s pool	8 Sewage lagoon 12 Fertil			rtilizer storage 16 Other (specify below)			ow)	
3 Watertight sewer lines 6 Seepage pit							Insecticide storageTank.Basin				
Direction	from well?	North				How m	nany feet? 100				
FROM	10		LITHOLOGIC	LOG	FROM	10	PLU	GGING IN	TERVALS		
0	0.5	Concrete,									
0.5	5	Clay, Brown									
5	13	Clay, Red Bro	own								
13		Clay, Brown									
20		Sand, Light B	Brown								
		, _ 8 3									
		, , , , , , , , , , , , , , , , , , , ,									
· · · · · · · · · · · · · · · · · · ·											
							MW12 T # 00000	264 17	h m a u s t		
							MW13, Tag # 00280		nmount		
						Project Name: I-70 Conoco					
							GeoCore # 683, KD				
					li was (1) constru		reconstructed, or (3) p				
and was o											
				11/12/98			record is true to the				
					This Water Well		as completed on (mo/				