


1 LOCATION OF WATER WELL: Fraction NE 1/4 NW 1/4 SW 1/4 Section Number 2 Township Number T 14 S Range Number R 16 E/W  
 County: Ellis

Distance and direction from nearest town or city street address of well if located within city?  
1/2 mi South of Walker Ks East into

2 WATER WELL OWNER: Rodger Brown  
 RR#, St. Address, Box # : 1224 Walker Ave. Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code : Walker Ks Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL 260 ft. ELEVATION: .....  
 Depth(s) Groundwater Encountered 1 255 ft. 2 ..... ft. 3 ..... ft.  
 WELL'S STATIC WATER LEVEL 180 ft. below land surface measured on mo/day/yr 10-14-07  
 Pump test data: Well water was 260 ft. after 2 hours pumping 40 gpm  
 Est. Yield 40 gpm: Well water was ..... ft. after ..... hours pumping ..... gpm  
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes ..... No ; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected?  Yes No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued  Clamped .....  
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded .....  
 PVC 4 ABS 7 Fiberglass Threaded .....  
 Blank casing diameter 5 in. to 240 ft., Dia ..... in. to ..... ft., Dia ..... in. to ..... ft.  
 Casing height above land surface 12 in., weight JDR 31 lbs./ft. Wall thickness or guage No. Std 40  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  PVC 10 Asbestos-Cement  
 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 Other (Specify) .....  
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 1 Continuous slot  Mill slot 6 Wire wrapped 9 Drilled holes  
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) ..... ft.  
 SCREEN-PERFORATED INTERVALS: From 260 ft. to 240 ft., From ..... ft. to ..... ft.  
 From ..... ft. to ..... ft., From ..... ft. to ..... ft.  
 GRAVEL PACK INTERVALS: From 240 ft. to 260 ft., From ..... ft. to ..... ft.  
 From ..... ft. to ..... ft., From ..... ft. to ..... ft.

6 GROUT MATERIAL:  Neat cement 2 Cement grout  Bentonite 4 Other .....  
 Grout Intervals: From 240 ft. to 200 ft., From 60 ft. to 0 ft., From ..... ft. to ..... ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 13 Insecticide storage .....  
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5	Soil			
5	20	Dry Sandy Shale Brown			
20	40	Light grey Shale in Stone			
40	80	Black Shale layered lime			
80	130	Dark Blue Shale			
130	140	Light Grey shale			
140	175	Dark Grey shale			
175	200	Blue & White shale			
200	250	Black & White layered sand & shale			
250	260	Med to coarse Red to light grey sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-14-07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 600 This Water Well Record was completed on (mo/day/yr) 10-16-07 under the business name of Goodman Water well Drilling by (signature) John Good