WATER WELL RECORD				-5 D	Division of Water Resources: App. No.					
		VATER WELL:	Fraction		Section N	Number	Township N	umber	Range Number	
County:	direction	Ellis	NE ¼ SE ¼	NW ¼	Clohal Pa	oitionin	T 14	S mal dag	R 16 W	
Distance and direction from nearest town or city street address of well if located within city? 207 W. Main Street Victoria, KS 67671  Global Positioning System (decimal degrees, min. of 4 Latitude: N 38.84839°										
						I ongitude: W 99 14727°				
2 WATER WELL OWNER: James Robben						Elevation: RIM: 1922.24 TOC: 1921.82				
RR#, St. Address, Box # : 207 W. Main					Elevation: RIM: 1922.24 TOC: 1921.82 Datum: above mean sea level					
City. State. ZIP Code : Victoria, KS 67671  3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL					Data Collection Method: legal survey					
LOCATO		5 4 DEPIH OF	COMPLETED WE		B # 11/10		ft.			
WITH A		Denth(s) Groun	dwater Encountered 1		MW10			£ 2	Δ.	
SECTIO		WELL'S STAT	dwater Encountered la CIC WATER LEVEL	20.25	ft balaw l	ond surfa	one mangurad o	.11. <i>3</i>	II.	
1	N BOA.									
The state of the s								pumpi	ing gpm	
i		Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
'\'' X	NE -	1 Domestic 3	Feed lot 6 Oil field	d water sin	vater suppi only	9 Dew	ratering '	12 Oth	er (Specify below)	
W I Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Special Supply Supply Supply 12 Other (Special Supply Su								12 001	er (Specify below)	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day									If ves. mo/day/vrs	
S Sample was submitted Water Well Disinfected? Yes No X										
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped										
1 Steel	r CASHA	DWD(CD) 6	A sheetos-Coment	0 Other	(cnecify b	CAS.	ING JOIN 15.	Walde	d Clamped	
2 PVC	<i>د</i> ۱	ADC 7	Fiberaless	9 Other	(specify o	elow)		Throng	dod <b>V</b>	
Blank casing	diameter	ADS /	70 f Die				Dia	in	to A	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  2 PVC 4 ABS 7 Fiberglass Threaded X  Blank casing diameter 2 in. to 20 ft., Dia in. to ft., Dia in. to ft.  Casing height below land surface 0.42 ft., Weight lbs./ft. Wall thickness or gauge No.										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)										
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify)  2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 20 ft. to 40 ft. From ft. to ft.  From ft. to ft. From ft. to ft.  GRAVEL PACK INTERVALS: From 19 ft. to 40 ft. From ft. to ft.  From ft. to ft. From ft. to ft.										
SCREEN-PERFORATED INTERVALS: From 20 ft to 40 ft From ft to ft										
			From	ft. to		ft. Fr	om	ft. t	o ft.	
GRAV	EL PACI	K INTERVALS:	From 19	ft. to	40	ft. Fr	om	ft. t	o ft.	
•	•		From	ft. to		ft. Fr	om	ft. t	o ft.	
6 GROUT	MATER	AI · 1 Neat cerr	ent 2 Cement grou	t G Rer	tonite (	(4) Other	concrete 0.2	,		
Grout Intervals From 2 ft to 19 ft From ft to ft From ft ft ft From ft										
Grout Intervals From 2 ft. to 19 ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft.										
1 Septic			nes 7 Pit privy	10 Lives	tock pens	13 Inse	ecticide Storag	e	16 Other (specify	
2 Sewer		5 Cess pool					andoned water		below)	
3 Watert	ight sewer	lines 6 Seepage p					well/ gas well			
Direction from well? ENE How many feet? ~110										
FROM	ТО	LITHO	LOGIC LOG	FRO	M TO		PLUGGIN	G INTI	ERVALS	
0			wn silt, dry, no odor		40	Silty c			with depth, w/	
3		ilt with clay, brow							lightly moist, no	
8			lightly moist, no ode	or		odor				
13			nd, brown, slightly							
18		noist, no odor	nd hunny slightle							
10		noist, no odor	nd, brown, slightly				· · · · · · · · · · · · · · · · · · ·			
23		ilty clay, some sa	nd, w/ limestone							
			htly moist, no odor			Flushr	mount waiver	from F	3OW	
			······································							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/25/08 and this record is true to the best of my knowledge and belief.										
		actor's License No. of Larsen & Asso		Water Well by (sigr		complete	don (mo/day/ye	ar)	4/9/08	
							of Health and The	uiror	t Bureau of Water	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Sept one to WATER WELL OWNER and retain one for										
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.										