			Form WWC-5		2a-1212		
OCATION OF WATER WELL:		Z Along N li		ction Number		171	Range Number
unty: Ellic tance and direction from nearest tow	yn or city etreet set	tress of well if located	within city?	_/2_		7 s	I R // E∰
▲ 1 .						na: 6 /	1 Holish
Starting a NW open	of section	go 2000 E	- 41 /	both li	. • •	mre u	est Victoria)
WATER WELL OWNER: Pence #, St. Address, Box # : 20.	e Eng.	Test	Hole	to F	ind		
			HALE D	EPTH		•	Division of Water Resource
, State, ZIP Code	1. CS 676	<i>:</i>				n Number:	
OCATE WELL'S LOCATION WITH	4 DEPTH OF CO	MPLETED WELL	NA	ft. ELE	VATION:		
NY A IN SECTION BOX:			J. A				3
			•				
NW _ NE							ımping gpn
							ımping gpn
w <u>i</u> .	Bore Hole Diamete	er <i></i>	30.		., and	in	ı. to
w	WELL WATER TO	BE USED AS:	5 Public water	er supply	8 Air conditioning	g 11	Injection well
' ' ' ' ' ' ' ' ' '	1 Domestic		6 Oil field wa		9 Dewatering	10,12	Other (Specify below)
3W 3E	2 Irrigation						ic hole
	Was a chemical/ba	cteriological sample s	ubmitted to D	epartment?	Yes	; If yes	, mo/day/yr sample was su
\$	mitted				Vater Well Disinfec		
TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JO	DINTS: Glue	d Clamped
1 Steel 3 RMP (SI	R)	6 Asbestos-Cement	9 Other	(specify be	low)	Weld	led
2 PVC 4 ABS		7 Fiberglass				Threa	aded
ink casing diameter	.in. to	ft., Dia					in. to ft
sing height above land surface							
PE OF SCREEN OR PERFORATION			7 PV			bestos-ceme	
1 Steel 3 Stainless	s steel	5 Fiberglass	8 RM	MP (SR)	11 O	her (specify))
2 Brass 4 Galvaniz		6 Concrete tile	9 AB			one used (op	pen hole)
REEN OR PERFORATION OPENIN	GS ARE:	5 Gauze	ed wrapped		8 Saw cut		11 None (open hole)
	lill slot	6 Wire v			9 Drilled holes		, , , , , , , , , , , , , , , , , , , ,
	ey punched	7 Torch			10 Other (spec	fv)	
REEN-PERFORATED INTERVALS:	• •			# F	` '	• •	toft
GROUT MATERIAL: 1 Neat of put Intervals: From		Cement groutft., From	_		4 Other		to ft
at is the nearest source of possible	contamination:						bandoned water well
1 Septic tank 4 Later	al lines	7 Pit privy		11 Fu	el storage	15 C	Dil well/Gas well
2 Sewer lines 5 Cess	pool	8 Sewage lago	on				ther (specify below)
3 Watertight sewer lines 6 Seep	age pit	9 Feedyard		13 ins	ecticide storage	110 M	ing Observed
ection from well?				How n	nany feet?		<u> </u>
ROM TO	LITHOLOGIC LO	OG ,	FROM	то	<u> </u>	LUGGING I	NTERVALS
0 13/2 Rd 00	ver know	suil, w	30	20	CMA	Gravel	pack,
sparch	ey scaffer	mixed gre		0	Medium	benton	ile chip
Size		· /					
13/2 15/2	ou clay						
15 2012 Chy	14/ /ds	fray.					
2012 22 0/4	white -	turquois					
22 24 /m/s	gravet /	a School	P				
24'0 20 Shake	I hard b	LY Six 18		<u> </u>			
72 30 State	. ,						
CONTRACTORIO OD I ANDOMOTICA	DIS CERTIFICATION	Al. This		oted (0)	annaturated -Cal	ntugaad	dor my juriodiation and
CONTRACTOR'S OR LANDOWNER							
	-4-96					est of my kn	nowledge and belief. Kansa
ter Well Contractor's License No.	11.000	This Water W	ell Hecord wa	-	d on (mo/day/yr)		
er the business name of	How put	et William		by (sig	nature)		MODERALLY
INSTRUCTIONS: Use typewriter or ball point of Health and Environment, Burgay of Water							