


1 LOCATION OF WATER WELL: County: Ellis Fraction: 30 $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$ X 7 Section Number: 7 Township Number: T 14 S Range Number: R 17 E/W

Distance and direction from nearest town or city street address of well if located within city?
~~3 miles East + 2 miles south + little to west.~~ 3 miles East + 2 miles south + little to west.

2 WATER WELL OWNER: Ken Omitttel
 RR#, St. Address, Box # X 1505 Harey Dr. Board of Agriculture, Division of Water Resources
 City, State, ZIP Code X Hays, Ks Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 DEPTH OF COMPLETED WELL: 45 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. 20ft ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL 18ft ft. below land surface measured on mo/day/yr 10/10/84
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield 25gpm gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter 10 1/4 in. to 45 ft., and in. to ft.
 WELL WATER TO BE USED AS:
 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial Lawn and garden only 10 Observation well
 Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No 0

5 TYPE OF BLANK CASING USED:
 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued X Clamped Welded Threaded
 Blank casing diameter 5.56 in. to 25ft ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 10inches in., weight lbs./ft. Wall thickness or gauge No. SDR 26
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 11 None (open hole) 12 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 45 ft. to 25 ft., From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 45 ft. to 20 ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 10 ft. to 0 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
 Direction from well? West How many feet? 500ft

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	6	top soil			
6	12	yellow clay w/ some fine sand			
12	15	fine sand			
15	24	fine to medium sand w/ good gravel			
24	31	gray clay w/ fine sand			
31	33	fine to medium to coarse sand and gravel			
43	45	shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/10/84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 455 This Water Well Record was completed on (mo/day/yr) 10/16/84 under the business name of Kraus Pump Supply by (signature) James Becker

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.