			WAT	TER WELL RECORD	Form WW	C-5 KSA	82a-1212				
1		VATER WELL:		,		ection Num	4	Number	Range N	lumber _	
County:		ion from poorcet tou	NW 1		VW 1/4	3	T 14	S	R 18	₽(VV)	
		reet, former Hal		et address of well if lo	cated within d	ity?					
	ER WELL										
	Address, E	CHILL	nberger 1	Cechnology Co	rporatio	on - Dov	vell_Divisio	n			
	ite, ZIP Coc	200 G	illingham	I.ane MD•7			Board of Agi	iculture. Divi	ision of Water I	Resources	
		Sugar SLOCATION /	Land, Te	exas 77478 COMPLETED WELL.	47		Application	number:			
J WITH	AN "X" IN	SECTION BOX:	DEPTH OF C	OMPLETED WELL.	4./	tt. EL	EVATION:		0		
7		N L	Deptn(s) Grour		. ft. 2	ft.	3	f			
1		'	WELLSSIAII	C WATER LEVEL	.18././	it. below land	d surface measured	d on mo/day/	/yr 8/28	/02	
Pump test data: Well water was NA ft. after								. hours pu	mping	gpn	
0	X ''''		Est. Yield N.A. gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8.25. in. to 47 ft., and in. to ft								
₩ E		E \	MELL MATER	TO BE USED AS:	5 Dublic uni	· C				ft	
~			1 Domestic		6 Oil field wa						
	sw	SE	2 Irrigation				10 Monitoring w	12		below)	
1				al/bacteriological san	nole submitted	garueri oniy Lto Denartm	eni? Yes No.	ell ✓ If vos		mole une	
<u>¥</u>		<u> </u>	submitted		, p. 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	, to Doparar	Water Well Disinfe	ted? Yes	No.		
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Con	crete tile			d Clam		
	Steel	3 RMP (SR)		6 Asbestos-Cemer		er (specify b			d Ciam ded		
(2)	PVC	4 ABS		7 Fiberglass					aded✔		
Blank ca	sing diamet	er		6.5 ft., Dia	in	to	ft. Dia		in to	ft	
Casing h	eight above	land surface	0	. in., weight		lb	s./ft. Wall thicknes	s or gauge I	No Sch.	40	
TYPE OF	SCREEN	OR PERFORATION	MATERIAL	_	(7)P	VC	10 A	sbestos-cem	ent		
1 5	Steel	3 Stainless s	steel	5 Fiberglass		MP (SR)			·)		
	Brass	4 Galvanized		6 Concrete tile	9 A		12 None used (open hole)				
SCREEN	OR PERF	DRATION OPENING		5 Gauzed wrapped			8 Saw cut 11 None (open hole)			en hole)	
1 (	Continuous	\ - J		6 Wire	e wrapped		9 Drilled holes		, , ,	,	
	Louvered sh	outter 4 Key	punched	7 Toro			10 Other (speci	fy)			
GROL	IT MATERIA	ACK INTERVALS:  L: 1 Neat ce	From		47 .	tonite	From	ft.	to	ft	
Grout Inte	ervals: Fro	om <u>.0</u> fi	t. to 3 <i>4</i>	ft., From	ft	to 3.	5 ft, From .		. ft. to	ft	
What is the nearest source of possible contamination:									14 Abandoned water well		
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel storage			15 Oil well/Gas well		
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertilizer storage		(16) (1	16 Other (specify below)		
	tertight sew	er lines 6 Seepag	ge pit	9 Feedyard			secticide storage on site				
FROM	from well?	1	111111111111111				nany feet? 0				
0	5		LITHOLOGIC		FROM	10	Р	LUGGING IN	NERVALS		
5	15	Asphalt Surface Clayey Silt, Bro									
15	46	Sand, Light Bro			-						
46	47	Shale	7W11								
	1	Share				<del> </del>					
	<del> </del>										
·											
	†							·			
						<del> </del>					
										-	
						<del> </del>					
						<del> </del>	MW-13D	Flushmount			
						Project Name: Dow GeoCore # 82		си наух стеинир			
CONTR	ACTOR'S	OR LANDOWNER'S	CERTIFICATION	ON: This water well w	vas (1) constr	ucted (2) r		nlugged	doc mu iusiasii-	fion	
nd was c	ompleted of	n (mo/day/year)		8/28/02			reconstructed, or (3)				
ansas W	ater Well C	ontractor's License	No.	.527 Th		. and this Record was	record is true to the as completed on (~	= best of my o/day/yr¥	10/15/02	pellet.	
nder the	business na	ame of	Ger	Core Inc.		by (sigr	nature)			*	
		tunqueitas as balli-t -		Inc.		-, (sigi	Gal	10cm			

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.