


1 LOCATION OF WATER WELL: County: ELLIS	Fraction NE ¼ SW ¼ NW ¼	Section Number 12	Township Number T 14 S	Range Number R 18 EW
---	---	-----------------------------	----------------------------------	---------------------------------------

Distance and direction from nearest town or city street address of well if located within city?

500 COMMERCE PKY HAYS KS

2 WATER WELL OWNER: A-1 PLANK & SCAFFOLD MFG	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : 500 COMMERCE PKY	Application Number:
City, State, ZIP Code : HAYS KS 67601	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 74 ft. ELEVATION:
--	--



Depth(s) Groundwater Encountered 1 **5.0** ft. 2 ft. 3 **8-24-04** ft.

WELL'S STATIC WATER LEVEL **4.0** ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield **4.0** gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	<input checked="" type="checkbox"/> Domestic (lawn & garden)
		9 Dewatering
		12 Other (Specify below)
		10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No **XX**; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No **XX**

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<input checked="" type="checkbox"/> PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 5 in. to 54 ft., Dia			Threaded
Casing height above land surface 18 in., weight 160 lbs./ft.			Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless Steel	5 Fiberglass	<input checked="" type="checkbox"/> PVC
2 Brass	4 Galvanized Steel	6 Concrete tile	8 RMP (SR)
			9 ABS
			10 Asbestos-Cement
			11 Other (Specify)
			12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	<input checked="" type="checkbox"/> Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	11 None (open hole)
		7 Torch cut	9 Drilled holes
			10 Other (specify) ft.
SCREEN-PERFORATED INTERVALS: From 54 ft. to 74 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 4.0 ft. to 7.4 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<input checked="" type="checkbox"/> Bentonite	4 Other
Grout Intervals: From 0 ft. to 30 ft., From ft. to ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	
Direction from well?			How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	10	SURFACE CLAY			
10	45	HARD YELLOW CLAY			
45	55	FINE SAND			
55	65	MED TO LARGE SAND			
65	70	SOAPSTONE			
70	74	BLUE SHALE			
					RECEIVED
					SEP 13 2004
					BUREAU OF WATER

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-24-04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 444 . This Water Well Record was completed on (mo/day/yr) 8-24-04 under the business name of ANDY ANDERSON DRILLING by (signature) <i>Andy Anderson</i>
--