WATE	R WELL	RECORD	Form WWC-5 Division of Water Resources; App. No.					
1 LOC	ATION OF	WATER WELL:	Fraction NW 1/4 SW 1/4 SW 1/4		Section Numb	Range Number R 18 E/W		
Distance and direction from nearest town or city			y street address of well if	(Global Positioning Systems (decimal degrees, min. of 4 digits)			
locate	d within cit	^{y?} 2020 E 8th Street, Hays, I	KS		Latitude:			
					Longitude:			
					Elevation:			
	State, ZIP	Cada			Datum:			
		11ays, 13 0700			Data Collect			
	ATE WEL	L'S 4 DEPTH OF COMP	LETED WELL	••••	•••••	ft.		
	ATION H AN "X"	IN Denth(s) Groundwater	Encountered (1)		ft (2)	ft (3)	· 6	
	TION BOX) ' ' 10-51-07						
SEC	N N	Pump test data: Well water wasft. after hours pumping gpm						
	Est. Yield. 2.0. gpm: Well water was							
LINV	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
w Lij	1 1 1 E I Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well MW-3							
SV	SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs							
	Sample was submitted							
Sample was submitted								
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped								
3 1 1 1 1	Steel	RMP (SR) 6 Ashestos-	Cement 9 Other (spe	ecify	below)	Welded		
2 PVC 4 ABS 7 Fiberglass Threaded								
Blank casing diameter in. to 22 in. to 1. Diameter in. to ft., Diameter in. to ft., Diameter in. to ft.								
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From. ²² ft. to 37 ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From								
From								
6 GRO	UT MATE	RIAL: 1 Neat cement 2	Cement grout 3 Benton	ite	4 Other			
1	ntervals:	From 20 ft. to 0.3	ft., From		. ft. to	ft., From	ft. toft.	
What is	the nearest	source of possible contaminat	ion:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
_	Sewer lines					14 Abandoned water we	ll below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well?								
FROM		LITHOLOGIC		RON		PLUGGING IN		
0	0.5	Asphalt	J LOO 11.	ICO I	WI 10	1 booding ii	TERVALO	
0.5	25	Silt						
25	35	Silty sand						
35	37	Silt						
	-							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 10-23-07 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/year) 12-11-07.								
under the business name of Woofter Pump & Well, Inc. by (signature) was completed with the business name of Woofter Pump & Well, Inc.								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Sendtop								
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Ransas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdhc.statc.ks.us/geo/waterwells.								