WAIER WELL						ources App.				
	WATER WELL:	Fraction 4 NW 4 NW 9	.5W 1/4	Section N	lumber	Township	Number	Range Number		
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:						
from nearest town or intersection: If at owner's address, check here \square .					Latitude: (in decimal degrees)					
					Longitude: (in decimal degrees)					
					Elevation:					
2 WATER WELL OWNER: Glassman Corp					Datum: □ WGS 84, □ NAD 83, □ NAD 27					
RR#, St. Address, Box # : PO Box 218					Collection Method:					
City, State, ZIP Code : Hays, KS 67601					☐ GPS unit (Make/Model:					
					☐ GPS unit (Make/Model: ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
					icy: 🗖 <3	m, 🛮 3-5 m,	□ 5-15 m,	□ >15 m		
3 LOCATE WELL										
WITH AN "X"	IN 4 DEPTH OF	COMPLETED WELL	35			ft.				
SECTION BOX	N 4 DEPTH OF COMPLETED WELL 35 ft. Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft									
N	N WELL'S STATIC WATER LEVEL NA ft. below land surface measured on mo/day/yr									
· · · · · · · · · · · · · · · · · · ·	7 Due	m toot dates Wall water		CIOW Idii	u surracc	incasureu o	ii iiio/uay/y	·		
X	r was	ft. after hours pumping gpm								
NW - NE -	r was	ft. after hours pumping gpm								
WELL WATER TO BE USED AS: Public wa					ter supply Geothermal Injection well					
" *	W Domestic ☐ Feedlot ☐ Oil field water sup					iter supply Geothermal Injection well ply Dewatering Other (Specify below)				
SW SE Irrigation Industrial Domestic-lawn & garden IN						ring well				
	Was a chemical/	bacteriological sample sul	omitted to De	epartment'	? 🗆 Yes	x No				
S										
S If yes, mo/day/yr sample was submitted 1 mile Water Well Disinfected? Yes No										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS:	⊠ Glued ☐ Clamp	oed	☐ Threade	d	6.	ъ.				
Casing diameter	in. to _15	ft., Diameter	ın.	to	tt.,	Diameter		in. toft.		
Casing diameter 6 in. to 15 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 18 in., Weight 3.680 lbs./ft. Wall thickness or gauge No280										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☒ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)										
☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)										
SCREEN-PERFORATED INTERVALS: From 15 ft. to 35 ft., From ft. to ft.										
From ft. to ft., From ft. to GRAVEL PACK INTERVALS: From 15 ft. to 35 ft., From ft. to) ft		
GRAVEL PACK INTERVALS: From 15 ft. to 3					ft Fro	nm	ft to)ft		
From ft to					ft Fro	''''	ft to	ft.		
From ft. to ft., From ft. to ft. 6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
6 GROUI MAIER	IAL: Li Neat cemer	it	ĭ≱ Bento	nite L	Uther			6 6		
Grout Intervals From 0 ft. to 15 ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft.										
Septic tank	Lateral lir		☐ Livestock		□ Incoat:	cide storage		ther (specify below)		
Sewer lines	□ Cesspool		☐ Fuel stora			oned water		.lief (specify below)		
☐ Watertight sew			ll/gas well	None	Δ					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertill Direction from well ☐ Distan						ii/gas weii	11011			
	N. ITTILO							Chic Namparities		
FROM TO		LOGIC LOG	FROM	TO	LITHO.	LUG (con	i.) <u>or</u> PLUG	GING INTERVALS		
0 2	Surface				-					
2 11	Clay	41-		-	1	.				
11 27	Fine & med sand & fla	t rock								
27 35	Black shale		-	-		,				
			-	+						
				-						
					1					
				 	+					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ⊠ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo/day/year) 8/21/09 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Co	ntractor's License No	554 or 783 . This	Water Well	Record wa	as complet	ad on (mo/	dav/vear)	// - 2 - 40		
under the business nan	e of Woofter Pum	& Well Inc.	by (signatu	ire)	7	Ste				
		· • • • • • • • • • • • • • • • • • • •			·····/	3		Envisore C		
Water, Geology Section.	1000 SW Jackson St., Sui	correct answers. Send three cote 420, Topeka, Kansas 6661	opies (wnite, t 2-1367. Telei	nue, pink) i phone 785-	ю к ansas 1 -296-5522	Send one to	i Health and WATER WE	ELL OWNER and retain		
		constructed well. Visit us at						o		

White Copy