WATER WELL RECORD		Form WWC-5		D	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL: County:		Fraction) 1/4 N W 1/2	Secti	on Number	Township No.	Range Number R / S □ E W W	
		f unknown, distance & direction			Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's add			chere .	Latit	Latitude: (in decimal degrees)			
1012 HWY 40				Longitude: (in decimal degrees)				
HAYS KS 67601				Elevation:				
· · · · · · · · · · · · · · · · · · ·					Datum: WGS 84, NAD 83, NAD 27			
					Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code	bex 536							
	Js. KS 6760/			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL		- Carlos					J 2 22 22 22 22 22 22 22 22 22 22 22 22	
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	L3.7	9 	ft.			
SECTION BOX:	Depth(s) Groundwater Encountered (1)25 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL2.5 ft. below land surface measured on mo/day/yr							
IN	N WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr							
Pump test data: Well water wasft. after							nping gpm	
NW NE	EST. YIELDgpm. Well water wasft. after hours pumping							
W E Bore Hole Diameter							.II, Y., iti	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below								
SW SE								

Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted								
Water well disinfected? Yes No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface in., Weightlbs./ft., Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
Louvered shutter								
From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source			penny			bound		
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
Sewer lines Watertight sewer l	Sewage lagoon	☐ Fuel stora ☐ Fertilizer		Oil well/g	d water well			
Direction from well								
FROM TO	LITHOLOG		FROM	TO	LITHO. L	OG (cont.) or PLI	JGGING INTERVALS	
	WEL	· · · · · · · · · · · · · · · · · · ·						
	UTDAICE			«····	***************************************			
	34 - J- Z- J- Z- J- Z							

WEZ	1 PIVEGE	B IN BASI	ment	property of the same of the sa				
	1144				<u> </u>		errone sales in a constant of the constant of	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .5./3./								
Kansas Water Well Contractor's License No. 4.13 This Water Well Record was completed on (mo/day/year)								
under the business name of Phanka Fall of the land of								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Stite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								