KOLAR Document ID: 1589669

WATER WELL R			WWC-5 ge in Well Use		vision of Wa			Well ID			
	Original Record Correction Chang		Fraction		Resources App. No. Section Number		Township Numb		ge Number		
County:				/4 1/4				R	$\Box E \Box W$		
Business: d Address: Address:					Street or Rural Address where well is located (if unknown, distance and lirection from nearest town or intersection): If at owner's address, check here:						
City: 3 LOCATE WELL		State:	ZIP:								
WITH "X" IN											
SECTION BOX:			It.	Longitude:							
N	WELL'S ST				Source for Latitude/Longitude:						
			y-yr)	0	GPS (unit make/model:)						
NW NE	Pump test d		/-yr) ft		(WAAS enabled? Yes No)						
	-	hours			□ Land Survey □ Topographic Map □ Online Mapper:						
SW SE		Well water was ft.									
		after hours pumping gpm Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC					
S	Bore Hole I		ft. and		Source: Land Survey GPS Topographic Map						
1 mile		in. to ft.				□ Other					
7 WELL WATER TO BE USED AS:											
1. Domestic:	 5. Dublic Water Supply: well ID 6. Dewatering: how many wells? 										
Lawn & Garden					\square Cased \square Uncased \square Geotechnical						
Livestock	8. 🗆	Monitorin		12. Geo	12. Geothermal: how many bores?						
2. Irrigation		D		a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water							
 3. ☐ Feedlot 4. ☐ Industrial 	☐ Air Sparge ☐ Soil Vapor Extraction ☐ Recovery ☐ Injection					13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ PVC □ Other (Specify)											
Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Nearest source of possible contamination: No potential source of contamination within 200 ft.											
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage											
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well											
☐ Other (Specify)											
Direction from well?10 FROMTO		ITHOLO		FROM	ТО		ft. HO. LOG (cont.) or	DLUCCIN			
	1	annolo	GICLUG	FROM	10		HO. LOG (colit.) of	rLUUUIIN	JINTERVALS		
<u>├</u>											
				Notes:		•					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged											
under my jurisdiction ar Kansas Water Well Con	id was compl	eted on (n	no-day-year)	and	this record	is tru	ie to the best of m	y knowled	ge and belief.		
	Send one copy to	WATER W	ELL OWNER and retain	one for your re	cords. Fee of §	\$5.00 f	or each constructed we	11.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											